

LUCIUS JUNIUS
MODERATUS COLUMELLA
ON AGRICULTURE

WITH A RECENSION OF THE TEXT AND AN
ENGLISH TRANSLATION BY

HARRISON BOYD ASH, PH D

ASSOCIATE PROFESSOR OF LATIN UNIVERSITY OF PENNSYLVANIA

IN THREE VOLUMES

I

RES RUSTICA I-IV



CAMBRIDGE, MASSACHUSETTS
HARVARD UNIVERSITY PRESS

LONDON
WILLIAM HEINEMANN LTD

MCMXLVIII

First printed 1941
Reprinted, 1948

Printed in Great Britain

PREFACE

THE text here translated, for Books I-II, VI-VII, X-XI, and *De Arboribus*, is based on that of Lundstrom, with some changes in orthography, punctuation, and capitalization to conform more nearly to English and American usage. For the remaining six books the translator has attempted to construct a reasonably comparable text by the collation of five important manuscripts with the latest printed edition, that of Schneider (1794).

The translator is greatly indebted to the Faculty Research Fund of the University of Pennsylvania for a grant which made it possible for him to examine a number of Columella manuscripts abroad and to purchase photostatic copies of the four major codices. Grateful acknowledgment is made of the permission of the Trustees of the Pierpont Morgan Library to include the readings of the Morgan manuscript of Columella. The thanks of the writer are due also to his colleague Axel Johan Uppvall, Professor of Scandinavian Languages at the University of Pennsylvania, for the translation of numerous Swedish works.

A full index to this work of Columella will be supplied at the end of the third volume when issued.

HARRISON BOYD ASH

University of Pennsylvania
April 10, 1940

CONTENTS

	PAGE
PREFACE	v
INTRODUCTION	
LIFE AND WORKS OF COLUMELLA	ix
MANUSCRIPTS AND EDITIONS	xvi
BIBLIOGRAPHY	xxiii
SIGLA	xxix
BOOK I	2
Preface—Writers on Husbandry—Rules for the Husbandman—Situation and Quality of Land— Water—Farm Buildings—Master and Tenant— Farm Overseer, Herdsmen, Shepherds	
BOOK II	104
Kinds of Land—Ditching and Draining—Tests of Soil—Ploughing—Care of Oxen in Ploughing— Seasons for Cultivation—Manuring—Grains— Seasons for Sowing—Quantity of Seed Required— Sowing of Legumes, Flax, Hemp, Turnips—Fodder Crops—	

CONTENTS

	PAGE
Book III	226
Soils Suitable for Vines—Varieties of the Vine— Advantages of the Vineyard to Husbandmen—Vine Nurseries—Cuttings—Fruitfulness of Vines— Choice of Shoots and Cuttings—Qualities of Soil Required for Vineyards—Preparation of the Soil —Methods of Planting the Vine—Seasons for Planting the Vine—Length of Cuttings—Number of Varieties to be Planted	
Book IV	352
Depth of Trenches for Vine plants—Supports for the Vine—Training the Young Vine—Cultivation and Pruning of the Vine—Pruning of Quicksets and Cuttings—Methods of Propping—Layering—	

INTRODUCTION ¹

LIFE AND WORKS OF COLUMELLA

Our knowledge of the personal history of Lucius Junius Moderatus Columella, and of the dates of his writings, has been derived almost entirely by conjecture from those incidental references which he makes, at various places in his works, to himself and his contemporaries ² From these sources we learn that he was a native of Gades (Cadiz), ³ a Roman *municipium* of the province of Baetica in southern Spain, and although the date of his birth is unknown, it is obvious that he was born near the beginning of the first century of our era

Columella defines his period loosely by his mention of Marcus Varro (*circa* 116–27 B C) as a contemporary of his grandfather ⁴ His time is more clearly indicated in a reference to Seneca ⁵ as living in his day, so, too, he speaks of Cornelius Celsus ⁶ (*fl* 1st cent A D.) as a contemporary He also quotes as

¹ Taken in part from H B Ash, *L Iun Moderati Columellae Rei Rusticae Liber Decimus De Cultu Hortorum*, Philadelphia, 1930

² Biographers have added but little to the facts first deduced by Filippo Beroaldo (1453–1505), *In Libros XIII Columellae Annotationes*, and printed in several of the early editions Cf Barbaret, *De Columellae Vita et Scriptis* (Nancy, 1887), p 9

³ VIII 16 9, X 185 ⁴ I Praef 15 ⁵ III 3 3

⁶ I 1 14, III 1 8, III 2 31, III 17 4, IV 1 1
Celsus is thought by Cichorius (*Rom Stud*, 1922, pp 411–417) to have written his agricultural treatise A D 25–26

INTRODUCTION

authorities of his time several others of whom we have definite knowledge, as Trebellius,¹ Graecinus,² Julius Atticus,³ Volusius,⁴ and Gallio.⁵ From these and other references⁶ it is clear that Columella was living during the time of Lucius Annaeus Seneca (circa 4 B C - A D 65) and Pliny the Elder (23-79), by whom he is quoted, and that he was of about the same age as the former and several years older than the latter. We have reason to believe, from the conclusion of Book XII,⁷ that his work was completed when he was well advanced in years.⁸

¹ V 1 2 M Trebellius, *legatus* of Vitellius (Tac *Ann* VI 41 1), was governor of Syria A D 36

² I 1 14, IV 3 6 Julius Graecinus was put to death under Caligula (Tac *Agg* 4) in 39 or 40

³ IV 1 1, IV 8 1 Nothing more is known of Julius Atticus than is found in Columella's scattered references to him as a contemporary of Celsus Reitzenstein (*De Scriptorum Rei Rusticae Libris Deperditis*, p 27) concludes from this evidence that he was somewhat older than Celsus and that he wrote in the time of Tiberius

⁴ I 7 3 The Lucius Volusius mentioned by Pliny (*N H* VII 49), who died A D 56 at the age of ninety three, cf Tac *Ann* XIII 30, XIV 56

⁵ IX 16 2 Gallio, brother of the younger Seneca, died A D 65

⁶ Collected by Reitzenstein *op cit*, pp 52f ⁷ XII 59 5

⁸ Reitzenstein (*op cit*, p 31, cf Becher, *op cit*, p 11) inclines to the view that the works of Columella appeared in the year 64, and certainly not before 61, basing his argument on the late date of Seneca's ownership of the Nomentan farm (III 3 3), which, as Pliny writes (*N H* XIV 45, 49) in A D 77, was bought by Remmius Palaemon in *hisce viginti annis* and sold to Seneca within ten years Haussner (*Die hand schriftliche Ueberlieferung des Columella*, p 7), carrying the question further, places the date of Seneca's purchase in 62 or 63, the composition of Columella's third book between that date and the year of Seneca's death (65), and the publication of the whole work after 65

INTRODUCTION

The parents of Columella are named nowhere in his works, but he speaks often and with the greatest respect of an uncle, Marcus Columella,¹ an expert farmer of the Baetic province, in whose company much of his youth appears to have been spent. The Pythagorean philosopher, Moderatus of Gades, mentioned by Plutarch,² may have been a relative.

It is likewise uncertain at what time Columella left his native Spain to take up residence in the neighbourhood of Rome. But here, *in hoc Latio et Saturnia terra*,³ he seems to have spent the greater part of his life, owning at various times farms at Carseoli, Ardea, and Albanum, in Latium,⁴ and a farm which he called *Ceretanum*,⁵ located perhaps at Caere in Etruria. We have evidence⁶ that he visited Syria and Cilicia at some period in his life, and from an inscription⁷

L IVNIO L F GAL

MODERATO

COLVMELLAE

TRIB MIL LEG VI FERRATAE

found at Tarentum we may assume that he was then in military service, since his native town of Gades

¹ II 15 4, VII 2 4, XII 21 4, XII 40 2, XII 43 5, *et al*

² *Quaest* VIII 7 1 ³ *I Praef* 20

⁴ III 9 2

⁵ III 3 3 Cf Wilhelm Becher, "Das Caeretanum des L. Iunius Moderatus Columella," *Philologisch historische Beiträge*, Kurt Wachsmuth (1897), pp 186-191

⁶ II 10 18 Perhaps in A.D. 36, under Trebellius, cf Cichorius, *op cit*, pp 417-422

⁷ *C I L* IX 235 (= Dessau 2923).

INTRODUCTION

belonged to the *tribus Galeria*, which furnished troops for the *LEGIO VI FERRATA*, stationed at that time in Syria¹ From this inscription it is generally believed that Columella died and was buried at Tarentum

Columella is known to us by the twelve books of his *Res Rustica* and the book *De Arboribus* Cassiodorus,² however, mentions sixteen books of his authorship, a number thought by some³ to have been due to an error of transcription, but defended by others,⁴ who hold the opinion that the larger work is an expansion of an earlier manual of three or four books on the same subject, of which only the second,⁵ *De Arboribus*, has survived This view is supported by the fact that the book on trees deals with the same subjects that are discussed at greater length in Books III-V of the *Res Rustica* The *De Arboribus* appears in the manuscripts and first printed editions as the third book of the whole work, so that the book now properly marked as the third stands in the

¹ The legion was stationed in Syria in A D 23 and remained there during the rule of Tiberius, cf H M D Parker, *The Roman Legions* (Oxford, 1928), pp 119, 129, 267

² *Div Lect* 28, sed Columella xvi libris per diversas agri culturae species eloquens ac facundus illabitur, disertis potius quam imperitis accommodus, ut operis eius studiosi non solum communi fructu, sed etiam gratissimis epulis expleantur

³ Cf Becher, *De Col Vit et Scr*, p 58, M L W Laistner in *Am Jour Phil* LIX 116

⁴ Cf Gesner, *Script Rei Rust*, Introd, p 9, Haussner, *op cit*, p 7, Becher, *op cit*, p 29

⁵ That one book preceded is evident from *De Arb* 1 1, Quoniam de cultu agrorum abunde primo volumine praecepisse videmur, non intempestiva erit arborum virgultorumque cura

INTRODUCTION

earliest editions as the fourth, and so on ¹ Mention is made of a work *Adversus Astrologos* ² and to a treatise proposed, but possibly not written, on the religious ceremonies connected with agriculture ³

The *Res Rustica*, addressed to a certain Publius Silvinus, ⁴ is the most comprehensive and systematic of all treatises of Roman writers on agricultural affairs. The first book contains general directions regarding the choice of land, the water supply, the arrangement of farm buildings, and the distribution of various tasks among the farm staff. The second deals with agriculture proper, the ploughing and enrichment of the soil, and the care of various crops. The third, fourth, and fifth books are devoted to the cultivation, grafting, and pruning of fruit trees and shrubs, the vine, and the olive. The sixth contains instructions for selecting, breeding, and rearing cattle, horses, and mules, together with a discourse on veterinary medicine. The seventh continues the subject with reference to smaller domestic animals, sheep, goats, swine, and dogs. The eighth has to do with the management of poultry and fishponds. The ninth treats similarly of bees. The tenth, an experiment in hexameters to satisfy the request of Gallo and of Silvinus for "a taste of

¹ That the book on trees does not belong to the larger work is evident from the fact that it is not addressed to Silvinus, as are the other twelve, and from statements in later books of the *Res Rustica* giving an exact accounting of the number of books preceding, e.g. X *Praef* 1, VIII 1 1, XI 1 2, XII 13 1. Lucundus, editor of the first Aldine edition (1514), was the first to set the misplaced *De Arboribus* at the end, as a thirteenth book, and all later editors have followed his example.

² XI 1 31

³ II 21 5-6

⁴ Known only from Columella's numerous references to him, but obviously a countryman and a neighbour of the author.

INTRODUCTION

metrical composition,"¹ deals with gardening, as a sort of supplement to Vergil's fourth *Georgic*. It is evident from a statement in the preface to the whole work,² as well as from the conclusion of Book IX³ and the Preface of Book X,⁴ that the tenth book was intended to complete the work, but at the still insistent urgings of Silvinus⁵ there was added an eleventh book containing a discussion of the duties of a farm overseer, a *Calendarium Rusticum*, in which the times and seasons for various kinds of farm labour are fixed in connection with the risings and settings of the stars, and a long chapter on gardening to supplement the treatise in verse. The twelfth book, written for the overseer's wife and defining her special duties, contains recipes for the manufacture of various kinds of wine and for the pickling and preserving of vegetables and fruits. That the twelve books were sent to Silvinus one by one as they were completed, and that they have been transmitted to us in the order written, is indicated by the fact that their opening or closing lines usually contain some reference to comments on the book just preceding or to the subject matter of the book that is to follow.

The *De Arboribus*, thought to have been addressed to Epruius Marcellus,⁶ deals with the cultivation and

¹ XI 1 2, cf IX 16 2, X *Praef* 1, 3

² I *Praef* 25-28 ³ IX 16 2 ⁴ X *Praef* 1

⁵ XI 1 2

⁶ This supposition has resulted from a colophon in the manuscripts, found after a long table of contents following Bk XI (XII) *Praeter hos duodecim libros singularis eius liber ad Epruium Marcellum*. Epruius Marcellus was appointed to a vacant praetorship in 49 A.D., which expired at the end of a few days or hours (Tac. *Ann* XII 4). He later became an informer under Nero.

INTRODUCTION

propagation of the vine, the olive, and various trees, and, while its subject matter is treated more fully in the *Res Rustica*, the work is still of considerable interest and value in that it throws some light on the larger and later work, especially on the corrupt manuscript text of the fifth book.

The works of Columella, though comparatively neglected since the eighteenth century, have held an important place in their special field. The author is cited by his contemporary Pliny among authorities for his work on natural history¹. The veterinarian Pelagonius, who wrote before the time of Vegetius (fourth century), often quotes verbatim precepts from Columella's sixth book,² so often Eumelus, a Greek writer on the veterinary art.³ Vegetius praises his *facultas dicendi*.⁴ He is much quoted in the fourth-century *De Re Rustica* of Palladius,⁵ who seems also to have been inspired by Columella's metrical *De Cultu Hortorum* to write his last book, *De Insitione*, in verse. Cassiodorus⁶ of the sixth century mentions him as one of the outstanding writers on agriculture, as also does Isidore⁷ in the seventh century. The *Hortulus* of Walafrid Strabo (*circa* 809-849), in 443 hexameters, may owe something to Columella's

¹ *E.g.*, Pliny, *NH* VIII 153, XV 17-19, 66, XVII 51-52, 137, 162, XVIII 70, 303, XIX 68.

² Ihm lists seventeen parallel passages in the index of his Teubner edition of Pelagonius, *Artis Veterinariae quae exstant*, p. 241.

³ Ihm, *op cit*, p. 7.

⁴ Vegetius, *Ars Veterinaria*, Praef. 2.

⁵ Becher (*op cit*, p. 55) finds twenty-five such citations.

⁶ *Div Lect* 28, see page xii, note 2, above.

⁷ *Orig* XVII 1 1, *Columella, insignis orator, qui totum corpus disciplinae eiusdem complexus est*.

INTRODUCTION

versified treatise on gardening¹ He is praised in the sixteenth century in an epigram of Theodore Beza,² and in the next century Milton, in his short treatise *On Education*, would have the students of his ideal school devote their thoughts, "after evening repast till bed-time," first to the Scriptures and next to "the authors of agriculture, Cato, Varro, and Columella, for the matter is easy, and if the language is difficult, so much the better" "Here," he adds, "will be an occasion of inciting and enabling them hereafter to improve the tillage of their country, to recover bad soil," etc

MANUSCRIPTS AND EDITIONS

The manuscripts of Columella fall into two groups Oldest and best are

Cod Sangermanensis Petropolitanus 207, now *Cl L F v N 1* (= *S*), fol 138, 9th cent, in the State Library at Leningrad Written apparently at Corbie, and taken with a large collection of Corbie manuscripts to the Abbey of St Germain des Prés in Paris during the first half of the seventeenth century Removed, with many other valuable manuscripts, during the French Revolution by the Russian envoy Dubrowsky to the Imperial Library in Petrograd

Cod Ambrosianus L 85 *sup* (= *A*), fol 252, 9th-10th

¹ Cf V Lundstrom, "Walahfrid Strabus och Columella," *Eranos* XXX 124-127, M Manitius in *Philologus* XLVIII 566

² Orphea mirata est Rhodope sua fata canentem,

Si modo Vergili carmina pondus habent

Tu vero, Iuni, silvestris rura canendo

Post te ipsas urbes in tua rura trahis

O superi, quales habuit tunc Roma Quirites,

Quum tam iucundum cerneret agricolam.

INTRODUCTION†

cents, in the Ambrosian Library in Milan. Written in the German Insular hand, probably at Fulda. Closely related to *S*.

Added to these are some twenty fifteenth-century manuscripts, known collectively as *R*, all related and thought to be descended, directly or indirectly, from an ancient manuscript found by Poggio Bracciolini (1380–1459) and taken by him to Italy. Outstanding members of this fifteenth-century family are

Cod Laurentianus plut 53 32 (= *a*), fol 172, in the Laurentian Library at Florence

Cod Brerensis Mediolanus A D XV 4 (= *b*), folia not numbered, in the Brera Library, Milan

Cod Caesenas Malatestianus plut 24 2 (= *c*), fol 218, in the Malatesta Library at Cesena. Contains the agricultural works of Cato, Columella, and Varro.

Cod Laurentianus Conv Suppr 285 (= *d*), in the Laurentian Library

Less important are *Vallicellianus* E 39 (= *g*), *Laurentianus* plut 53 24 (= *k*), *Lipsiensis Bibl Comm* rep I f 13 (= *l*), *Venetus Marcianus* 462 (= *m*), which often agrees with *b*, *Laurentianus* plut 53 27 (= *p*), *Laurentianus* plut 91 6 inf (= *q*), often agreeing with *c*, *Vaticanus* lat 1525 (= *r*), *Laurentianus-Strozzianus* 69 (= *s*), *Bonomiensis* 2523 (= *t*), *Urbino-Vaticanus* 260 (= *u*), *Vaticanus* lat 1526 (= *v*), *Vaticanus* lat 1524 (= *w*), *Vaticanus* lat 1527 (= *y*), *Parisinus* lat 6830 A (= *a*), *Parisinus* lat 6830 B (= *b*), *Parisinus* lat 6830 C (= *u*), *Mosquensis Demidovianus* (= μ), now lost¹

¹ The *Codex Mosquensis*, seen by Matthaei in the library of the Demidoffs in Moscow, was destroyed by fire in 1812. Its readings are preserved in C F Matthaei, *Lectiones Mosquenses*, Vol I, Leipzig, 1779.

INTRODUCTION

All the manuscripts listed above were known and used by Lundstrom in his editions of *Res Rustica*, Books I-II, VI-VII, X-XI, and *De Arboribus*, and their readings are given in his *apparatus criticus*¹ Those to which he and others have attached greatest importance,² especially *S*, *A*, *a*, *b*, *c*, *d*, were collated by him or by his associates, Langlet and Stroemberg, with particular care His readings of less important codices are given with correspondingly less fullness More than half of the total number of manuscripts were evaluated and collated by Haussner for his edition of Book X, *De Cultu Hortorum*³ The present translator has examined a number of the best manuscripts in their respective libraries, and has collated *S*, *A*, *a*, *c* with Schneider's text for Books III-V, VIII-IX, and XII In addition he has compared with the texts and apparatuses of Lundstrom and of Schneider the readings of *Morganensis* 138, olim *Hamiltonensis* 184 (= *M*), a beautiful piece of Roman writing signed and dated by Henriettus Rufinus de Murialdo in the year 1469 and now in possession of The Pierpont Morgan Library, New York City

That the two oldest manuscripts, *S* and *A*, are derived from the same archetype is generally agreed It is more difficult, however, to determine the re-

¹ See p xx, n 1 The recent edition of Books VI-VII includes readings of ten additional MSS of the *R* family, and of three MSS of the 11th and 14th centuries containing excerpts from these books

² Lundstrom rates *a*, *b*, *c*, *d*, *m*, *q*, *s* as best of the fifteenth-century class Cf his "Ein Columella Excerptor aus dem 15 Jahrhundert," *Skrifter utgifna af Humanistiska Vetenskapssamfundet i Upsala* (Upsala, 1894), III 6 11, and *L. Iun. Moderati Columellae opera quae exstant*, fasc 1 (Upsala, 1897), Praef viii-x

³ See p xxi, n 1

INTRODUCTION

lationship of *R*, the fifteenth-century group, to *S* and *A*. Van Buren¹ thinks the *R* family to be descended from *A*, to which they often bear close resemblance when *S* and *A* differ. The most recent and thorough treatment of the manuscript tradition is that of Sobel,² whose ingenious and carefully constructed stemma³ shows, through a series of lost archetypes, the descent of representative members of the *R* class from a common ancestor (Sobel's β), the relationship of *A* to *R* through a better line of descent from the same early ancestor, the descent of *S* and *A* from a common archetype, *S* inheriting the better readings through an intermediary copy of mixed parentage, and the descent of them all from an ultimate archetype (Sobel's ω) written after the fifth century. The vexed question as to how and when the *De Arboribus* became inserted in the *Res Rustica* is likewise discussed by Sobel.⁴

Columella's works were edited many times in the century following the introduction of printing, usually in company with Cato, Varro, and Palladius.⁵ The *editio princeps*, edited by George Merula, was printed at Venice by Nicolas Jenson, in a collection of *Rei Rusticae Scriptores*, in the year 1472. This was

¹ A. W. Van Buren, "The Text of Columella," *Suppl. Papers of the Am. Sch. of Class. Stud. in Rome*, Vol. I, pp. 189-190.

² Ragnar Sobel, *Studia Columelliana Palaeographica et Critica*, Goteborg, 1928.

³ *Op. cit.*, p. 15.

⁴ *Op. cit.*, pp. 15-21. Cf. J. Trotsky, "Studien zur Ueberlieferungsgeschichte Columellas," *Raccolta Ramorino* (Pubblicazioni della Università Cattolica del Sacro Cuore, Vol. VII, Milano), p. 449f.

⁵ Only the most important editions are here named. For a full account of the early editions, see Schneider's *Rei Rusticae Scriptores*, Vol. II 2, pp. 5-15, and Vol. IV 1, pp. 73-80.

INTRODUCTION

followed by the Bruschan edition, published at Reggio in 1482. The edition of the Veronese architect, Iucundus, came from the press of Aldus Manutius at Venice in 1514. This, the first Aldine edition, showed a wider acquaintance with the manuscripts, and restored the twelve books of the *Res Rustica* to their proper numerical order. A second Aldine edition, of no additional importance, appeared in 1533. The most noteworthy annotated editions of the complete works are found in the *Scriptores Rei Rusticae Veteres Latini* of J. M. Gesner, printed at Leipzig in 1735, reprinted by Ernesti in 1773 with the readings of the Sangermanensis Ms., and in the *Scriptores Rei Rusticae Veteres Latini* of J. G. Schneider, which appeared at Leipzig during the years 1794-1796. The edition of Schneider takes account of all earlier works and is still the most valuable complete edition that we possess. No modern critical edition of the entire work of Columella has been produced, although the eminent Swedish scholar, Vilhelm Lundström, has made a notable start in that direction with the publication of seven of the thirteen books.¹ The poem on gardening (Book X) has been included in a few annotated editions of *Poetae Latini Minores*, of which Wernsdorf's (1794), reproduced with few changes in Lemaire's recension (*Bibliotheca Classica Latina*, Vol. VII, Paris, 1826), is the best. In more recent times the tenth book, with text and critical apparatus only, has been edited separately by

¹ V. Lundström, *L. Iun. Moderati Columellae opera quae exstant* fasc. 1 (*De Arboribus*), Upsala, 1897, fasc. 6 (Bk. X), Upsala, 1902, fasc. 7 (Bk. XI), Upsala, 1906, fasc. 2 (Bks. I-II), Göteborg, 1917, fasc. 4 (Bks. VI-VII), Göteborg, 1940.

INTRODUCTION

Häussner,¹ by Lundström, and by Postgate,² whose critical apparatus is an abridgement of the manuscript variants published by Häussner and Lundström. Modern contributors to *Columelliana*, many of them pupils of Lundström, include in addition to those above mentioned the names of M. Ahle, P. Kottman, W. Koller, R. Pomoell, J. Svennung, T. Kleberg, G. Nystöm, F. Piri, H. Linde, N. Dahllof, E. Weiss, C. Brakman, E. Stettner, G. Helmreich, P. G. Krauss, and Lizzie B. Marshall.

The text and manuscript readings of the present edition, for Books I–II, VI–VII, X–XI, and *De Arboribus*, rest substantially on the work of Lundström. For Books III–V, VIII–IX, and XII the translator has attempted to construct a critical text in some approximation to that of Lundström by the collation of four major manuscripts with the text of Schneider. He has also added throughout important conjectures and divergences of reading of other editors and commentators, together with the variants of the Morgan Ms. Major departures from the respective texts of Lundström and of Schneider are noted. The sigla of Lundström are preserved.

¹ J. Häussner, *Die handschriftliche Ueberlieferung des L. Junius Moderatus Columella, mit einer kritischen Ausgabe des X. Buches*, Karlsruhe, 1889.

² J. P. Postgate, *Corpus Poetarum Latinorum*, London, 1905, Vol. II, pp. 206–209.

BIBLIOGRAPHY

PRINCIPAL EDITIONS

- Editio princeps Venetus apud Nicolaum Jensonum, 1472
- Editio secunda Regii, opera et impensis Bartholomaei Bruschi, 1482
- Iucundi Veronensis editio *De Re Rustica*, Venetus apud Aldum, 1514
- Gesner, J M, *Scriptores Rei Rusticae Veteres Latini*, Leipzig, 1735
- Schneider, J G, *Scriptores Rei Rusticae Veteres Latini*, Vol II, Leipzig, 1794
- Lundström, V, *L Junii Moderati Columellae opera quae exstant* fasc 1 (*De Arb*), Upsala, 1897, fasc 6 (Bk X), Upsala, 1902, fasc 7 (Bk XI), Upsala, 1906, fasc 2 (Bks I-II), Goteborg, 1917, fasc 4 (Bks VI-VII), Goteborg, 1940

MANUSCRIPTS AND TEXT

- Ahle, M, *Sprachliche und kritische Untersuchungen zu Columella* (Diss Würzburg), Munich, 1915
- Brakman, C, "Ad Columellae librum decimum," *Mnemosyne*, LX 107-112
- Haussner, J, *Die handschriftliche Ueberlieferung des L Junius Moderatus Columella, mit einer kritischen Ausgabe des X Buches*, Karlsruhe, 1889
- Kleberg, F, "Nagra textkritiska anmärkningar till Columellas nionde bok," *Eranos*, XXXV 22-31

BIBLIOGRAPHY

- Langlet, V, "Ad Columellae Codicem Sangermanensem qui vocatur," *Eranos*, I 86-94
- Linde, H, *Studier till Columellas nionde bok* (Diss), Goteborg, 1936
- Lundstiom, V, "Ein Columella-Excerptor aus dem 15 Jahrhundert," *Skrifter utgifna af Humanistiska Vetenskapssamfundet i Upsala*, III 6, Upsala, 1894
- Lundstrom, V, "Emendationes in Columellam," *Eranos*, I 38-47, 86-94, 169-180, II 49-59, IV 181-186, VII 73-77
- Lundstrom, V, "De nyaste textkritiska bidragen till Columellas tionde bok," *Eranos*, VI 66-71
- Pomoell, R, *Textkritiska Studier till Columellas femte bok* (Diss), Goteborg, 1931
- Postgate, J P, "The Moscow Manuscript of Columella," *Classical Review*, XVII 47
- Schmitt, J C, "De Codice Sangermanensi," *Festschrift fur Ludw Urlichs*, Wurzburg, 1880, 139-162
- Sobel, Ragnar, *Studia Columelliana Palaeographica et Critica* (Diss), Goteborg, 1928
- Svennung, J, "De Columella per Palladium emendato," *Eranos*, XXVI 145-208
- Trotzky, J, "Studien zur Ueberlieferungsgeschichte Columellas," *Raccolta di Scritti in onore di Felice Ramorino*, Pubblicazioni della Università Cattolica del Sacro Cuore (Milan), VII 449f
- Trotzky, J, "Kritische Beitrage zum 5 Buch von Columellas *De Re Rustica*," *Melanges Tolstoi*, 46-51, Leningrad Academy of Science, 1928
- Van Buren, A W, "The Text of Columella," *Supplementary Papers of the American School of Classical Studies in Rome*, I 157-190

BIBLIOGRAPHY

TRANSLATIONS

- Curtius, M C, *L Junius Moderatus Columella of Husbandry in Twelve Books and His Book Concerning Trees*, London, 1745
- DuBois, Louis, *L'economie rurale de Columelle*, Bibliothèque Latine-Française, Vol III, Paris, 1844-1845
- Löffler, Karl, *L Junius Moderatus Columella De Re Rustica*, übersetzt durch Heinrich Oesterreicher, Abt von Schussenried A late 15th cent translation of some early edition, published in *Bibliothek des litterarischen Verein in Stuttgart*, Vols CCLXIII-CCLXIV, Tübingen, 1914
- Nisard, M, *Les agronomes latins, Caton, Varron, Columelle, Palladius*, Paris, 1844
- Tinajero, Vicente, *Los doce libros de agricultura de Lucio Junio Moderato Columella*, 2 vols, Madrid, 1880

MISCELLANEOUS

- Barbarett, V, *De Columellae Vita et Scriptis*, Nancy, 1887
- Becher, Wilhelm, *De L Junii Moderati Columellae Vita et Scriptis* Leipzig, 1897
- Billiard, Raymond, *La vigne dans l'antiquité*, Lyons, 1913
- Billiard, Raymond, *L'agriculture dans l'antiquité d'après les Georgiques de Virgile*, Paris, 1928
- Brehaut, Ernest, *Cato the Censor on Farming*, New York, 1933
- Carl, G, *Die Agrarlehre Columellas in soziologischer Betrachtung* (Diss), Heidelberg, 1925
- Cichorius, Conrad, "Zur Biographie Columellas," *Römische Studien*, 417-422, Leipzig-Berlin, 1922

BIBLIOGRAPHY

- Dahllof, N , *Tempora och modi hos Columella* (Diss),
Goteborg, 1931
- Daubeney, Charles, *Lectures on Roman Husbandry*,
Oxford, 1857
- Dickson, Adam, *The Husbandry of the Ancients*,
Edinburgh, 1788
- Frank, Tenney, *An Economic Survey of Ancient Rome*,
Vol V, Baltimore, 1940
- Heitland, W E , *Agricola A Study of Agriculture
and Rustic Life in the Graeco-Roman World
from the Point of View of Labour*, Cambridge,
1921
- Hooper, W D , and H B Ash, *Cato and Varro De Re
Rustica* (Loeb Classical Library), London, and
Cambridge, Mass , 1934
- Klek, J , and L Armbruster, *Columella und Plinius,
Die Bienenkunde der Römer*, Freiburg, 1921
- Koller, W , *Die Tierheilkunde nach Columella* (Diss),
Munich, 1925
- Kottman, P , *De Elocutione L Junii Moderati Colu-
mellae*, Rottweil, 1903
- Krauss, P G , *Die Quellen des Columella*, Munnerstadt,
1907
- Lundstrom, V , " Smaplock ur Columellas språk,"
Eranos, XIII 196-203, XIV 90-96, XV 201-
207, XVI 186-190, XVII 147-150, XXVI
31-33
- Marshall, Lizzie B , *L'horticulture antique et le poeme
de Columelle*, Paris, 1918
- Nystrom, G , *Variatio Sermonis hos Columella* (Diss),
Goteborg, 1926
- Orth, F , *Der Feldebau der Römer*, Frankfurt, 1900
- Reitzenstein, R , *De Scriptorum Rei Rusticae Libris
Deperditis* (Diss), Berlin, 1884

BIBLIOGRAPHY

- Schroeter, W , *De Columella Vergili Imitatore*, Jena, 1882
- Semple, Ellen C , " Ancient Mediterranean Agriculture," *Agricultural History*, II (1928) 61-98, 129-156
- Storr-Best, Lloyd, *Varro on Farming* (Bohn Library), London, 1912
- Stettner, E , *De L Iunio Moderato Columella Vergili Imitatore*, Triest, 1894
- Weiss, E , *De Columella et Varrone Rerum Rusticarum Scriptoribus*, Breslau, 1911

The titles of many useful reference works on general agriculture, viticulture, animal husbandry, veterinary medicine, botany, etc, are omitted altogether or mentioned only in the notes

SIGLA

S = Cod Sangermanensis Petropolitanus 207, now
Cl L F v N 1 (9th cent)

A = Cod Ambrosianus L 85 sup (9th-10th cents)

R = all or the consensus of 15th cent MSS

a = Cod Laurentianus plut 53 32

c = Cod Caesenas Malatestianus plut 24 2

M = Morganensis 138, formerly Hamiltonensis
184

vett edd = the two earliest editions

ed pr = editio princeps (Jensoniana), Venice,
1472

Brusch = editio secunda (Bruschiana), Reggio,
1482

Ald = the first Aldine edition, Venice, 1514

Gesn = J M Gesner, *Script Rei Rust*, Leipzig,
1735

Schn = J G Schneider, *Script Rei Rust*, Leipzig,
1794

Lundström = V Lundström, *L Iun Mod Colum*
Lib I-II, VI-VII, X-XI, De Arb, Upsala-
Goteborg, 1897-1940

For a full list of manuscripts and early editions,
see under Manuscripts and Editions in the Intro-
duction.

LUCIUS JUNIUS MODERATUS
COLUMELLA
ON AGRICULTURE

L. IUNI MODERATI
COLUMELLAE
REI RUSTICAE

LIBER I

PRAEFATIO

Saepe numero civitatis nostrae principes audio culpantes modo agrorum infecunditatem, modo caeli per multa iam tempora noxiam frugibus intemperiem, quosdam etiam praedictas querimonias velut ratione certa mitigantes, quod existiment ubertate nimia prioris aevi defatigatum et effctum¹ solum nequire pristina benignitate praebere mortalibus alimenta

² Quas ego causas, P² Silvius, procul a veritate abesse certum habeo, quod neque fas est existimare rerum³ Naturam, quam primus ille mundi genitor perpetua fecunditate donavit, quasi quodam morbo sterilitate adfectam, neque prudentis est credere Tellurem, quae divinam et aeternam iuventam sortita com-

¹ effectum *R*

² om *R*

³ humi *R*

^a An Epicurean theory, cf, e.g., Lucretius, II 1150-1174. Columella holds to the Aristotelian theory

LUCIUS JUNIUS MODERATUS COLUMELLA

ON AGRICULTURE

BOOK I

PREFACE

Again and again I hear leading men of our state condemning now the unfruitfulness of the soil, now the inclemency of the climate for some seasons past, as harmful to crops, and some I hear reconciling the aforesaid complaints, as if on well-founded reasoning, on the ground that, in their opinion, the soil was worn out and exhausted by the over-production of earlier days and can no longer furnish sustenance to mortals with its old-time benevolence^a. Such² reasons, Publius Silvinus,^b I am convinced are far from the truth, for it is a sin to suppose that Nature, endowed with perennial fertility by the creator of the universe, is affected with barrenness as though with some disease, and it is unbecoming to a man of good judgment to believe that Earth, to whose lot was assigned a divine and everlasting youth, and who is called the common mother

^b See Introduction p xiii

LUCIUS JUNIUS MODERATUS COLUMELLA

munis omnium parens dicta sit, quia et cuncta peperit
semper et deinceps paritura sit, velut hominem
3 consenuisse Nec post haec reor violentia¹ caeli
nobis ista, sed nostro potius accidere vitio, qui
rem iusticam pessimo cuique seruium velut carni-
fici noxae dedimus, quam maiorum nostrorum optimus
quisque et optime tractaverat²

Atque ego satis mirari non possum, quid ita dicendi
cupidi seligant oratorem, cuius imitanti eloquentium
mensurarum et numerorum modum imitantes placitae
disciplinae consecretur magistrium, vocis et cantus
modulatorem nec minus corporis gesticulatorem
sciupulosissime requirant saltationis ac musicae
4 rationis studiosi, iam qui aedificare velint, fabros
et architectos advocent, qui navigia mari concedere,
gubernandi peritos, qui bella moliri, armorum et
militiae gnaros, et ne singula persequi, ei studio,
quod quis agere velit, consultissimum rectorem
adhibeat, demque animi sibi quisque formatorem
praereceptoremque virtutis e coetu sapientium arces-
sat sola res rustica, quae sine dubitatione proxima
et quasi consanguinea sapientiae est, tam discenti-
5 bus egeat quam magistris Adhuc enim scholas
rhetorum et, ut dixi, geometrarum musicorumque

¹ violentia *SA, Iundstrom* intemperantia *R, plerique edd*

² tractaverit *R, plerique edd*

^a Cf. Lucretius, V 826-827, *sed quia finem aliquam pariendo debet habere, destitit ut mulier spatio defessa vetusto*

^b So Pliny (*N H XVIII* 19-21), who attributes the former plenty to cultivation of the soil by the hands of generals, consuls, tribunes, and senators

BOOK I, PREFACE 2-5

of all things—because she has always brought forth all things and is destined to bring them forth continuously—has grown old in mortal fashion ^a And, ³ furthermore, I do not believe that such misfortunes come upon us as a result of the fury of the elements, but rather because of our own fault, for the matter of husbandry, which all the best of our ancestors had treated with the best of care, we have delivered over to all the worst of our slaves, as if to a hangman for punishment ^b

As for me, I cannot cease to wonder why those who wish to become speakers are so careful in the choosing of an orator whose eloquence they may imitate, those who investigate the science of surveying and mathematics emulate a master of the art of their choice, those who devote themselves to the study of dancing and music are most scrupulous in their search for one to teach modulation of the speaking and singing voice, and no less for an instructor in graceful movement of the body, even ⁴ those who wish to build call in joiners and master-builders, those who would entrust ships to the sea send for skilful pilots, those who make preparations for war call for men practised in arms and in campaigning, and, not to go through the list one by one, for any study which one wishes to pursue he employs the most expert director, in short, everyone summons from the company of the wise a man to mould his intellect and instruct him in the precepts of virtue, but agriculture alone, which is without doubt most closely related and, as it were, own sister to wisdom, is as destitute of learners as of teachers For ⁵ that there are to this day schools for rhetoricians and, as I have said, for mathematicians and musicians,

LUCIUS JUNIUS MODERATUS COLUMELLA

- vel, quod magis mirandum est, contemptissimorum vitiorum officinas, gulosius condiendi cibos et luxuriosius fercula¹ stiuerendi, capitumque et capillorum concinnatores non solum esse audiui, sed et ipse vidi agricolationis neque doctores, qui se profiterentur,² neque discipulos cognovi Cum etiam si praedictarum artium professoribus civitas egeret, tamen, sicut apud priscos florere posset res publica³ —nam sine ludiciis artibus atque etiam sine causidicis olim satis felices fuerunt⁴ futuraeque sunt urbes, at sine agri cultoribus nec consistere mortales nec ali posse manifestum est
- 7 Quo magis prodigio⁵ simile est, quod accidit, ut res corporibus nostris vitaeque utilitati maxime conveniens minimam⁶ usque in hoc tempus consumptionem haberet idque sperneretur genus amplificandi relinquendique⁷ patrimonii, quod omni crimine caret Nam cetera diversa et quasi repugnantia dissident a iustitia, nisi aequius existimamus cepisse praedam ex militia, quae nobis nihil sine sanguine et cladibus alienis adfert An bellum perosis⁸ maris et negotiationis alea⁹ sit optabilior, ut rupto naturae foedere terrestre animal homo ventorum et maris obiectus irae fluctibus pendeat¹⁰

¹ fercula *S, Lundstrom*

² profitentur *M*

³ res prima *SA*¹

⁴ fuere *R, plerique edd*

⁵ prodigio *codd, Lundstrom* prodigii *vulgo*

⁶ minime *Schn cum Pontedera*

⁷ retinendique *R, Ald, Gesn*

⁸ perosis *vulgo* per obsessa *Lundstrom (cum codicibus, ut videtur)* An optabilior *om M*

⁹ alia *SAA*

¹⁰ fluctibus pendeat *Lundstrom (cum duobus codd dett)* fluctibus tendere *SA* se fluctibus pendeat a fluctibus

BOOK I, PREFACE 5-8

or, what is more to be wondered at, training-schools for the most contemptible vices—the seasoning of food to promote gluttony and the more extravagant serving of courses, and dressers of the head and hair—I have not only heard but have even seen with my own eyes, but of agriculture I know neither self-professed teachers nor pupils. For even if the state were destitute of professors of the aforementioned arts, still the commonwealth could prosper just as in the times of the ancients—for without the theatrical profession and even without case-pleaders^a cities were once happy enough, and will again be so, yet without tillers of the soil it is obvious that mankind can neither subsist nor be fed.

For this reason, what has come to pass is the more 7 amazing—that the art of the highest importance to our physical welfare and the needs of life should have made, even up to our own time, the least progress, and that this method of enlarging and passing on an inheritance, entirely free from guilt, should be looked upon with scorn. For other methods, diverse and in conflict as it were, are at odds with justice, unless we think it more equitable to have acquired spoils by the soldier's method, which profits us nothing without bloodshed and disaster to others. Or, to those who detest war, 8 can the hazard of the sea and of trade be more desirable, that man, a terrestrial being, violating the law of nature and exposing himself to the wrath of wind and sea, should hang on the waves and always

^a In a contemptuous sense, as commonly in the use of *causidicus* (e.g. Quintilian, XII 1 25)

LUCIUS JUNIUS MODERATUS COLUMELLA

- semperque ritu volucrum longinqui litoris peregrinus
 ignotum pereriet orbem² An faeneratio probabilior
 9 sit, etiam his invisa quibus succurrere videtur² Sed
 ne caninum¹ quidem, sicut dixere veteres, studium
 praestantius locupletissimum quemque adlatrandi et
 contra innocentes ac pro nocentibus neglectum a
 maioribus, a nobis etiam concessum intra moenia
 et in ipso foro latrocinium An honestius duxerim²
 mercenarii saluatoris mendacissimum aucupium
 circumvolitantis limina potentiorum somnumque
 regis sui rumoribus auguiantis² Neque enim ro-
 ganti, quid agatur intus, respondere servi dignantur
 10 An putem fortunatius a catenato repulsum ianitore
 saepe nocte sera foribus ingratis adiacere miserrimoque
 famulatu per dedecus fascium decus et
 imperium, profuso tamen patrimonio, mercari²
 Nam nec gratuita servitute, sed donis rependitur
 honor

- Quae si et ipsa et eorum similia bonis fugienda
 sunt, superest, ut dixi, unum genus liberale et
 ingenuum rei familiaris augendae, quod ex agri-
 11 colatione contingit Cuius praecepta si vel temere
 ab indoctis, dum tamen agrorum possessoribus,
 antiquo more administrarentur, minus iacturae
 pateantur res rusticae, nam industria dominorum

¹ nec animum S

² dixerim R nonnulli

^a The expression is attributed by Sallust (*Hist Fr* 2 37 Dietsch) to Appius Claudius, censor in 312 B C, and refers, of course, to the profession of the snarling *causidici*, cf also Quint XII 9 9 Lactantius (*Div Inst* VI 18 26) accuses even Cicero of *canina eloquentia*

^b I e at the *salutatio* or early morning call

^c The bundles of rods carried by attendants of high officials as symbols of authority

BOOK I, PREFACE, 8-11

wander over an unknown world in the manner of birds, & stranger on a distant shore? Or is usually more commendable, a thing detested even by those whom it appears to aid? But certainly no more 9 admirable is the "canine pursuit,"^a as the ancients called it, of barking at every man of outstanding wealth, and the practice of legal banditry against the innocent and in defence of the guilty—a fraud despised by our ancestors, but even allowed by us within the city and in the very forum. Or should I regard as more honourable the hypocritical fawning of the man who frequents the levees, for a price, and hovers about the thresholds of the mighty,^b divining the sleeping hours of his lord by hearsay? For the servants do not deign to reply to his questions as to what is going on indoors. Or am I to think it a 10 greater gift of fortune for a man, rebuffed by a door-keeper in chains, to loiter about those ungrateful doors, often until late at night, and by the most demeaning servility to purchase at the price of dishonour the honour and power of the *fascēs*,^c though with the dissipation of his own inheritance? For it is not with voluntary servitude, but with bribes, that preferments are bought.

If good men are to shun these pursuits and their kind, there remains, as I have said, one method of increasing one's substance that befits a man who is a gentleman and free-born, and this is found in agriculture. If the precepts of this science were 11 put in practice in the old-fashioned way, even in imprudent fashion by those without previous instruction (provided, however, that they were owners of the land), the business of husbandry would sustain smaller loss, for the diligence that goes with pro-

LUCIUS JUNIUS MODERATUS COLUMELLA

cum ignorantiae detrimentis multa pensaret, nec quorum commodum ageretur, tota vita vellent imprudentes negotii sui conspici eoque discendi
 12 cupidiores agricolationem pernoscerent Nunc et ipsi praedia nostra colere dedignamur et nullus momenti ducimus peritissimum quemque vilicum facere vel, si nescium, certe vigoris experrecti, quo celerius, quod ignoret,¹ addiscat Sed siue fundum locuples mercatus est, e turba pedisequorum lecti-
 cariorumque defectissimum annis et viribus in agrum relegat, cum istud opus non solum scientiam, sed et viridem aetatem cum robore corporis ad labores sufferendos desideret, siue mediarum facultatum² dominus, ex mercenarius³ aliquem iam recusantem cotidianum illud tributum, quia vectigali⁴ esse non possit,⁵ ignarum rei, cui praefuturus est, magistrum fieri iubet

13 Quae cum animadvertam, saepe mecum retractans ac recogitans, quam turpi consensu deserta exoleverit disciplina ruris, vereor ne flagitiosa et quodam modo pudenda ingenuis aut inhonesta sit⁶ Verum cum complurimis⁷ monumentis scriptorum admonere apud antiquos nostros fuisse gloriae curam rustica-

¹ ignorat *S, Schn*

² facultatum *SA, Lundstrom*

³ mercennarius vel mercenarius *R* mercedarius *SA*

⁴ quia vectigali *S, Lundstrom* q vectigali *A* qui (vel q) vectigalis *R, et vulgo* quia (qui) possit incl *Gesn et Schn veluti glossam*

⁵ posset *SA, Lundström*

BOOK I, PREFACE 11-13

puetorship would compensate in large measure the losses occasioned by lack of knowledge, and men whose interests were at stake would not wish to appear forever ignorant of their own affairs, and for that reason more zealous to learn, they would gain a thorough knowledge of husbandry. As it is, we ¹² think it beneath us to till our lands with our own hands, and we consider it of no importance to appoint as an overseer a man of very great experience or at least, if he is inexperienced, one who is wide-awake and active, that he may learn more quickly what he does not know. But if a rich man purchases a farm, out of his throng of footmen and litter-bearers he sends off to the fields the one most bankrupt in years and strength, whereas such work requires, not only knowledge, but the age of vigour and physical strength as well, to endure its hardships, or, if the owner is of moderate means, out of the number of his hands for hire he orders someone who now refuses him the daily tribute money, since the man cannot be a source of income, to be made a foreman, though he may know nothing of the work which he is to superintend.

When I observe these things, reviewing in my mind ¹³ and reflecting upon the shameful unanimity with which rural discipline has been abandoned and passed out of use, I am fearful lest it may be disgraceful and, in a sense, degrading or dishonourable to men of free birth. But when I am reminded by the records of many writers that it was a matter of pride with our forefathers to give their attention

⁶ pudenda, aut inhonesta videatur ingenuis *vulgo*

⁷ pluribus, *Gesn., Schn.*

LUCIUS JUNIUS MODERATUS COLUMELLA

tionis, ex qua Quinctius Cincinnatus, obsessi consulis
et exercitus liberator, ab aratio vocatus ad dictatū am
venerit ac iussus fascibus depositis, quos festinantiū
victor reddiderat quā sumpserat imperator, ad
eosdem iuvencos et quattuor iugerum avilum
14 herediolum redierit, itemque C. Fabricius et Cuius
Dentatus, alter Pyrrho finibus Italiae pulso, domus
alteri Sabini accepta, quae vintum dividebantur,
captivi agri septem iugera non minus industrie
coluerit, quā fortiter armis quacsierat, et ne
singulos intempestive nunc persequar, cum tot alios
Romani generis intuear memorabiles duces hoc
semper duplici studio floruisse vel defendendi vel
colendi patrios quaesitosve fines, intellego luxuriae
et deliciis nostris pristinum morem virilemque vitam
15 displicuisse Omnes enim, sicut M. Varrō iam
temporibus avorum conquestus est, patres familiae
falce et aratio relictis intra murum correpsimus et
in circis potius ac theatris quam in segetibus ac
vinetis¹ manus movemus, attonitique mihi mur
gestus effeminatorum, quod a natura sexum viris

¹ sic codices recentiores et fere omnes ex Varro, R R II
Praef 3 vineis SA, Lundström

^a According to tradition, Cincinnatus was called from the plough to the dictatorship in 458 B.C., to save the Roman army besieged by the Aequians on Mt. Algidus. He delivered the consul Minucius and his army, resigned the dictatorship, and returned to his little farm after holding the office only sixteen days Cf. Livy, III 26-29

^b One iugerum = about three fifths of an acre

^c Consul in 282 and 278 B.C., his noble conduct toward Pyrrhus, king of Epirus, led to the evacuation of Italy by that king

BOOK I, PREFACE 13-15

to fuming from which pursuit came Quinctius Cincinnatus,^a summoned from the plough to the dictatorship to be the deliverer of a beleaguered consul and his army, and then, laying down the power which he relinquished after victory more hastily than he had assumed it for command, to return to the same bullocks and his small ancestral inheritance of four *iugera*,^b from which pursuit 14 came also Gaius Fabricius^c and Camillus Dentatus,^d the one after his rout of Pyrrhus from the confines of Italy, the other after his conquest of the Sabines, tilling the captured land which they had received in the distribution of seven *iugera* to a man, with an energy not inferior to the bravery in arms with which they had gained it, and, not unseasonably to run through individual cases at this time, when I observe that so many other renowned captains of Roman stock were invariably distinguished in this twofold pursuit of either defending or tilling their ancestral or acquired estates, I understand that yesterday's morals and strenuous manner of living are out of tune with our present extravagance and devotion to pleasure. For, even as Marcus Varron^e 15 complained in the days of our grandfathers, all of us who are heads of families have quit the sickle and the plough and have crept within the city-walls, and we ply our hands^f in the circuses and theatres rather than in the grainfields and vineyards, and we gaze in astonished admiration at the posturings of effeminate males, because they counterfeit by

^a Consul in 290 and 275 B.C. Famous for his frugality and his conquests over the Samnites, Sabines, Lucanians, and Pyrrhus, he retired to his farm, refusing all share in the booty

^b Varro, *R.R.* II *Praef.* 3

^f That is, in applauding the performers

LUCIUS JUNIUS MODERATUS COLUMELLA

denegatum muliebri motu mentiantur decipiantque
 16 oculos spectantium Mox deinde, ut apti veniamus
 ad ganeas, cotidianam ciuitatem Laconicis¹ exco-
 quimus et exusto sudore sitim quaerimus noctesque
 libidinibus et ebrietatibus, dies ludo vel somno
 consumimus, ac nosmet ipsos ducimus fortunatos,
 quod "nec orientem solem videmus² nec occiden-
 17 tem" Itaque istam vitam socordem persequitur
 valetudo Nam sic iuuenum corpora fluxa et
 resoluta sunt, ut nihil mors mutatura videatur

At mehercules vera illa Romuli proles assiduus
 venatibus nec minus agrestibus operibus exercitata
 firmissimis praevaluit corporibus ac militiam belli,
 cum res postulavit, facile sustinuit durata pacis
 laboribus semperque rusticam plebem praeposuit
 urbanae Ut enim qui in villis³ intra consaepta
 morarentur, quam qui foris terram molirentur,
 ignaviores habitos, sic eos, qui sub umbra civitatis
 intra moenia desides cunctarentur, quam qui rura
 colerent administrarentve opera colonorum,⁴ seg-
 18 niores visos Nundinarum etiam conventus mani-

¹ laconicis *R plerique, edd* lactucis *A, Iundstrom*
 lactucis *S*

² videmus *SA, Gesn* vidimus *alm* (viderunt *Cato apud*
Sen Epist 122 2)

³ qui in villis *R plerique* quae inutilis *SA* vilis in utiles
 qui *M*

⁴ administrarentve opera colonorum *om SA, vett edd*

^a The *Laconicum*, or sweat chamber, was so called because
 thought to have been first used by the Laconians, though

BOOK I, PREFACE 15-18

their womanish motions a sex which nature has denied to men, and deceive the eyes of the spectators And presently, then, that we may come to our 16
gluttonous feasts in proper fettle, we steam out our daily indigestion in sweat-baths,^a and by drying out the moisture of our bodies we arouse a thirst, we spend our nights in licentiousness and drunkenness, our days in gaming or in sleeping, and account ourselves blessed by fortune in that "we behold neither the rising of the sun nor its setting"^b The 17
consequence is that ill health attends so slothful a manner of living, for the bodies of our young men are so flabby and enervated that death seems likely to make no change in them

But, by heaven, that true stock of Romulus, practised in constant hunting and no less in toiling in the fields, was distinguished by the greatest physical strength and, hardened by the labours of peace, easily endured the hardships of war when occasion demanded, and always esteemed the common people of the country more highly than those of the city For as those who kept within the confines of the country houses^c were accounted more slothful than those who tilled the ground outside, so those who spent their time idly within the walls, in the shelter of the city, were looked upon as more sluggish than those who tilled the fields or supervised the labours of the tillers It is evident, too, that their 18

Herodotus (IV 75) speaks of it as well known throughout Greece, and not peculiar to the Spartans For a description of this chamber, see Vitruvius, *De Arch* V 10 5, VII 10 2

^b Cato *ap* Sen *Epist* 122 2

^c *I e* those members of the *familia rustica* whose duties kept them indoors or close to the farm buildings

LUCIUS JUNIUS MODERATUS COLUMELLA

- festum est propterea usurpatos, ut nonis tantummodo diebus urbanae res agerentur, reliquis administrarentur iustitiae Illis enim temporibus, ut ante iam diximus, procures civitatis in agris morabantur et, cum consilium publicum desiderabatur, a villis arcessebantur¹ in senatum, ex quo, qui eos
 19 evocabant, viatores nominati sunt Isque mos dum servatus est, perseverantissimo colendorum agrorum studio veteres illi Sabini Quirites atavique Romani, quamquam inter ferrum et ignes hosticisque² incursionibus vastatas fruges laetius³ tamen condidere quam nos, quibus diuturna permittente pace prolatum licuit rem rusticam
 20 Itaque in "hoc Latio et Saturnia teria," ubi di fructus⁴ agrorum progeniem suam docuerant, ibi nunc ad hastam locamus, ut nobis ex transmarinis provinciis advehatur frumentum, ne fame laboremus, et vindemias condimus ex insulis Cycladibus ac regionibus Baeticis Gallicisque Nec mirum, cum sit publice concepta et confirmata iam vulgari existimatio rem rusticam sordidum opus et id esse negotium quod nullus⁵ egeat magisterio praeceptove
 21 At ego, cum aut magnitudinem totius rei quasi

¹ arcessebantur *S*, *Lundstrom* arcessebantur *A*

² hosticis *SA* ³ parcius *SA*

⁴ cultus *R* ⁵ nullus *S* nullo *R*

^a The *nundinae* (ninth day, according to the Roman method of reckoning) at the end of the eight day week, was a day of rest from agricultural labour, set aside for buying and selling and attention to public and religious affairs in the city, cf Varro, *R R II Praef* 1, Paul ex Fest 176 L, Macrobius *Sat I* 16 34 ^b Cf Cicero, *De Sen* 16 56

^c The authorship of this phrase is attributed to Ennius, cf V Lundstrom, "Nya Enniusfragment," *Eranos*, XV 1-3, and Warmington, *Remains of Old Latin*, II frag 26 (L C L)

BOOK I, PREFACE 18-21

market-day^a gatherings were employed for this purpose—that city affairs might be transacted on every ninth day only and county affairs on the other days. For in those times, as we have previously remarked, the leading men of the state used to pass their time in the fields and were summoned from their farms to the senate when advice on matters of state was wanted, as a result of which those who summoned them were called *viatores*^b or “road-men.” And so long as this custom was preserved, with a 19 most persevering enthusiasm for tilling their lands, those old Sabine *Quirites* and our Roman forefathers, even though exposed to fire and sword, and despite the devastation of their crops by hostile forays, still laid by a greater store of crops than do we, who, with the sufferance of long-continued peace, might have extended the practice of agriculture.

So, then, in “this Latium and Saturnian land,”^c 20 where the gods had taught their offspring of the fruits of the fields, we let contracts at auction^d for the importation of grain from our provinces beyond the sea, that we may not suffer hunger, and we lay up our stores of wine from the Cyclades Islands and from the districts of Baetica^e and Gaul. Nor is it to be wondered at, seeing that the common notion is now generally entertained and established that farming is a mean employment and a business which has no need of direction or of precept. But 21 for my part, when I review the magnitude of the

^a Lit. “at the spear.” A spear was stuck in the ground at the place where an auction was held, originally as a sign of the sale of plunder taken in battle.

^e A district of southern Spain, modern Andalusia. Here Columella was born, in the town of Gades (Cádiz).

LUCIUS JUNIUS MODERATUS COLUMELLA

quandam vastitatem corporis aut partium eius velut singulorum membrorum subtilitatem dispicio,¹ vereor, ne supremus ante me dies occupet² quam universam disciplinam ruris possim cognoscere

- 2 Nam qui se in hac scientia perfectum volet profiteri, sit oportet rerum naturae sagacissimus, declinationum mundi non ignarus, ut exploratum habeat quid cuique plagae conveniat, quid repugnet Siderum ortus et occasus memoria repetat, ne imbribus ventisque imminentibus opera incohet laboremque
- 3 frustretur Caeli et anni praesentis mores intueatur, neque enim semper eundem velut ex praescripto habitum gerunt, nec omnibus annis eodem vultu venit aestas aut hiems, nec pluvium semper est ver aut umidus autumnus,³ quae praenoscere sine lumine animi et sine exquisitissimis disciplinis non quemquam posse crediderim Iam ipsa terrae varietas et cuiusque soli habitus quid nobis neget,
- 4 quid promittat, paucorum est discernere Contemplatio vero cunctarum in ea disciplina partium quoto⁴ cuique contingit,⁵ ut et segetum arationumque perciperet usum et varias dissimillimasque terrarum species pernosceret—quarum non nullae colore, non nullae qualitate fallunt, atque in aliis regionibus nigra terra, quam pullam vocant, ut in Campania, est laudabilis, in his⁶ pinguis lubrica⁷

¹ subtilitatem dispicio (disputio S) SA, Lundstrom numerum recenseo R, alii

² excipiat M

³ umidum autumnum Lundstrom, cum SA et R plerisque ut vid

⁴ quoto Madvig, "forsitan recte" dicit Lundstrom quanto SA, Schn, Lundstrom quando Gesn, cum Ald, sed quanto vel quoto maluit quid R

⁵ contingit SA et R plerique, et edd ante Schn contingerit M contingit duo codd dett, Schn, Lundstrom

BOOK I, PREFACE 21-24

entire subject, like the immensity of some great body, or the minuteness of its several parts, as so many separate members, I am afraid that my last day may overtake me before I can comprehend the entire subject of rural discipline

For one who would profess to be a master of this science must have a shrewd insight into the works of nature, he must not be ignorant of the variations of latitude, that he may have ascertained what is suitable to every region and what is incompatible. He should tell over in his mind the rising and setting of the stars, that he may not begin his operations when rains and winds are threatening, and so bring his toils to naught. He must observe the behaviour of the current weather and season, for they do not always wear the same habit as if according to a fixed rule, summer and winter do not come every year with the same countenance, the spring is not always rainy or the autumn moist. These matters I cannot believe that any man can know beforehand without the light of intelligence and without the most accurate instruction. Indeed, it is granted to few to discern what the very diversity of land and the nature of each soil may deny us, or what they may promise us. Of how many, in fact, is it the lot to survey all parts of this science, so as thoroughly to understand the practice of cropping and ploughing and to have an accurate knowledge of the varied and very unlike types of soil (of which some deceive us by their colour, some by their texture, in some lands the black soil which they call *pulla*, as in Campania, is commended, in others a fat, glutinous soil answers

⁶ his *SA*, *Lundstrom* alius *R*, et *vulgo*

⁷ *lubrica SAR*, *Lundstrom* *rubrica aln*

LUCIUS JUNIUS MODERATUS COLUMELLA

melius respondet, quibusdam sicut in Africa Numidiaque¹ putres habent fecunditate vel robustissimum solum vincunt, in Asia Mysiaque densa et
25 glutinosa terra maxime exuberat—atque in his ipsis habiet cognitum, quid iocuset collis, quid campestris positio, quid cultus, quid silvestris ager, quid umidus et graminosus, quid siccus et spui-
cus, rationem quoque dispiceret et in arboribus vineisque, quorum infinita sunt genera, conserendis ac tuendis et in pecoribus parandis conservandisque, quoniam et hanc adscivimus quasi agri culturae
26 scientia² Nec ea tamen simplex, quippe aliud exigit equinum atque aliud bubulum alimentum, aliud pecus ovillum, et in eo ipso dissimilem rationem postulat Tarentinum atque hirtum, aliud capinum, et id ipsum aliter curatum mutilum et rarpilum, aliter cornutum et saetosum, quale est in Cilicia Porculonis vero et subulci diversa professio, diversae pastiones, nec eundem glabrae sues densaeque caeli statum nec eandem educationem cultumve
27 quaerunt Et ut a pecoribus recedam, quorum in parte avium cohortalium et apium cura posita est, quis tanti studii fuit, ut super ista, quae enumeravimus, tot nosset² species insitionum, tot putationum, tot pomorum holerumque cultus exerceeret, tot

¹ Numidiaque *Lundstrom* numidia *codd.*, et plerique *edd* Numidiae *Schn*

² nosceret *R*

^a In Asia Minor, south of the Propontis (Sea of Marmara), now a part of Turkey

^b On the sheep of Tarentum (in southern Italy) see VII 4, and Palladius XII (*November*) 13 5 Sheep of this breed were covered with skins to protect their fine wool, cf Varro, *R R* II 2 18, and Horace, *Od* II 6 10

BOOK I, PREFACE 24-27

better, in some countries, as in Africa and Numidia, a crumbling, sandy soil surpasses in fertility even the strongest land, while in Asia and Mysia^a a stiff and viscous soil is especially productive? Of how many is it the lot to have an understanding in the matter of these soils, as to what crop a hillside will refuse to yield, what a level situation, what a cultivated land, what a wooded land, what a land that is moist and grassy or dry and blasted, to discern also the method of planting and tending trees and vineyards of which there are endless varieties, and of acquiring and keeping cattle, since we have admitted this as a part of agriculture, though the herdsmen's art is distinct from husbandry? And yet even this is not of one pattern, for a stud of horses requires one kind of management, a herd of cattle another, a flock of sheep still another, and of these the Larentine breed^b demands a different method from the coarse-wooled, a still different treatment is required by the goat kind, and of these the hornless and thin-horned are reared for in one way, the horned and shaggy-haired, as in Cilicia,^c in another way. Moreover, the business of the swine-breeder and swineherd is different, their method of feeding is different, nor do light-coated and heavy-coated swine require the same climate, rearing, and care. And, to take my leave of cattle, as a part of which the care of farmyard poultry and bees is reckoned, who has extended his studies so far as to be acquainted, in addition to the points which I have enumerated, with the many methods of grafting and pruning? to put in practice the cultivation of the many fruits and vegetables? to devote his attention to the many

^a In the south eastern part of Asia Minor

LUCIUS JUNIUS MODERATUS COLUMELLA

generibus ficorum sicut rosarius impenderet curam, cum a plerisque etiam maiora neglegantur,¹ quamquam et ista iam non minima vectigalia multis esse
28 coeperint² Nam prata et salicta, genistaeque et harundines, quamvis tenuem nihilo minus aliquam desiderant industriam

Post hanc tam multarum tamque multiplicum rerum praedicationem non me praeterit, si, quem desideramus agricolam quemque describemus,³ exegero a participibus agrestium operum, tardatum iri⁴ studia discentium, qui tam variae tamque vastae scientiae desperatione conterriti nolent⁵ experiri,
29 quod se consequi posse diffident Verum tamen, quod in Oratore iam M Tullius rectissime dixit, par est eos, qui generi humano res utilissimas conquirere et perpensas exploratasque memoriae tradere concupierint, cuncta temptare⁶ Nec si vel illa praestantis ingenui vis vel inclitarum artium defecerit
• instrumentum, confestim debemus ad otium et inertiam devolvi, sed quod sapienter speraverimus,⁷ perseveranter consecrari Summum enim columen⁸ adfectantes satis honeste vel in secundo fastigio
30 conspiciemur An⁹ Latiae Musae non solos adytis suis¹⁰ Accium et Vergilium recepere, sed eorum et

¹ neghantur *R plerique, edd ante Lundstrom*

² coeperunt *R aliquot, edd ante Lundstrom*

³ describemus *codd, vett edd, Lundstrom* describimus
vulgo

⁴ tardatum iri *omnes post Ald* tardat ut rei *SA et R plerique* tardi ab rei studio discedent *M*

⁵ nolent *M, edd* nollent *SA et R plerique*

⁶ tentare *R plerique, edd ante Lundstrom*

⁷ sic *codd, Lundström* speravimus *vulgo*

⁸ culmen *AR, edd ante Lundstrom*

⁹ Nam *Schneider ex Cic Orat 1*

¹⁰ om *S*

BOOK I, PREFACE 27-30

varieties of figs as well as to rose-gardens, when even greater things are neglected by most people even though they have now begun to be, for many farmers, not the least part of their revenue? For meadows and willow-thickets, broom-plants and reeds, though they require little attention, still require some

After this announcement of subjects so many and so varied, it does not escape me that, if I demand, of those who are concerned with farm-work, the farmer whom we seek and shall describe, the enthusiasm of the learners will be cooled, for, being disheartened by the hopelessness of mastering so varied and so vast a science, they will not wish to try what they distrust their ability to attain. Nevertheless, as Marcus Tullius has very properly said in his *Orator*,^a it is right that those who have an earnest desire to investigate subjects of the greatest utility for the human race, and to transmit to posterity their carefully weighed findings, should try everything. And if the force of an outstanding genius or the equipment of celebrated arts is wanting, we should not immediately relapse into idleness and sloth, but rather that which we have wisely hoped for we should steadfastly pursue. For if only we aim at the topmost peak, it will be honour enough for us to be seen even on the second summit. Have not the Muses of Latium admitted to their sanctuaries, not Accius^b and Vergil alone, but also assigned seats

^a Columella expresses the sense, though not the exact wording, of Cicero, *Orat* 1-2

^b A tragic poet of the second century B.C., highly rated by Quintilian (X 1 97). His works survive only in fragments. See Warmington, *Remains of Old Latin*, II, L C L

LUCIUS JUNIUS MODERATUS COLUMELLA

proximis et procul a secundis sacras concessere sedes ?
 Nec Brutum aut Caesium Pollionemve cum Messala
 et Calvo¹ detinuerunt ab eloquentiae studio fulmina
 illa Ciceronis Nam neque ipse Cicero tenuit
 cessaret tonantibus Demosthenem Platonemque, nec
 parens eloquentiae deus ille Maeonius vastissimis
 fluminibus facundiae suae posteritatis studia re-
 31 stinuerat Ac ne minoris quidem famae opifices per
 tot iam saecula videmus laborem suum destituisse,
 qui Protogenem Apellenque cum Parrhasio muniti
 sunt, nec pulchritudine Iovis Olympi Minervaeque
 Phidiaeae sequentis aetatis attonitos piguit experiri
 Bryaxin, Lysippum, Praxitelem, Polychitum, quid
 efficere aut quousque progredi possent Sed in
 omni genere scientiae et summis administratio veneratio-
 32 que et inferioribus merita laus contigit Accedit
 huc, quod illi, quem nos perfectum esse volumus
 agricolam, si quidem artis consummatae non sit,
 nec² in universa rerum natura sagacitatem Demo-
 criti vel Pythagorae fuerit consecutus, et in motibus
 astrorum ventorumque Metonis providentiam vel
 Eudoxi et in pecoris cultu doctrinam Chironis ac

¹ Catulo *R nonnulli*, Ald, Gesn Catullo *R pauci*

² *sic vulgo* consummatae sit et *Lundstrom* cum *vett edd*
et codd ut videtur (praeter consummata est S)

^a Cf Cicero, *Ad Fam IX 21 1*

^b Five famous Roman orators, younger contemporaries of Cicero

^c Homer

^d Three celebrated Greek painters of the fourth century B C

^e *I e* the chryselephantine statue of Zeus at Olympia and of Athena in the Parthenon

^f Bryaxis, Lysippus and Praxiteles (all of the fourth cent B C) and Polychytus (fifth cent B C) were, like Phidias who overtopped them, distinguished Greek statuaries

BOOK I, PREFACE 30-32

of honour to those next to them and to those far from second rank? The far-famed fulminations of Cicero^a did not deter from the pursuit of eloquence Brutus or Caelius, Pollio or Messala or Calvus,^b for Cicero himself had not yielded in flight to the thunderings of Demosthenes and Plato, and the father of eloquence, that divine Maecian,^c with the mighty floods of his rhetoric had not quenched the zeal of those who came after him. And we observe that 31 even artists of lesser fame, who through these many generations have been admirers of Protogenes and Apelles and Parrhasius,^d have not ceased from their own labours, and, though stunned by the beauty of Phidias' Olympian Jove and of his Minerva,^e men of the succeeding age, Bryaxis, Lysippus, Praxiteles, and Polyclitus,^f were not reluctant to try what they could do or how far they could advance. But in every branch of knowledge the highest have attained to admiration and reverence, and those of lesser worth have received their meed of praise. Added to this 32 is that in the case of the man whom we wish to be a finished husbandman, even though he be not a man of consummate skill, though he may not have attained to the sagacity of a Democritus or a Pythagoras^g in the nature of the universe, and the foreknowledge of Meton or Eudoxus^h in the movements of the stars and the winds, the learning of Chironⁱ and Melampus^j

^a Democritus (fifth cent B C) and Pythagoras (sixth cent B C), early Greek philosophers

^b Two Greek astronomers of the fifth and fourth centuries B C

^c According to Greek mythology Chiron was a Centaur, half man and half horse, learned in many arts and the tutor of many mythological heroes

^d A famous seer and physician of Greek mythology

LUCIUS JUNIUS MODERATUS COLUMELLA

Melampodis, et in agnorum solique molitione Triptolemi aut Aristaei prudentiam, multum tamen profecerit si usu Tremelios Sasernasque et Stolones
33 nostros aequaverit Potest enim nec subtilissima nec rursus, quod aiunt, pingui Minerva res agrestis administrari Nam illud procul vero est, quod plerique crediderunt, facillimam esse nec ullius acuminis rusticationem De cuius universitate nihil attinet plura nunc dissereie, quoniam¹ quidem cunctae partes eius destinatis aliquot voluminibus explicandae sunt, quas ordine suo tunc demum persequar, cum praefatus fuero quae reor ad universam disciplinam maxime pertinere

I Qui studium agricolationi dederit, antiquissima sciat haec sibi advocanda prudentiam rei, facultatem impendendi, voluntatem agendi Nam is demum cultissimum rus habebit, ut ait Tremelius, qui et colere sciet et poterit et volet Neque enim scire aut velle cuiquam satis fuerit sine sumptibus, quos
2 exigunt opera, nec rursus faciendi aut impendendi

¹ quoniam *Lundstrom* quoniam (*in abbr*) vel quom vel cum *codd* quandoquidem *vulgo*

^a A mythical character, said to have been the founder of agriculture and the inventor of the plough (Servius on Vergil, *Georg* I 163)

^b Son of Apollo and the nymph Cyrenê, said to have taught mankind the management of bees and cattle and the cultivation of the olive

^c Writers on husbandry, often cited by Varro and Columella
i.e. Cn Tremelius Scrofa (cf Varro, *R R* I 2 9-10, II 4), the

BOOK I 1 1-2

in the care of cattle and the prudent wisdom of Eupolemus^a or Aristaeus^b in the tilling of the fields and the soil, still he will have made great progress if he has equalled in practice our own Tremeluses and Sasernas and Stolos.^c For agriculture 3 can be conducted without the greatest mental acuteness, but not, on the other hand, by the fat-witted,^d to use a common expression. For far from the truth is the belief, held by many, that the business of husbandry is extremely easy and requires no mental keenness. There is no occasion for further discussion of the subject as a whole at this point, inasmuch as its several divisions are to be set forth in the several Books assigned to them, which I shall carry through, each in its own order, but only after I have said by way of preface what I judge to be especially pertinent to the science in general.

I One who devotes himself to agriculture should understand that he must call to his assistance these most fundamental resources: knowledge of the subject, means for defraying the expenses, and the will to do the work. For in the end, as Tremelius remarks, he will have the best-tilled lands who has the knowledge, the wherewithal, and the will to cultivate them. For the knowledge and willingness will not suffice anyone without the means which the tasks require, on the other hand, the will to 2

two Sasernas, father and son (I 1 12, Varro I 2 22), and C Licinius Stolo (I 3 11, Varro I 2 9)

^a Lit "fat Minerva." Cf Cicero, *De Amic* 5 19, *pinguis Minerva*, Horace, *Serm* II 2 3, *rusticus crassaque Minerva*

LUCIUS JUNIUS MODERATUS COLUMELLA

voluntas profuerit sine arte, quæ caput est in omni negotio nosse quid agendum sit, maximeque in agri cultu, in qua voluntas facultasque citia scientiam saepe magnam dominis adferunt ræcturam, cum imprudenti facta opera frustantur impensas

3 Itaque diligens pater familiae, cui cordi est ex agri cultu certam sequi rationem rei familiaris augendae, maxime curabit ut et¹ ætatis suae prudentissimos agricolas de quaque re consulat et commentarios antiquorum sedulo scrutetur atque aestimet, quid eorum quisque senserit, quid præceperit, an universa, quæ maiores prodiderunt, huius temporis

4 culturae respondeant an aliqua dissonent Multos enim iam² memorabiles auctores comperi persuasum habere longo ævi situ qualitatem cæli statumque mutari, eorumque consultissimum astrologiae professorem Hipparchum prodidisse tempus fore, quo cardines mundi loco moverentur, idque etiam non spernendus auctor rei rusticae Saseina videtur

5 adcredidisse Nam eo libro, quem de agri cultura scriptum reliquit, mutatum cæli situm sic colligit, quod quæ regiones antea propter hiemis adsiduam violentiam nullam stirpem vitis aut oleae depositam custodiæ potuerint, nunc mitigato iam³ et intepescente pristino frigore largissimis olivitatibus

¹ om *R* plerique, edd præter *Lundström*

² tam *SAA*, *Lundström*

³ iam om *A*

^a A famous Greek astronomer and mathematician, the inventor of trigonometry, who lived in the second century

BOOK I 1 2-5

do or the ability to make the outlay will be of no use without knowledge of the art, since the main thing in every enterprise is to know what has to be done—and especially so in agriculture, where willingness and means, without knowledge, frequently bring great loss to owners when work which has been done in ignorance brings to naught the expense incurred. Accordingly, an attentive head of a household, whose heart is set on pursuing a sure method of increasing his fortune from the tillage of his land, will take especial pains to consult on every point the most experienced farmers of his own time, he should study zealously the manuals of the ancients, gauging the opinions and teachings of each of them, to see whether the records handed down by his forefathers are suited in their entirety to the husbandry of his day or are out of keeping in some respects. For I have found that many authorities now worthy of remembrance were convinced that with the long wasting of the ages, weather and climate undergo a change, and that among them the most learned professional astronomer, Hipparchus,^a has put it on record that the time will come when the celestial poles will change position, a statement to which Saseina, no mean authority on husbandry, seems to have given credence. For in that book on agriculture which he has left behind he concludes that the position of the heavens has changed from this evidence that regions which formerly, because of the unemitting severity of winter, could not safeguard any shoot of the vine or the olive planted in them, now that the earlier coldness has abated and the weather is becoming more clement, produce olive harvests and the vintages of Bacchus in the

LUCIUS JUNIUS MODERATUS COLUMELLA

Liberique vindemus exuberent Sed haec sive falsa seu ¹ vera ratio est, litteris astrologiae concedatur Cetera non dissimulanda erunt agroium cultori praecepta rusticationis, quae cum plurima tradiderint Poeni ex Africa scriptores, multa tamen ab his falso prodita coarguunt nostri coloni, sicut Tremelius, qui querens id ipsum tamen excusat, quod Italiae et Africae solum caelumque diversae naturae nequeat eosdem proventus habere Quaecumque sunt ² autem, quae ³ propter disciplina ⁴ ruris nostrorum temporum cum priscis discrepat, non deterere debent a lectione discentem Nam multo plura reperiuntur ⁵ apud veteres, quae nobis probanda sint, quam quae repudianda

7 Magna porro et Graecorum turba est de rusticis rebus praecipiens, cuius princeps celeberrimus vates non minimum professioni nostrae contulit Hesiodus Boeotius Magis deinde eam iuvare fontibus orti sapientiae Democritus Abderites, Socraticus Xenophon, Tarentinus Archytas, Peripatetici magister ac 8 discipulus Aristoteles cum Theophrasto Siculi quoque non mediocri cura negotium istud prosecuti sunt Hieron et Epicharmus, cuius ⁶ discipulus Philometor et Attalus Athenae vero scriptorum frequentiam pepererunt, e qua ⁷ probatissimi auctores

¹ sive *R* ² sunt *om Schn* ³ quae *om S, Schn*

⁴ disciplina *Ursinus (teste Schn), Lundstrom cum Cod Laurent 53 27 disciplinam SAR, plerique edd*

⁵ reperiuntur *SAa, Lundstrom*

⁶ cuius *add Lundstrom om SAR*

⁷ e qua *Lundstrom* eaque *SA* aequae *vel* eque *R* e
quae *vulgo*

^a One of the earliest Greek poets, said by Pliny (XVIII 201) to have been the first writer of agricultural precepts

greatest abundance But whether this theory be true or false, we must leave it to the writings on astronomy Other precepts of husbandry are not to be concealed from the tiller of the soil, and while Punic writers from Africa have handed them down in large numbers, yet many of them are assailed as erroneous by our farmers, as, for example, by Tremellus, who, though he brings this very charge, provides the excuse that the soil and the climate of Italy and of Africa, being of a different nature, cannot produce the same results But whatever the causes by reason of which the agricultural practice of our times is at variance with the ancient principles, they should not discourage the learner from reading them, for in the works of the ancients far more is found to merit our approval than our rejection 6

There is, furthermore, a great throng of Greeks who 7 give instruction on husbandry, and the first of them, that most renowned poet, Hesiod ^a of Boeotia, has contributed in no small degree to our art It was then further assisted by men who have come from the well-spring of philosophy—Democritus of Abdera, Xenophon the follower of Socrates, Archytas of Tarentum, and the two Peripatetics, master and pupil, Aristotle and Theophrastus Sicilians, too, 8 have pursued that occupation with no ordinary zeal, Hieron and Epicharmus, whose pupil was even Attalus Philometor ^b Athens assuredly has been the mother of a host of writers, of whom our most out-

His surviving works include *Works and Days*, a collection of agricultural and moral teachings

^b For a discussion of the names and defence of the text, cf V Lundström, "Litteraturhistoriska Bidrag, etc" 2 Epicharmos och Attalos Philometor," *Eranos*, XV 165-171

LUCIUS JUNIUS MODERATUS COLUMELLA

Chaeireas, Aristandros, Amphiloehus, Euphronius, Chrestus¹—Euphronius² non, ut multi putant, Amphipolites, qui et ipse laudabilis habetur agricola, sed indigena soli Attici Insulae quoque cui istam celebraverunt, ut testis est Rhodius Epigenes, Chius Agathocles, Evagon et Anaxipolis Thasi Unus quoque de septem Biantis illius populares Menander et Diodorus in primis sibi vindicaverunt agrolationis prudentiam Nec his cedere Milesii Bacchius et Mnaseas,³ Antigonus Cymaeus, Pergamenus Apollonius, Dion Colophonius, Hegesias Maionites Nam quidem Diophanes Bithynius Uticensem totum Dionysium, Poeni Magonis interpretem, per multa diffusum volumina sex epitomis circumscripsit Et alii tamen obscuriores, quorum patrias non accepimus, aliquod stipendium nostro studio contulerunt Hi sunt Androtion, Aeschrion, Aristomenes, Athenagoras, Ciates, Dadis,⁴ Dionysius, Euphyton, Euphronion Nec minore fide pio virili parte tributum nobis intulerunt Lysimachus et Eubulus, Menestratus, et Plentiphanes,⁵ Persis et Theophilus Et ut agrolationem Romana tandem civitate donemus (nam adhuc istis auctoribus Graecae

¹ Chaerestaeus Varro, *R R* I I 8

² Euphronius *Lundstrom praecuntibus Reitzensteinio, Ursino, Pontedera euphronis SAR Euphronis vulgo*

³ Mnasiae S, *Lundstrom manassias A manasseas R*

⁴ dadis vel eladis vel cladis R dandis SA

⁵ et Plentiphanes *Lundstrom Pleutiphanes vulgo euanti phanes (et om) SA alii alia in R*

BOOK I 1 8-12

standing authorities are Chaeiras, Aristandrius, Amphilocheus, Euphronius, and Chrestus—Euphronius being not, as many believe, the Euphronius of Amphipolis (who is himself regarded as a praiseworthy farmer), but a native of Attica. The islands, too, 9 have honoured the study, as witness Epigenes of Rhodes, Agathocles of Chios, and Evagon and Anaxipolis of Thasos. Menander and Diodorus also, fellow-countrymen of the renowned Bias, one of the Seven,^a were among the first to lay claim to a knowledge of agriculture. Not inferior to these are Bacchius and Mnaseas of Miletus, Antigonus of Cymê, Apollonius of Pergamus, Dion of Colophon, and Hegesias of Maronea. As a matter of fact, 10 Diophanes of Bithynia epitomized in six abridged volumes the entire work of Dionysius of Utica, who translated in many prolix volumes the treatise of the Carthaginian Mago.^b Other writers, too, though of lesser fame, whose countries we have not learned, have made some contribution to our study. Such are Androtion, Aeschrius, Aristomenes, Athenagoras, Ctesias, Dadias, Dionysius Euphyton, and Euphorion. And with no less 11 fidelity have Lysimachus and Eubulus, Menestratus and Plentiphanes, Persis and Theophilus, to the best of their ability, brought us their tribute. And that 12 we may endow Agriculture at last with Roman citizenship (for it has belonged thus far to writers

^a The Seven Sages of Greece, all belonging to the period from 620 to 550 B.C. The names are variously given, but those usually mentioned are Cleobulus, Periander, Pittacus, Bias, Thales, Chilon, and Solon.

^b Cf. Varro, *RR* I 1 10, and see V. Lundström, "Magostudien," *Eranos*, II 60-67, J. P. Mahaffy, "The Work of Mago on Agriculture," *Hermathena*, VII 29-35.

LUCIUS JUNIUS MODERATUS COLUMELLA

- gentis fuit) iam nunc M Catonem Censorium illum memoremus, qui eam latine loqui primus instituit, post hunc duos Sasernas, patrem et filium,¹ qui eam diligentius erudiverunt, ac deinde Scrofam Tremellum, qui etiam eloquentem reddidit, et M Terentium qui expolivit, mox Vergilium,² qui carminum³ quoque
- 13 potentem fecit Nec postremo quasi paedagogi eius meminisse dedignemur Iuli Hygini, verum tamen ut Carthaginensem Magonem rusticationis parentem maxime veneremur, nam huius octo et viginti memorabilia illa volumina ex senatus consulto in
- 14 Latinum sermonem conversa sunt Non minorem tamen laudem meruerunt nostrorum temporum viri Cornelius Celsus et Iulius Atticus, quippe Cornelius totum corpus disciplinae quinque libris complexus est, hic de una specie culturae pertinentis ad vitis singularem librum edidit Cuius velut discipulus duo volumina similium praeceptorum de vineis Iulius Graecinus composita facetius et eruditius posteritati tradenda curavit
- 15 Hos igitur, P Silvine, priusquam cum agricolatione

¹ filium et patrem *SA*

² virgilium *R*

³ carmine *R*

^a Regarded by Pliny (*N H* XVII 199) as the most ancient and most distinguished husbandmen after Cato

^b A contemporary of Varro and one of the speakers in Varro's agricultural treatise

^c Marcus Terentius Varro

^d A slave whose duty it was to guard his master's children, escort them to school, and perhaps give some elementary instruction at home

^e Freedman and librarian of Augustus, and a writer of great versatility Two works, dealing with mythology and astronomy, survive under his name

BOOK I 1 12-15

of the Greek race), let us now recall that illustrious Marcus Cato the Censor, who first taught her to speak in Latin, after him the two Saseinas,^a father and son, who continued her education with greater care, then Tremehus Scrofa,^b who gave her eloquence, and Marcus Terentius,^c who added refinement, and presently Vergil, who gave her the power of song as well. And finally, let us not disdain to mention 13 her *paedagogus*,^d so to speak, Julius Hyginus,^e though still paying greatest reverence to the Carthaginian Mago as the father of husbandry, inasmuch as his twenty-eight memorable volumes were translated into the Latin tongue by senatorial decree. No less honour, however, is due to men of our own 14 time, Cornelius Celsus^f and Julius Atticus,^g for Cornelius has embraced the whole substance of the subject in five books, while the latter has published a remarkable book on one kind of agriculture, that concerned with vines. And his pupil, as it were, Julius Graecinus,^h has taken care that two volumes of similar instructions on vineyards, composed in a more elegant and learned style, should be handed down to posterity.ⁱ

These, then, Publius Silvinus, are the men whom 15

^f An encyclopaedic writer, who flourished in the time of Tiberius, called the "Roman Hippocrates" for his great learning in medicine. Eight books of his medical writings have come down to us (in L C L, 3 vols., by W G Spencer).

^g Known from this passage as a contemporary of Columella, by whom he is often quoted.

^h Father of Julius Agricola, the father in law of Tacitus.

ⁱ Our meagre knowledge of the lives and works of agricultural writers (Varro excepted) between the time of Cato and that of Columella is summed up by R. Reitzenstein in his dissertation, *De Scriptorum Rei Rusticae Libris Deperditis* (Berlin, 1884).

LUCIUS JUNIUS MODERATUS COLUMELLA

contrahas, advocato in consilium, nec tamen sic mente dispositus velut summam totius rei sententis eorum consecutus, quippe¹ eiusmodi scriptorum monumenta magis instiunt quam faciunt artificem

- 16 Usus et experientia dominantur in artibus, neque est ulla disciplina, in qua non peccando discatur² Nam ubi quid peperam administratum cessit³ improspere, vitatur quod fefellerat, illuminatque rectam
17 viam docentis magistrum Quare nostra praecepta non consummare scientiam, sed adiuvere promittunt Nec statim quisquam compos agricolationis erit his perlectis rationibus, nisi et obue eas voluerit et per facultates potuerit Ideoque haec velut adminicula studiosis promittimus, non profutura per se sola, sed cum aliis

- 18 Ac ne ista quidem praesidia, ut diximus, non adsiduus labor et experientia vilici, non facultates ac voluntas impendendi tantum pollent quantum vel una praesentia domini, quae nisi frequens operibus intervenierit, ut in exercitu cum abest imperator, cuncta cessant officia Maximeque reor hoc significantem⁴ Poenum Magonem suorum scriptorum primordium talibus auspiciatum sententis “ Qui agrum paravit domum vendat, ne malit urbanum quam rusticum larem colere, cui magis cordi fuerit

¹ quia *R plerique*

³ cesserit *R aliquot*

² discitur *S*

⁴ significante *S*

^a Cf the maxim of Cato, 4, *frons occipitio prior est*, Pliny, *N H XVIII 31 frontemque domini plus prodesse quam occipitium*, and Palladius, I 6 1, *praesentia domini proventus est agri*

BOOK I 1 15-18

you are to call into consultation before you make any contact with agriculture, yet not with any thought that you will attain perfection in the whole subject through their maxims, for the treatises of such writers instruct rather than create the craftsman. It is practice and experience that hold 16 supremacy in the crafts, and there is no branch of learning in which one is not taught by his own mistakes. For when a venture turns out unsuccessfully through wrong management, one avoids the mistake that he had made, and the instructions of a teacher cast a light upon the right course. Hence 17 these precepts of ours promise, not to bring the science to perfection, but to lend a helping hand. And no man will immediately become a master of agriculture by the reading of these doctrines, unless he has the will and the resources to put them into practice. We set them forth, therefore, in the nature of supports to those who wish to learn, not intended to be beneficial by themselves alone, but in conjunction with other requirements.

And, as I have stated, not even those aids, nor 18 the constant toil and experience of the farm overseer, nor the means and the willingness to spend money, avail as much as the mere presence of the master,^a for if his presence does not frequently attend the work, all business comes to a standstill, just as in an army when the commander is absent. And I believe that Mago the Carthaginian was pointing this out most particularly when he began his writings with such sentiments as these: "One who has bought land should sell his town house, so that he will have no desire to worship the household gods of the city rather than those of the country, the man who takes

LUCIUS JUNIUS MODERATUS COLUMELLA

- urbanum domicilium, iustico praedio non erit opus”
- 19 Quod ego praeceptum, si posset his temporibus observari, non immutarem. Nunc quoniam¹ plerosque nostrum civilis ambitio saepe evocat ac saepius detinet evocatos, sequitur ut suburbanum praedium commodissimum esse putem, quo vel² occupato cotidianus excursus facile post negotia fori contingat³
- 20 Nam qui longinqua, ne dicam transmarina rura mercantur, velut heredibus patrimonio suo et,⁴ quod gravius est, vivi cedunt servis suis, quoniam quidem et illi tam longa dominorum distantia corumpuntur et corrupti⁵ post flagitia, quae commiserunt, sub expectatione successorum rapinis magis quam culturae⁶ student

II Censeo igitur in propinquo agrum mercari, quo et frequenter dominus veniat et frequentius venturum se,⁷ quam sit venturus, denuntiet. Sub hoc enim metu cum familia vilicus erit in officio. Quicquid vero dabitur occasionis, ruri moretur, quae non sit mora segnis nec umbratilis. Nam diligentem patrem familiae decet agri sui particulas omnis et omni tempore anni frequentius circumire, quo prudentius naturam⁸ soli sive in frondibus et herbis sive iam maturis frugibus contempletur, nec ignoret quicquid² in eo recte fieri poterit. Nam illud vetus est Catonis agrum pessime mulcari,⁹ cuius dominus quid in eo

¹ quom vel cum *R*, ut saepe ² ut *SA* velut *R* pauci

³ contingant *S* ⁴ vel *Schn* cum *Gronovio*

⁵ corruptis *SA*, et *R* plerique

⁶ culturis *R aliquot*, *Schn*

⁷ se venturum ante *Lundstrom*

⁸ natura *SA*

⁹ multari *R plerique*, et vulgo mulctari *R pauci*, vet. edd

greater delight in his city residence will have no need of a country estate" ^a This precept, if it could be 19
 carried out in our times, I would not change But
 as things are, since political ambition often calls
 most of us away, and even more often keeps us
 away when called, I consequently rate it as most
 advantageous to have an estate near town, which
 even the busy man may easily visit every day after
 his business in the forum is done For men who 20
 purchase lands at a distance, not to mention estates
 across the seas, are making over their inheritances
 to their slaves, as to their heirs and, worse yet,
 while they themselves are still alive, for it is certain
 that slaves are corrupted by reason of the great
 remoteness of their masters and, being once corrupted
 and in expectation of others to take their places after
 the shameful acts which they have committed, they
 are more intent on pillage than on farming

II I am of the opinion, therefore, that land should
 be purchased nearby, so that the owner may visit
 it often and announce that his visits will be more
 frequent than he really intends them to be, for
 under this apprehension both overseer and labourers
 will be at their duties But whenever the chance
 offers, he should stay in the country, and his stay
 should not be an idle one nor one spent in the shade
 For it behooves a careful householder to go around
 every little bit of his land quite frequently and at
 every season of the year, that he may the more
 intelligently observe the nature of the soil, whether in
 foliage and grass or in ripened crops, and that he may
 not be ignorant of what may properly be done on it
 For it is an old saying of Cato that land is most 2
 grievously maltreated when its master does not direct

LUCIUS JUNIUS MODERATUS COLUMELLA

faciendum sit non docet, sed audit vilicum Quapropter vel a maioribus traditum possidenti vel emptuio fundum praecipua cura sit scire, quod maxime regionis genus probetur, ut vel caieat
 3 muti vel mergetur laudabilem Quod si voto fortuna subscribit,¹ agium habebimus salubri caelo, uberi glaeba, parte campestri, parte alia collibus vel ad orientem vel ad meridiem molliter deversis, terrenisque aliis² atque aliis silvestribus et asperis, nec procul a mari vel navigabili flumine, quo deportari fructus et per quod merces invehiri possint Campus in prata et arva salictaque et harundineta digestus
 4 aedificio subiaceat Colles alii vacui arboribus, ut solis segetibus serviant, quae tamen modice siccis ac pinguibus campis melius quam praecipitibus locis proveniunt, idcoque etiam celsiores agri frumentari plantias habere et quam mollissime deversis ac similissimi debent esse campestri positioni Alii deinde colles olivetis vineisque³ et earum futuris pedamentis vestiantur, materiam lapidemque, si necessitas aedificandi coegerit, nec minus pecudibus pascua praebere possint, tum vivos decurrentes in prata et hortos et salicta villaeque aquas salientes
 5 demittant Nec absint greges armentorum ceterorumque quadrupedum⁴ culta et dumeta pascentium

¹ subriserit vel surriserit *R* plerique subscripserit *vulgo*

² aliis cultis (*deest codd*) *Gesn* aliis ac cultis *Schn*

³ vinetisque *R*, plerique *edd*

⁴ quadrupedum *SAA*, *Lundstrom*

^a Not found in Cato as now extant, but of the sentiment of Cato, 2, and especially 5 2, where the overseer is enjoined not to consider himself wiser than his master Pliny (*N H* XVIII 36), after citing the instructions of Cato as to the qualifications for an overseer, considers it sufficient to add

what is to be done thereon but listens to his overseer ^a
 Therefore, let it be the chief concern of one who owns
 a farm inherited from his ancestors, or of one who
 intends to buy a place, to know what kind of ground
 is most approved, so that he may either be rid of
 one that is unprofitable or purchase one that is to
 be commended. But if fortune attends our prayer, ³
 we shall have a farm in a healthful climate, with
 fertile soil, partly level, partly hills with a gentle
 eastern or southern slope, with some parts of the
 land cultivated, and other parts wooded and rough,
 not far from the sea or a navigable stream, by which
 its products may be carried off and supplies brought
 in. The level ground, divided into meadows, arable
 land, willow groves, and reed thickets, should be
 adjacent to the steading. Let some of the hills ⁴
 be bare of trees, to serve for grain crops only, still
 these crops thrive better in moderately dry and
 fertile plains than in steep places, and for that
 reason even the higher grainfields should have some
 level sections and should be of as gentle a slope as
 possible and very much like flat land. Again, other
 hills should be clad with olive groves and vineyards,
 and with copses to supply props for the latter, they
 should be able to furnish wood and stone, if the need
 of building so requires, as well as grazing ground for
 herds, and then they should send down coursing
 rivulets into meadows, gardens, and willow planta-
 tions, and running water for the villa. And let ⁵
 there be no lack of herds of cattle and of other four-
 footed kind to graze over the tilled land and the

that the overseer should possess an intelligence nearly equal
 to that of his master, though he should not himself be
 conscious of it

LUCIUS JUNIUS MODERATUS COLUMELLA

Sed haec positio, quam desideramus, difficilis et rara paucis contingit, proxima est huic, quae plurima ex his habet, tolerabilis, quae non paucissima

III Porcius quidem Cato censebat inspiciendo agro¹ praecipue duo esse consideranda, salubritatem caeli et ubertatem loci, quorum si alterum deesset ac nihilo minus quis vellet incolere mente esse captum atque eum ad agnatos et gentiles deducendum

- 2 Neminem enim sanum debere facere sumptus in cultura sterilis soli, nec rursus pestilenti quamvis feracissimo pinguique agro dominum ad fructus pervenire Nam ubi sit cum Orco ratio ponenda, ibi non modo perceptionem fructuum, sed et vitam colonorum esse dubiam vel potius mortem quaestu
3 certiozem Post haec duo principalia subiungebat illa non minus intuenda viam, aquam, vicinum² Multum conferre agris iter commodum primum, quod est maximum, ipsam praesentiam domini, qui libentius commeaturus sit, si vexationem viae non reformidet, deinde ad invehenda et exportanda utensilia, quae res frugibus conditis auget pretium

¹ sic Lundstrom cum S (m pr) et R nonnullis censebat in inspiciendo agro S (m alt) A et R nonnulli censebat in emendo inspiciendo agro cod Lips Bibl Comm I f 13 c i e inspiciendoque a vulgo

² vicinam R viam et aquam vicinam vett edd v et a et vicinum vulgo

^a The substance of these words is found in Cato I 2-3, but the passage as a whole bears a closer resemblance to Varro, R R I 2 8

^b A legal expression Cf Varro, loc cit, quorum si alter utrum decolat et nihilo minus quis vult colere, mente est captus adque agnatos et gentiles est deducendus Under the Laws of the Twelve Tables the agnati (blood relatives on the father's side)

thickets But such a situation as we desire is hard to find and, being uncommon, it falls to the lot of few, the next best is one which possesses most of these qualities, and one is passable which lacks the fewest of them

III Porcius Cato, indeed, held the opinion that in the inspection of farm land two considerations were of chief importance—the wholesomeness of the climate, and the fruitfulness of the region,^a and that if either of these were wanting and one had the desire none the less to live there, he had lost his senses and should be turned over to his legal guardians^b For no one in his right mind should go² to the expense of cultivating barren soil, and, on the other hand, in an unhealthy climate, no matter how fruitful and rich the soil, the owner cannot live to the harvest, for where the reckoning must be made with Orcus,^c not only the harvesting of the crops but also the life of the husbandmen is uncertain, or rather death is more certain than gain After these³ two primary considerations he added, as deserving no less attention, the following the road, the water, and the neighbourhood A handy road contributes much to the worth of land first and most important, the actual presence of the owner, who will come and go more cheerfully if he does not have to dread discomfort on the journey, and secondly its convenience for bringing in and carrying out the necessaries—a factor which increases the value of stored crops and lessens the expense of bringing

and *gentiles* (members of the same gens) were legal guardians in cases of lunacy, cf *Frag XII Tab ap Cicero, De Inv II* 50 (148), *SI FVRIOSVS ESCIT AGNATVM GENTILIVM QVE IN EO PECVNIAQVE EIVS POTESTAS ESTO*

^a *I* e with Death Cf Varro, *RR I* 4 3

LUCIUS JUNIUS MODERATUS COLUMELLA

- et minuit impensas rerum invectarum, quia minoris
 4 adportentur eo, quo facili nisu perveniatur, nec
 non¹ nihil esse etiam parvo vehi, si conductis iumentis
 iter facias, quod magis expedit quam tueri propria,
 servos quoque qui secuturi patrem familiae sint,
 non aegre iter pedibus ingredi De bonitate aquae
 ita omnibus clarum est ut pluribus non sit disserendum
 5 Quis enim dubitet eam maxime probatam haberi,
 sine qua nemo nostrum vel prosperae vel adversae
 valetudinis vitam prorogat? De vicini commodo
 non est quidem certum, quia² non numquam moris
 aliaeque nobis eum³ causae diversae⁴ mutant Et
 ideo quidam respuunt Catonis sententiam, qui
 tamen multum videntur errare Nam quem ad
 modum sapientis est fortuitos casus magno animo
 sustinere, ita dementis est ipsum sibi malam facere
 fortunam, quod facit, qui nequam vicinum suis
 nummis parat, cum a primis cunabulis, si modo
 liberis parentibus est oriundus, audisse potuerit

οἷδ' ἂν βοῦς ἀπόλοιτ' εἰ μὴ γείτων κακὸς εἴη

- 6 Quod non solum de bove dicitur, sed⁵ de omnibus
 partibus rei nostrae familiaris, adeo quidem ut
 multi praetulerint carere penatibus et propter
 iniuriam vicinorum sedes suas profugerint Nisi

¹ non om Schn

² quia S, Lundstrom qui AR quem edd vulgo

³ nobis eum Lundstrom nobiscum SAR, cett edd

⁴ diversae om SAA inc Schn

⁵ sed etiam R aliquot, et vulgo etiam om SA, Lundstrom

^a Lundstrom justifies this interpretation of the unanimous reading *nec non nihil* of the Mss, cf "Småplock ur Columellas språk 22 Tredubbel negation," *Eranos*, XV 205

LUCIUS JUNIUS MODERATUS COLUMELLA

- aliter existimamus diversum orbem gentes universas petisse relicto patio solo, Achaeos dico et Hiberos, Albanos quoque nec minus Siculos et, ut primordia nostra contingam, Pelasgos, Aborigines, Arcadas,
- 7 quam quia malos vicinos ferre non potuerant. Ac ne tantum de publicis calamitatibus loquar, privatos quoque memoria tradidit et in regionibus Graeciae et in hac ipsa Hesperia detestabiles fuisse vicinos, nisi Autolycus ille cuiquam potuit tolerabilis esse conterminus, aut Aventini montis incola Palatinus ullum gaudium finitimis ¹ suis Cacus attulit. Malo enim praeteritorum quam praesentium meminisse, ne vicinum meum nominem, qui nec arborem ² prolixiorem stare nostrae regionis nec inviolatum seminatum nec pedamenta ³ ad nexum vineae nec etiam pecudes negligentius pasci sinit. Iure igitur, quantum mea fert opinio, M. Porcius talem pestem vitare censuit et in primis futurum agricolam praemonuit, ne sua sponte ad eam perveniret.
- 8 Nos ad cetera praecepta illud adicimus, quod sapiens unus de septem in perpetuum posteritati pronuntiavit, adhibendum modum mensuramque rebus, idque ut non solum aliud acturis, sed et agrum paraturis dictum intellegatur, ne maiorem,

¹ finitissimis S ² ne carbonē SA

³ pedamentum vel pedamenti vel pedamenti quicquam R
plerique, edd. ante Lundström

^a The master thief of Greek mythology, son of Hermes (Mercury) and maternal grandfather of Odysseus. Autolycus possessed the gift of making himself and his stolen property invisible or of changed appearance.

^b A monster of Roman legend, who stole from Hercules the

46

some other motive than then inability to put up with bad neighbours that whole nations (I speak of the Achaeans and Hiberians, the Albanians, too, and the Sicilians as well, and, to touch upon our own beginnings, the Pelasgians, the Aborigines, and the Arcadians) abandoned their native soil and sought out a different part of the world And not to speak 7 merely of disasters affecting communities at large, it is a matter of tradition that private individuals too, both in the countries of Greece and in our own Hesperia, have been abominable neighbours, unless anyone could have endured that infamous Auto-lycus ^a on an adjoining place, or unless Cacus,^b a resident of the Aventine mount, brought joy to his neighbours on the Palatine! For I prefer to speak of men of past times rather than of the present, so as not to call by name a neighbour of my own who does not allow a tree of any great spread to stand on our common line, who does not let a seed-bed go unhurt, or stakes to support the vines, who does not even let the cattle graze undisturbed Rightly, then, as far as my opinion goes, did Marcus Porcius advise the avoidance of such a nuisance and particularly warn the farmer-to-be not to come near it of his own free will

To the other injunctions we add one which one of 8 the Seven Sages ^c delivered to posterity for all time that measure and proportion be applied to all things, and that this be understood as spoken not only to those who are to embark on some other enterprise, but also to those who are to acquire land

cattle of Geryon The story of Cacus is told at great length by Vergil, *Aen* VIII 193-267

^c See I 1 9, note

LUCIUS JUNIUS MODERATUS COLUMELLA

quam ratio calculorum patitur, emere velint ¹ Nam
huc pertinet praeclara nostri poetae sententia

laudato ingentia rura,

Exiguum colito

- 9 Quod vii eruditissimus, ut mea fert opinio, traditum
vetus praeceptum numeris signavit, quippe acutissi-
mam gentem Poenos divisisse convenit imbecilliorē
agium quam agricolam esse debere, quoniam, cum
sit conluctandum cum eo, si fundus praevaleat, adlidi
dominum Nec dubium quin minus reddat latus
10 ager non recte cultus quam angustus eximie Ideo-
que post reges exactos Liciniana illa septena iugera,
quae plebis ² tribunus viitim diviserat, maiores
quaestus antiquis rettulere, ³ quam nunc nobis
praebent amplissima veterata Tanta M' ⁴ quidem
Curius Dentatus, quem paulo ante rettulimus,
prospero ductu parta victoria ob eximiam virtutem
deferente populo praemii nomine quinquaginta soli
iugera supia consularem triumphalemque fortunam
putavit esse, repudiatoque publico munere populani
11 ac plebeia mensura contentus fuit Mox etiam cum

¹ velint Pontedera, Schneider, Lundstrom velint SAR, et
alii

² plebi Schn

³ retulere SAR

⁴ tanta M' Lundstrom, praeeunte Madvigio tanta vel
tantam codd plerique

^a Vergil, Georg II 412-413

^b Cf Palladius I 6 8, *Fecundior est culta exiguitas quam
magnitudo neglecta*

^c The first Roman agrarian law, made by Romulus, allotted
to every citizen two iugera of land (Varro, R R I 10 12,
cf Pliny, N H XVIII 7) For the seven iugera, cf Varro,

—not to want to buy more than a regard for their reckonings allows For this is the meaning of that famous maxim of our own poet

Admire large farms, but yet a small one till ^a

This precept, which a most learned man has expressed 9
in verse, is, in my opinion, a heritage from antiquity, inasmuch as it is agreed that the Carthaginians, a very shrewd people, had the saying that the farm should be weaker than the fumei, for, as he must wrestle with it, if the land prove the stronger, the master is crushed And there is no doubt that an extensive field, not properly cultivated, brings in a smaller return than a little one tilled with exceeding care ^b For this reason those seven *ugera* of 10
Licinius,^c which the tribune of the plebs distributed to each man after the expulsion of the kings, rewarded the ancients with greater returns than our very extensive fallow-lands bestow upon us nowadays So great an amount, in fact, did Manius Curius Dentatus, whom we mentioned a little above,^d regard as a good fortune greater than that of one who had been consul and had received a triumph, when after the winning of a victory under his successful leadership, the people bestowed upon him, in token of reward for his unusual ability, fifty *ugera* of land, and, declining the generosity of the state, he was content with the portion allotted to his fellow-citizens and to the common people Later on, even 11

I 2 9, who speaks of such a distribution of land as first made by the tribune Gaius Licinius 365 years after the expulsion of the kings, also Pliny, XVIII 18 A like distribution by decree of the senate, after the conquest of Veii (396 B C), is recorded by Livy, V 30

^a *Praef* 14

LUCIUS JUNIUS MODERATUS COLUMELLA

- agrorum vastitatem victoriae nostrae et interneciones hostium fecissent, criminosum tamen senatori fuit supra quinquaginta iugera possedissee, suaque lege C Licinius damnatus est, quod agri modum, quem in magistratu rogatione tribunicia promulgaverat, immodica possidendi libidine transcendisset, nec magis quia superbum videbatur tantum loci detinere quam quia flagitiosius,¹ quos hostis profugiendo desolasset agros, novo more civem Romanum supra vires
- 12 patrimonii possidendo deserere Modus ergo, qui in omnibus rebus, etiam parandis agris habebitur² Tantum enim obtinendum est, quanto est opus, ut emisse videamur quo potiremur,³ non quo oneraremur ipsi atque aliis fruendum eriperemus more prae-potentium, qui possident fines gentium, quos ne circumire quoque⁴ valent, sed proculcandos pecudibus et vastandos ac populandos⁵ feris derelinquunt aut occupatos nexu civium et ergastulis tenent
- 13 Modus autem erit sua cuique voluntas⁶ facultasque Neque enim satis est, ut iam prius dixi, possidere⁷ velle, si colere non possis

¹ flagitiosum *R aliquot, et vulgo ante Lundstrom*

² sic *SA, et R aliquot, Lundstrom* adhibebitur vel adhibetur *ali*

³ poteremur *S, Lundstrom*

⁴ quoque *codd, vet edd, Lundstrom* equis quidem *vulgo*

⁵ ac populandos *om SA*

⁶ sic *codd, vet edd, Lundstrom* cuique moderata voluntas *vulgo, sed moderata inc Schn*

⁷ *om SA*

^a Schneider alone reads *quingenta, 500*

^b The tribune Gaius Licinius Stolo, proposer of the Licinian Rogations (passed in 367 B C) which limited ownership of land to 500 iugera Cf Varro, *R R I 2 9*, Pliny, *N H XVIII 17*

^c Under the old Roman law of debt the borrower bound himself, in default of payment, to work out the debt as a

BOOK I III 11-13

though our victories and the annihilation of the enemy had desolated vast stretches of country, it was still a criminal matter for a senator to have more than fifty^a *iugera* in his possession. And Gaius Licinius^b was condemned under the terms of his own law when, with an unrestrained passion for ownership, he had exceeded the limit of landholdings which he had set up by legislation proposed when he was a tribune, and this not only because it was a mark of arrogance to occupy holdings of such extent, but quite as much for the reason that it seemed the more scandalous for a Roman citizen, by extending his ownership in unheard-of fashion beyond the sufficiency of his inheritance, to leave untilled those lands which the enemy by their flight had abandoned. Therefore, as in all matters, so too in the 12 acquiring of land, moderation shall be exercised. For only so much is to be occupied as is needed, that we may appear to have purchased what we may keep under control, not to saddle ourselves with a burden and to deprive others of its use and enjoyment after the manner of men of enormous wealth who, possessing entire countries of which they cannot even make the rounds, either leave them to be trampled by cattle and wasted and ravaged by wild beasts, or keep them occupied by citizens enslaved for debt^c and by chain-gangs. But every man's limit will be determined by his own desire plus his means, for, as I have said before, the desire 13 for possession does not suffice if you lack the wherewithal for cultivation.

quasi slave (*nexus*) of his creditor Cf. Varro, *LL VII* 105, *Liber qui suas operas in servitutem pro pecunia quadam debebat, dum solveret, nexus vocatur, ut ab aere obaeratus*

LUCIUS JUNIUS MODERATUS COLUMELLA

IV Sequitur deinceps Caesonium praeceptum, quo facti usus etiam Cato Maieus, agium esse revisendum saepius eum quem velis mercaui. Nam prima inspectione neque vitæ neque virtutes abditas ostendit, quae mox retractantibus facilius appuent. Inspectionis quoque velut formula nobis a maioribus tradita est agri pinguis ac laeti, de cuius qualitate dicemus suo loco, cum de generibus terrae disseremus.

- 2 In universum tamen quasi testificandum atque saepius praedicandum habeo, quod primo iam Punico bello dux inclitissimus M¹ Atilius Regulus divisse memoratur fundum sicuti ne fecundissimi quidem soli, cum sit insalubris, ita nec effecti, si² vel saluberimus sit, parandum, quod Atilius aetatis suae agricolis maiore cum auctoritate censebat³ peritus usu, nam Pupinae pestilentis simul et exilis agri cultorem fuisse eum loquuntur⁴ historiae. Quapropter cum sit sapientis non ubique emere nec aut ubertatis inlecebris aut deliciarum concinnitate decipi, sic verum industrii patris familiae est, quicquid aut emerit aut acceperit, facere fluctuosum atque utile, quoniam et gravioris caeli multa remedia priores tradiderunt, quibus mitigetur pestifera lues, et in exili terra cultoris prudentia ac diligentia

¹ om SA

² om SA

³ censebat R aliquot, Lundstrom veniebat SAR vett edd
suadebat Ald, Gesn, Schn

⁴ locuntur SA, Lundstrom

^a Unknown

^b Cf Cato, I 1

^c II 2

^d Cf Pliny, NH XVIII 27

^e A barren tract in Latium, near Tusculum, cf Varro, RR I 9 5 Valerius Maximus (IV 4 6) tells us that Regulus possessed seven *iugera* of land in this region

BOOK I IV 1-3

IV Next in order is the precept of Caesomius,^a which Marcus Cato^b also is said to have employed, that land which one intends to purchase should be visited again and again, for at the first examination it does not reveal the hidden qualities, bad or good, which are more readily apparent to those who go over it again soon afterwards. Our ancestors, too, have handed down to us what may be called a standard for the appraisal of rich and fertile land, of whose properties we shall speak in a fitting place, when we come to the discussion of types of soil.^c I have, ² however, a general rule which should be an attesting witness, so to speak, and should be proclaimed again and again, a rule which Marcus Atilius Regulus, a general of the greatest renown in the first Punic War, is reported to have laid down that as a farm, even of the richest soil, is not to be purchased if it be unwholesome, just so we are not to buy a piece of worn-out land even though it be most wholesome.^d This advice Atilius gave to the husbandmen of his day with the greater authority as coming from the knowledge of experience, for history relates that he was ³ once the tiller of a pestilential and lean piece of ground in Pupinia.^e Wherefore, though it may be the part of a wise man not to buy anywhere and everywhere and not to be beguiled by either the allurements of fruitful land or the charm of its beauty, it is just as truly the part of an industrious master to render fruitful and profitable any land that he has acquired by purchase or otherwise, for our predecessors have left to us many means of relief from a noxious climate, whereby pernicious plagues may be alleviated, and even on lean land the good sense and painstaking of the husbandman

LUCIUS JUNIUS MODERATUS COLUMELLA

4 maciem soli vincere potest Haec autem consequemur,¹ si verissimo vati velut oraculo crediderimus dicenti

Ventos et proprium² caci praediscere morem
Cura sit ac patrios cultus³ habitusque locorum
Et quid quaeque ferat regio et quid quaeque
recuset,

nec contenti tamen auctoritate vel priorum vel
praesentium colonorum nostra promiserimus⁴
5 exempla novaque temptaverimus experimenta Quod
etsi per partes non numquam damnosum est, in
summa tamen fit compendiosum, quia nullus ager
sine profectu colitur, si multa temptando⁵ possessor
efficit, ut in id formetur, quod maxime praestare⁶
possit Ea res etiam feracissimos agros utiliores
reddit Itaque nusquam experimentorum varietas
omittenda est, longeque etiam in pingui solo magis
audendum, quoniam nec laborem nec sumptum
6 frustrati effectus Sed quam⁷ refert qualis fundus
et quo modo colatur, tam villa qualiter aedificetur
et quam utiliter disponatur Multos enim deerrasse

¹ consequimur *SA, Lundstrom*

² varium *codd Verg*

³ cultusque *codd Verg*

⁴ promiserimus (*is A*) *SAR, Lundstrom* praetermiserimus
M, et alii

⁵ simul attentando *R plerique, veti edd, Ald, Gesn* simul
ac tentando *Schn*

⁶ praestari *SA et R pauci dett, Lundstrom*

BOOK I iv 3-6

can overcome the thinness of the soil These 4
results we shall attain, moreover, if we pay heed, as to
an oracle, to the truest of poets, who says

Be it our care to learn betimes the winds and moods
of heaven,

To learn the tillage of our sires and nature of
the place,

What fruits each district does produce and what
it does refuse ^a

And yet, not content with the authority of either
former or present-day husbandmen, we must hand
down our own experiences and set ourselves to
experiments as yet untried This practice, though 5
sometimes detrimental in part, nevertheless proves
advantageous on the whole, because no field is tilled
without profit if the owner, through much experi-
mentation, causes it to be fitted for the use which it
can best serve Such management also increases
the profit from the most fertile land Accordingly,
there should be no neglect, anywhere, of experi-
mentation in many forms, and far greater daring
should be shown on rich soil, because the return
will not render the toil and expense a total loss
But as the nature of the farm and the method of 6
its cultivation is a matter of importance, even so
is the construction of the farmstead and the con-
venience of its arrangement, for tradition has it
that many have made mistakes, as is the case of two

^a Vergil, *Georg* I 51-53

⁷ quam Lundstrom cum R plerisque, ac deinceps tam cum
codicibus omnibus ut videtur quoniam (vel in abbr) A et R
nonnulli, edd ante Gesn cu S cum (quum) tum
Gesn, Schn, fortasse recte

LUCIUS JUNIUS MODERATUS COLUMELLA

- memoria prodidit, sicut praestantissimos viros L Lucullum et Q Scaevolam, quorum alteri maioris, alteri minus amplas, quam postulavit modus agri, villis exstruxit, cum utrumque sit contra rem
- 7 familiarem Diffusiora enim consaepta non solum plius aedificamus, sed etiam impensis maioribus tuemur, at minora cum sunt, quam postulat fundus, dilabitur fructus Nam et umidae res et siccae, quas terra progenerat, facile vitiantur, si aut non sunt aut propter angustias incommodi sunt tecta,
- 8 quibus inferantur Pro portione etiam facultatum¹ quam optime patet familiae debet habitare, ut et libentius ius veniat et degat in eo iucundius Utique vero, si etiam matrona comitabitur, cuius ut sexus ita animus est delicatior, amoenitate² aliqua demerenda erit, quo patientius moretur cum viro Eleganter igitur aedificet agricola nec sit tamen aedificator, atque aieae pedem tantum complectatur, quod ait Cato, quantum "ne villa fundum quaerat neve fundus villam" Cuius universum situm qualem oporteat esse, nunc explicabimus
- 9 Quod incohatur³ aedificium, sicut salubri regione ita saluberrima parte regionis debet constitui Nam circumfusus aeri corruptus pluvias adfert corporibus nostris causas offensarum Sunt quaedam loca,

¹ facultatum SA, *Lundstrom*

² delicatior quamobrem amoenitate *Ald, Gesn, Schn*

³ incohatur *AaM* inchoatur *S et R plerique, edd omnes*

^a Consul in 74 B.C. Enriched by his campaigns against Mithridates, he became famous for his luxury and extravagance He is said to have introduced the cherry (*cerasus*) into Italy from Cerasus in Pontus

^b A famous jurist, contemporary with Lucullus, cf Pliny, *NH XVIII 32*

very eminent men, Lucius Lucullus ^a and Quintus Scaevola,^b of whom the one put up too large a stand of buildings, the other not large enough to meet the requirements of his acreage, though either error is contrary to the interests of the owner. For 7 not only are we put to excessive expense in erecting buildings on too large a scale, but also we pay more for upkeep, on the other hand, when they are smaller than the farm requires, its products are wasted. For both the moist and the dry products which the earth produces are easily spoiled if there are no buildings into which they may be carried, or if such buildings are unsuitable because of their scantiness. Furthermore, the master should be 8 housed as well as possible in proportion to his means, so that he may more willingly visit the country and find more pleasure in staying there. And especially, if his wife also accompanies him, since her disposition, like her sex, is daintier, she must be humoured by amenities of some sort to make her stay more contentedly with her husband. The farmer, then, should build handsomely, but without letting building become his passion, and he should take in only so large a plot that, as Cato says, "the buildings may not seek for land, nor the land for buildings."^c As to the qualities of a building site, I shall now speak in general terms.

As a building which is begun should be situated 9 in a healthful region, so too in the most healthful part of that region, for when the surrounding atmosphere is bad, it is a contributing factor to a host of physical ills. There are certain places, such

^a Cato, 3 1, cf Varro, *R R* I 11 1, and Pliny, *loc cit*

LUCIUS JUNIUS MODERATUS COLUMELLA

quae solstitius minus concalescunt, sed frigoribus hiemis intolerabiliter horrent, sicut Thebas ferunt Boeotias, sunt quae tepent hieme, sed aestate saevissime cudent, ut adfirmant Euboicam Chalcidem 10 Petatur igitur aer calore et frigore temperatus, qui fere medios obtinet ¹ colles, quod neque depressus hieme pruinis torpet aut torret aestate vaporibus neque elatus in summa montium perexiguus ventorum motibus aut pluvius omni tempore anni saevit Haec igitur est medi colli optima positio, loco tamen ipso paulum ² intumescante, ne cum a vertice torrens imbribus conceptus adfluxerit, fundamenta convellat

V Sit autem vel intra villam vel extrinsecus inductus fons perennis, lignatio pabulumque vicinum Si deerit fluens unda, putealis quaeratur in vicino, quae non sit haustus profundus, non amari saporis aut 2 salsi Haec quoque si deficiet et spes artior aquae manantis coegerit, vastae cisternae hominibus piscinaeque pecori struantur, ³ quae tamen pluvialis aqua salubritati ⁴ corporis est accommodatissima, sed ea sic habetur eximia, si fictilibus tubis in contactam cisternam deducitur ⁵ Huic proxima fluens aqua, quae ⁶ montibus oriunda per saxa praeceps devolvitur, ut est in Gaurano Campaniae, ⁷ tertia putealis

¹ optinet SA, Lundstrom

² paululum A² et R aliquot, edd ante Lundstrom

³ pecoribus instruuntur R plerique, Ald, Gesn, Schn

⁴ quae salubritati] sic codd, vet edd, Lundstrom colligendae aquae tandem pluviali, quae salubritati Ald, Gesn Schn

⁵ deducatur R plerique, edd ante Lundstrom deducetur M

⁶ aqua, quae Lundstrom aquae vel aque vel aqua e codd, edd

as Thebes in Boeotia is said to be, which are comparatively free from heat in midsummer but become frightful and unbearable with the cold of winter, there are places which are mild in winter but glow with a most cruel heat in summer, as they say of Chalcis in Euboea. Let there be sought, then, 10 an atmosphere free from excesses of heat and cold, and this usually obtains halfway up a hill, because, not being in a hollow, it is not numbed with winter's frosts or baked with steaming heat in summer, and, not being perched on the top of a mountain, it is not fretted at every season of the year with every little breeze or rain. The best situation, then, is halfway up a slope, but on a little eminence, so that when a torrent formed by the rains at the summit pours around it the foundations will not be torn away.

V Let there be, moreover, a never-failing spring either within the steading or brought in from outside, a wood-lot and pasture near by. If running water is wanting, make a search for a well close by, to be not too deep for hoisting the water, and not bitter or brackish in taste. If this too fails, and if 2 scanty hope of veins of water compels it, have large cisterns built for people and ponds for cattle, this rain-water is after all most suitable to the body's health, and is regarded as uncommonly good if it is conveyed through earthen pipes into a covered cistern. Next to this is flowing water which, having its source in the mountains, comes tumbling down over rocks as on Mount Gaurus in Campania. The

⁷ ut Campaniae om S, in marg A Gaurano Lundstrom, praeunte Oluverio, ac sic maluerunt Gesn et Schn Guarceno R, edd vulgo

LUCIUS JUNIUS MODERATUS COLUMELLA

- 3 collina vel quae non infima valle reperiuntur, deterrima palustrius, quae pigro lapsu reperiuntur, et ¹ pestilens, quae in palude semper consistit. Hic idem tamen umor, quamvis nocentis naturae, temporibus hiemis edomitus imbribus mitescit, ex quo caelestis aqua maxime salubris intellegitur, quod etiam venenati liquoris eluit perniciem. Sed hanc potui probatissimam diximus. Ceterum ad aestatum temperandos calores et amoenitatem locorum plurimum conferunt salubres illi, quos, si conditio loci patietur, qualescumque, dum tamen ² dulces, utique perduendos in villam censeo.

- Sin summotus longius a collibus erit amnis et loci salubritas editiorque situs ripae permittet superponere villam praefluenti,³ cavendum tamen erit, ut a teigo potius quam prae se flumen habeat et ut aedificii frons aversa sit ab infestis eius regionis ventis et amicissimis adversa, quoniam ⁴ plerique amnes aestate vaporatis, hieme frigidis nebulis calgant, quae nisi vi maiore inspirantium ventorum summoventur, pecudibus hominibusque conferunt pestem. Optime autem salubribus, ut dixi, locis ad orientem vel ad meridiem, gravibus ad septentrionem villa convertitur. Eademque semper mare iecte conspicit, cum pulsatur ac fluctu respigitur, num-

¹ reperiuntur, et *Lundstrom* repetit *SAR* reperiuntur *vulgo*

² dummodo (vel dummodo) *R*, edd. ante *Lundstrom*

³ profluenti *R* plerique, edd. ante *Lundstrom*

⁴ quomodo vel cum *R* et multi edd., ut saepe

^a Cf. *Palladius*, I 17 4, nam caelestis aqua ad bibendum omnibus antefertur. So by most authors rain water was considered most wholesome

^b The common advice of all authorities

BOOK I v 2-5

third choice is well-water which is found on a hill-side or in a valley, if not in its lowest part. Worst of all is swamp-water, which creeps along with sluggish flow, and water that always remains stagnant in a swamp is laden with death. But this same water, harmful though its nature is, is purified by the rains of the winter season and loses its virulence, from this fact water from the heavens is known to be most healthful, as it even washes away the pollution of poisonous water, and we have stated that this is most approved for drinking.^a On the other hand, bubbling brooks contribute greatly to the alleviation of summer heat and to the attractiveness of places, and, if local conditions will allow, I think that they, by all means, should be conducted into the villa, regardless of the quality of the water if only it is sweet. 3 4

But if the stream is far removed from the hills, and if the healthfulness of the region and the somewhat elevated position of its banks allow the placing of the villa above flowing water, care must still be taken that it have the stream at the rear rather than in front of it,^b and that the front of the structure face away from the harmful winds peculiar to the region and towards those that are most friendly, for most streams reek with mists, hot in summer and cold in winter, and these, unless dispersed by the greater force of winds that blow upon them, are the cause of destruction to man and beast. It is best, moreover, as I have said, for a villa to face the east or the south in healthful situations, the north in noxious. A villa is always properly placed when it overlooks the sea and receives the shock of the waves and is sprinkled with their spray, 5

LUCIUS JUNIUS MODERATUS COLUMELLA

- quam ex ripa, sed haud paulum summota a litore
 6 Nam praestat a mari longo potius intervallo quam
 brevi refugisse, quia media sunt spatia gravioris
 halitus Nec paludem quidem vicinam esse oportet
 aedificiis nec iunctam militarem viam, quod illa
 caluibus novum virus eiuctat et infestis aculeis
 armata gignit animalia, quae in nos densissimis
 examinibus involant, tum etiam nantium serpen-
 tiumque pestes hiberna destitutas¹ uligine, caeno et
 fermentata colluvie venenatas² emittit, ex quibus
 saepe contrahuntur caeci morbi, quorum causas ne
 medici quidem perspicere queunt, sed et anni toto
 tempore situs atque umor instrumentum rusticum
 supellectilemque et inconditos conditosque fructus
 7 corrumpit, haec autem praetereuntium viatorum
 populationibus et adsiduis devertentium hospitis
 infestat rem familiarem Propter quae censeo eius
 modi vitare incommoda villamque nec in via nec a
 via procul³ editiore situ condere sic ut frons eius
 8 ad orientem aequinoctialem directa sit Nam eius
 modi positio medium temperatumque libramentum
 ventorum hiemalium et aestivorum tenet, quantoque
 fuerit aedificii solum pronius orienti, tanto et aestate
 liberius capere perflatus et hiemis procellis minus
 infestari et matutino regulari ortu poterit, ut concreti
 rores liquecant, quoniam fere pestilens habetur,

¹ destituta *edd ante Lundstrom*

² vere natas *Schn*

³ nec a via procul *Lundstrom* nec avia procul *R nonnulli dett* nec avia procul avie *c* nec alia procul *SAR* nec alio procul *vett edd* nec pestilenti loco, sed procul et *Ald, Gesn, Schn* sed alio procul *Pontedera, probavit Schn*

^a Cf Varro, *RR* I 12 1-2

^b *I e* due east

yet never on the shore but not a little distance
 removed from the edge of the water For it is 6
 better to move back a considerable distance from the
 sea rather than a short way, since the intermediate
 space is filled with a heavier air And neither
 should there be any marsh-land near the buildings,
 and no military highway adjoining, for the former
 throws off a baneful stench in hot weather and breeds
 insects armed with annoying stings, which attack us
 in dense swarms, then too it sends forth plagues of
 swimming and crawling things deprived of their
 winter moisture and infected with poison by the
 mud and decaying filth, from which are often
 contracted mysterious diseases whose causes are
 even beyond the understanding of physicians,^a and
 at every season of the year rust and dampness play
 havoc with farm implements and equipment, and
 with unstored and stored produce, the highway, more- 7
 over, impairs an estate through the depredations of
 passing travellers and the constant entertainment
 of those who turn in for lodging For these reasons
 my advice is to avoid disadvantages of this sort and
 to place the villa neither on a highway nor far from
 a highway, at a greater height, and to build it in
 such a way that it faces the point where the sun
 rises at the time of the equinox^b For a situation of 8
 this kind maintains an even and steady balance
 between the winds of winter and those of summer,
 and the more the site of the building slopes toward
 the east the more freely can it catch the passing
 breezes in summer and the less be molested by
 the storms of winter, and it can be warmed by the
 morning sun so that the frosts will melt—since ground
 is regarded as well-nigh pestilential when it is in-

LUCIUS JUNIUS MODERATUS COLUMELLA

quod est remotum ac sinistrum soli et apicis flatibus, quibus si cuset, nulla alia vis potest nocturnas pruinas et quodcumque nubiginis aut spurcitiae resedit siccare atque detergere. Haec autem cum hominibus adferunt perniciem, tum¹ et amentis et videntibus eorumque fugibus²

- 9 Sed quisquis aedificare volet in declivibus areis, exstruere semper ab inferiore parte auspicietur, quia cum ex depressione loco fuerint orsa fundamenta, non solum superficiem suam facile sustinebunt, sed et pro fulturi et substitutione fungentur adversus ea, quae mox, si forte villam prolatare libuerit, ad superiorem partem³ applicabuntur, quippe ab imo praestruata valenter resistent contra ea, quae
- 10 postmodum superposita incumbant. At si summa pars clivi fundata propriam molem susceperit, quicquid ab inferiore mox apposueris, fissum erit rimosumque. Nam tum cum veteri adstruitur recens aedificium, quasi surgenti reluctans oneri cedit, et quod prius exstructum imminet cedenti, paulatim degiavatam pondere suo praeceps attrahetur. Igitur id structurae vitium, cum primum statim fundamenta iaciuntur, evitandum est.

VI Modus autem membrorumque numerus aptetur universo consaepto et dividatur in tres partes, urbanam, rusticam, fluctuariam. Urbana rursus

¹ tunc *SA*, *Lundstrom*

² *fructibus R*, *Ald*, *Gesn*, *Schn*

³ ab superiore parte *S*, *Schn*

^a Containing the apartments of the landlord, and so called because built in the city style of architecture. On the whole matter of farm buildings compare especially Vitruvius, *De Architectura*, VI 6, Varro, *R R* I 11-13

accessible and unfavourably situated with reference to the sun and the sun-warmed breezes and if it is cut off from these, no other force can dry up or clear away the night frosts and any mould or dirt that has settled there. And these are destructive not only to men but to cattle and growing crops and their fruits as well.

But one who desires to erect a building on a sloping site should always begin operations at the lower side, for when the foundations start from the less elevated point, they will not only easily support their own superstructure but will also serve as a buttress and underpinning for any additions which may later be made to the upper side, if it should prove desirable to enlarge the villa—for of course the previous structure below will offer strong support for any that may be built above and rest on it afterwards. On the contrary, if the foundation at the upper side of the slope supports a load of its own, anything that you may later add below will be full of cracks and chinks, for when new construction is added to old, it draws away as if objecting to the growing burden, and the older structure will press upon it as it gives way until, gradually overpowered by its own weight, it will topple in ruins. Such a structural defect must therefore be avoided at the start when the foundations are first laid.

VI The size of the villa and the number of its parts should be proportioned to the whole inclosure, and it should be divided into three groups: the *villa urbana*^a or manor house, the *villa rustica*^b or farmhouse, and the *villa fructuaria* or storehouse. The

^b Properly including quarters for the overseer, slaves, and livestock

LUCIUS JUNIUS MODERATUS COLUMELLA

- in hibernacula¹ et aestiva sic digeratur ut spectent
hiemalis temporis cubicula brumalem orientem,
2 cenationes aequinoctialem occidentem Rursus
aestiva cubicula² spectent meridiem aequinoctialem,
sed cenationes eiusdem temporis prospectent hi-
bernium orientem Balnearia occidenti aestivo adver-
tantur, ut sint post meridiem et usque in vesperum
inlustrata Ambulationes meridiano aequinoctiali
subiectae sint, ut et³ hieme plurimum solis et aestate
3 minimum recipiant At in rustica parte magna et
alta culina ponetur,⁴ ut et contignatio careat incendi
periculo et in ea commode familiares omni⁵ tempore
anni morari queant Optime solutis servis cellae
meridiem aequinoctialem spectantes fient, vinctis
quam saluberrimum subterraneum ergastulum pluri-
mis, sitque id angustis⁶ inlustratum fenestris atque
a terra sic editis, ne manu contingi possint
4 Pecudibus stabula,⁷ quae neque frigore neque
calore infestentur, domitis armentis duplicia bubilia⁸
sint hiberna atque aestiva, ceteris autem pecoribus,
quae intra villam esse convenit, ex parte tecta loca,
ex parte sub divo parietibus altis circumsaepa, ut
illic per hiemem, hic per aestatem sine violentia

¹ hiberna *R*, et vulgo ante *Lundstrom*

² cubilia *R* plerique

³ et om *Gesn*, *Schn*

⁴ ponatur *ed pr*

⁵ omnes plerique *codd*, *vett edd*

⁶ plurimis idque angustis *Gesn*, *Schn*

⁷ fiant ante stabula *add Ald*, fient *Gesn*, *Schn*

⁸ bubula *SA*, et *R* plerique, *vett edd*

^a South east

^b Due west

^c Due south

^d South east

^e North west

BOOK I VI 1-4

manor house should be divided in turn into winter apartments and summer apartments, in such a way that the winter bedrooms may face the sunrise at the winter solstice,^a and the winter dining-room face the sunset at the equinox.^b The summer bedrooms, on the other hand, should look toward the midday sun at the time of the equinox,^c but the dining-rooms of that season should look toward the rising sun of winter.^d The baths should face the setting sun of summer,^e that they may be lighted from midday up to evening. The promenades should be exposed to the midday sun at the equinox, so as to receive both the maximum of sun in winter and the minimum in summer. But in the part devoted to farm uses there will be placed a spacious and high kitchen, that the rafters may be free from the danger of fire, and that it may offer a convenient stopping-place for the slave household at every season of the year. It will be best that cubicles for unfettered slaves be built to admit the midday sun at the equinox, for those who are in chains there should be an underground prison, as wholesome as possible, receiving light through a number of narrow windows built so high from the ground that they cannot be reached with the hand.

For cattle there should be stables which will not be troubled by either heat or cold, for animals broken to work, two sets of stalls—one for winter, another for summer, and for the other animals which it is proper to keep within the farmstead there should be places partly covered, partly open to the sky, and surrounded with high walls so that the animals may rest in the one place in winter, in the other in summer, without being attacked by wild

LUCIUS JUNIUS MODERATUS COLUMELLA

- 5 ferarum conquiescant Sed ampla¹ stabula sic ordi-
nentur, ne quis umor influere possit et ut quisque
ibi conceptus fuerit quam celerrime dilabatur, ut
nec fundamenta parietum corrumpantur nec ungulae
6 pecudum Lata bubilia esse oportebit pedes decem
vel minime novem, quae mensura et ad procum-
bendum pecori et iugario ad circumeundum laxa
ministra praebeat Non altius edita esse prae-
saepia conveniet,² quam ut bos aut iumentum sine
7 incommodo stans³ vesci possit Vilico iuxta
ianuam fiat habitatio, ut intrantium exeuntiumque
conspectum habeat, procuratori supra ianuam ob
easdem causas, et is tamen vilicum observet ex
vicino, sitque utrique proximum horieum, quo con-
feratur omne iusticum instrumentum, et intra id
ipsum clausus locus, quo ferramenta recondantur
8 Bubulcis pastoribusque cellae ponantur iuxta sua
pecora, ut ad eorum cuam sit opportunus excursus
Omnes tamen quam proxime alter ab altero debent
habitare, ne vilici diversas partes circumeuntis sedu-
litas distendatur et ut inter se diligentiae et negle-
gentiae cuiusque testes sint
9 Pars autem fructuaria dividitur in cellam oleariam,
torculariam, cellam vinariam, defrutariam, faenila
paleariaque et apothecas et horrea, ut ex us, quae
sunt in plano, custodiam recipiant umidarum rerum
tamquam vini aut olei venalium, siccae autem⁴ con-

¹ omnia edd ante Lundstrom

² convenit R, Ald, Gesn, Schn

³ status SA, Lundstrom

⁴ res add Ald, Gesn, Schn

^a Palladius (I 21) prescribes a stall eight feet wide and fifteen feet long for each pair of oxen Vitruvius (VI 6 2)

beasts But stables should be roomy and so 5
 arranged that no moisture can flow in and that what-
 ever is made there may run off very quickly, to
 prevent the rotting of either the bases of the walls
 or the hoofs of the cattle Ox-stalls should be ten 6
 feet wide, or nine at the least—a size which will allow
 room for the animal to lie down and for the oxherd to
 move around it in performing his duties ^a The feed-
 racks should not be too high for the ox or pack-animal
 to feed from without inconvenience while standing
 Quarters should be provided for the overseer along- 7
 side the entrance, so that he may have oversight
 of all who come in and go out, and for the steward
 over the entrance for the same reason, and also that
 he may keep close watch on the overseer, and near
 both of these there should be a storehouse in which
 all farm gear may be collected, and within it a closet
 for the storing of the iron implements

Cells for the herdsmen and shepherds should be 8
 adjacent to their respective charges, so that they
 may conveniently run out to care for them And yet
 all should be quartered as close as possible to one
 another, so that the diligence of the overseer may
 not be overtaxed in making the rounds of the several
 places, and also that they may be witnesses of one
 another's industry and negligence

As to the part devoted to the storage of produce, 9
 it is divided into rooms for oil, for presses, for wine,
 for the boiling down of must, lofts for hay and chaff,
 storerooms, and granaries, that such of them as are
 on the ground floor may take care of liquid products
 for the market, such as oil and wine, while dry

gives dimensions of seven feet by ten (minimum) or fifteen
 (maximum)

LUCIUS JUNIUS MODERATUS COLUMELLA

- gerantur tabulatis, ut frumenta, faenum, frondes,
 10 paleae ceteraque pabula Sed¹ granaria, ut divi,
 scalis adeantur et modicis fenestellis aquilonibus
 nspirentur Nam ea caeli positio maxime frigida et
 minime umida est, quae utraque perennitatem con-
 11 ditis frumentis adferunt Eadem ratio est in plano
 sitae vinariae cellae, quae summoti procul esse
 debet a balneis,² furno, stercolino reliquisque im-
 munditus taetium odorem spirantibus, nec minus a
 cisternis aquisve salientibus, quibus extrahitur umor,
 qui vinum corrumpit
 12 Neque me praeterit sedem frumentis optimam
 quibusdam videri horreum camara³ contectum, cuius
 solum terrenum, priusquam consternatur, perfossum
 et amurca recenti non salsa madefactum velut Signi-
 13 num opus pilis condensatur Tum deinde cum exa-
 ruit, simili modo pavimenta testacea, quae pro aqua
 receperint amurcam mixtam calci et harenae, super-
 sternuntur et magna vi paviculis inculcantur atque
 expoluntur, omnesque parietum et soli iuncturae
 testaceis pulvinis fibulantur, quoniam fere cum in
 his partibus aedificia rimas egerunt, cava praebent
 et latebras subterraneis animalibus Sed et lacibus
 distinguuntur⁴ granaria, ut separatim quaeque legu-
 14 mina ponantur Parietes oblinuntur amurca subacto
 luto, cui⁵ pro paleis admixta sunt arida oleastri vel,

¹ pabulas et *SA*

² ab alienis *SA*, et *R aliquot* a balneis *R nonnulli*

³ camera *R*, *edd ante Schn*

⁴ distinguuntur *SA* et *R nonnulli*, *Lundstrom*

⁵ quoi *SA*, *Lundström*

^a A kind of flooring consisting of broken tiles, mixed with mortar, and beaten down with rammers The name is derived from Signia (mod Segni), a town of Latium, famous for its tiles

BOOK I VI 9-14

products, such as grain, hay, leaves, chaff, and other fodder, should be stored in lofts But the granaries, as I have said, should be reached by ladders and should receive ventilation through small openings on the north side, for that exposure is the coolest and the least humid, and both these considerations contribute to the preservation of stored grain The same reason holds true in the placing of the wine-room on the ground floor, and it should be far removed from the baths, oven, dunghill, and other filthy places which give off a foul odour, and no less so from cisterns and running water, from which is derived a moisture that spoils the wine

And I am not unaware that some consider the best place for storing grain to be a granary with a vaulted ceiling, its earthen floor, before it is covered over, dug up and soaked with fresh and unsalted lees of oil and packed down with rammers as is Siginian work ^a Then, after this has dried thoroughly, it is overlaid in the same way with a pavement of tiles consisting of lime and sand mixed with oil lees instead of water, and these are beaten down with great force by rammers and are smoothed off, and all joints of walls and floor are bound together with a bolstering ^b of tile, for usually when buildings develop cracks in such places they afford holes and hiding-places for underground animals But granaries are also divided into bins to permit the storage of every kind of legume by itself The walls are coated with a plastering of clay and oil lees, to which are added, in place of chaff, the dried leaves of the wild olive

^a I e., a raised border of the flooring so called from its resemblance to a pillow or bolster (*pulvinus*)

LUCIUS JUNIUS MODERATUS COLUMELLA

si ea non sunt, oleae folia Deinde ¹ cum praedictum
 tectorium inaruit iursus amurca respergitur, qua
 15 siccata frumentum infertur Ea res ab noxia cur-
 culionum et similibus animalium commodissime vide-
 tur conditas fruges defendere, quae nisi diligenter
 repositae sint, celeriter ab eis consumuntur Sed id
 genus horrei, quod scripsimus, nisi sicca positione
 villae quamvis granum robustissimum corrumpit
 situ, qui si nullus adsit, possit ² etiam defossa fru-
 menta servare, sicut transmarinis quibusdam pro-
 vincis, ubi puteorum in modum, quos appellant siros,
 16 exhausta humus editos a se fructus recipit Sed nos
 in nostris regionibus, quae redundant uligine, magis
 illam positionem pensilis horrei et hanc curam pavi-
 mentorum et parietum probamus, quoniam, ut ret-
 tuli, sic emunita sola et latera horreorum prohibent
 curculionem Quod genus exitu cum incidit, multi
 opinantur arceri posse, si exesae fruges in horreo
 17 ventilentur et quasi refrigerentur Id autem falsis-
 simum est, neque enim hoc facto expelluntur
 animalia, sed immiscentur totis acervis Qui si
 maneant immoti, summis tantum partibus infesten-
 tur,³ quoniam infra mensuram palmi non nascitur
 curculio, longeque praestat id solum, quod iam
 vitiatum est, quam totum periculo subicere Nam

¹ dein SA, Lundstrom

² possit SAR, vet edd possis Schn in not, Lundstrom
 possunt vulgo

³ infestantur R, Ald, Gesn, Schn

^a Varro (RR I 57 2) speaks of the use of pits (*siri*) in Cappadocia and Thrace and of straw bottomed wells (*putei*) in certain sections of Spain Wheat, he says, has been known to keep in this way for as long as fifty years, and millet for more than a hundred, cf Pliny, NH XVIII 306 The

or, if these are wanting, of the olive Then, when the aforesaid plastering has dried, it is again sprinkled over with oil lees and when this has dried the grain is brought in This seems to be the most advantageous method of protecting stored produce from damage by weevils and like vermin, and if it is not carefully laid away they quickly destroy it But the type of granary just described, unless it be in a dry section of the steading, causes even the hardest grain to spoil with mustiness, and if it were not for this, it would be possible to keep grain even buried underground, as in certain districts across the sea ^a where the earth, dug out in the manner of pits, which they call *siri*, takes back to itself the fruits which it has produced But we, living in regions which abound in moisture, approve rather the granary that stands on supports above the ground and the attention to pavements and walls as just mentioned, because, as I have said, the floors and sides of storerooms so protected keep out the weevil Many think that when this kind of pest appears it can be checked if the damaged grain is winnowed in the bin and cooled off, as it were But this is a most mistaken notion, for the insects are not driven off by so doing, but are mixed through the whole mass If left undisturbed, only the upper surface would be attacked, as the weevil breeds no more than a palm's breadth below,^b and it is far better to endanger only the part already infested than to subject the whole amount to risk For it is easy, when

use of the trench "silo"—a word derived ultimately from *sirus*—is well known of course, to modern farmers

^b Similar statements are made by Varro (*loc cit*), Pliny (XVIII 302), and Palladius (I 19 3), who cites Columella

LUCIUS JUNIUS MODERATUS COLUMELLA

cum exiget usus,¹ facile est eo sublato, quod vitiatum erit, integro inferiore uti Sed haec, etsi extrinsecus, non tamen intempestive videor hoc loco rettulisse

- 18 Torcularia praecipue cellaeque oleariae calidae esse debent, quia commodius omnis liquor vapore solvitur ac frigoribus magnis conficitur,² oleum, quod minus provenit, si congelatur, fracescit³ Sed ut calore naturali est opus, qui contingit⁴ positione caeli et declinatione, ita non est opus ignibus aut flammis, quoniam fumo et fuligine sapor olei corrumpitur Propter quod torcular debet a meridiana parte inlustrari, ne necesse habeamus ignes lucernamque adhibere, cum premetur⁵ olea
- 19 Cortinale, ubi defrutum fiat, nec angustum nec obscurum sit, ut sine incommodo minister, qui sapham decoquet, versari possit Fumarium quoque, quo materia, si non sit iam pridem caesa, festinato siccetur, in parte rusticae villae fieri potest iunctum rusticis balneis Nam eas quoque refert esse, in quibus
- 20 familia, sed tamen⁶ ferus, lavetur, neque enim corporis robori convenit frequens usus earum Apothecae recte superponentur his locis, unde plerumque fumus exoritur, quoniam vina celerius vetustescunt, quae fumo quodam genere⁷ praecoquem maturitatem trahunt Propter quod et aliud tabulatum

¹ usus om. SA, vet. edd

² magis (R plerique) constringitur M, et Ald, Gesn, Schn ex Pallad I 20

³ fracescit scripsi cum Schn ad loc, Corrigenda et Addenda fracesset SAR, vet. edd fracescet Ald, Gesn fracescit Lundström

⁴ contingit SA, et R aliquot

⁵ premitur S, Schn

⁶ tantum Cod Laurent 53 24, plerique edd ante Lundström

⁷ fumi (M) quodam tenore Ald, Gesn, Schn

occasion demands it, to remove the damaged portion and use the sound grain underneath. But these latter remarks, though brought in extraneously, I nevertheless seem to have introduced not unseasonably at this point.

The press-rooms especially and the store-rooms for oil ^a should be warm, because every liquid is thinned with heat and thickened by great cold, and if oil freezes, which seldom happens, it becomes rancid. But as it is natural heat that is wanted, arising from the climate and the exposure, there is no need of fire or flame, as the taste of oil is spoiled by smoke and soot. For this reason the pressing-room should be lighted from the southern side, so that we may not find it necessary to employ fires and lamps when the olives are being pressed.

The cauldron-room, in which boiled wine is made, should be neither narrow nor dark, so that the attendant who is boiling down the must may move around without inconvenience. The smoke-room, too, in which timber not long cut may be seasoned quickly can be built in a section of the rural establishment adjoining the baths for the countryfolk, for it is important also that there be such places in which the household may bathe—but only on holidays, for the frequent use of baths is not conducive to physical vigour. Storerooms for wine will be situated to advantage over these places from which smoke is usually rising, for wines age more rapidly when they are brought to an early maturity by a certain kind of smoke. For this reason there should be another loft to which they may be removed, to keep

^a Cf. Vitruvius, VI 6 3, Palladius, I 20

LUCIUS JUNIUS MODERATUS COLUMELLA

esse debet, quo amoveantur, ne iursus nimia suffumatione¹ medicata sint

21 Quod ad villae² situm partiumque eius dispositionem, satis dictum est Circa villam deinceps haec esse oportebit furnum et pistrinum, quantum futurus numerus colonorum postulaverit, piscinas minime duas, alteram, quae anseribus pecoribusque serviat, alteram, in qua lupinum, ulmi³ vimina et virgas atque alia quae sunt usibus nostris apta, maceremus Stercorina quoque duo sint, unum, quod nova purgamenta recipiat et in annum conservet, alterum, ex quo vetera vehantur, sed utrumque more piscinarum deversum leni clivo et exstructum pavimentatumque⁴ solo, ne umorem tramittant Plurimum enim refert non adsiccato suco⁵ fimum vires continere et assiduo macerari liquore, ut, si qua interiecta sint stramentis aut paleis spinarum vel graminum semina, intereant nec in agrum exportata segetes herbidas reddant Ideoque periti rustici, quicquid ovilibus stabulisque conversum progresserunt, superpositis virgis tegunt nec arescere⁶ solis incuisu patiuntur vel⁷ exuri

23 Area, si competit ita constituenda est, ut vel a domino vel certe a procuratore despici possit, eaque

¹ sic SAac, vet. edd., Lundström suffitione vel sufficione R aliquot, Ald., Gesn Schn

² villae pertinet situm Ursinus, Gesn, Schn villae situm pertinet M

³ ulmi om SA, plerique edd ante Lundström

⁴ pavimentatumque scripsit Lundström pavimtuque S pavimentumque AR pavitumque Laurentianus 53 24, Lipsiensis I f 13 pavimentum que solo ne vet. edd pavitumque solum habeat ne Ald., Gesn, Schn

⁵ suco om SA

⁶ arescere ventis sinunt, aut solis Ald., Gesn, Schn

them from becoming tainted, on the other hand, by too much smoking

As for the situation of the villa and the arrangement of its several parts, enough has been said. It will be necessary, next, that the villa have the following near it: an oven and a gristmill, of such size as may be required by the number of hands that are to be employed, at least two ponds, one to serve for geese and cattle, the other in which we may soak lupines, elm-withes, twigs, and other things which are adapted to our needs.^a There should also be two manure-pits, one to receive the fresh dung and keep it for a year, and a second from which the old is hauled, but both of them should be built shelving with a gentle slope, in the manner of fish-ponds, and built up and packed hard with earth so as not to let the moisture drain away. For it is most important that manure shall retain its strength with no drying out of its moisture and that it be soaked constantly with liquids, so that any seeds of bramble or grass that are mixed in the straw or chaff shall decay, and not be carried out to the field to fill the crops with weeds. And it is for this reason that experienced farmers, when they carry out any refuse from folds and stables, throw over it a covering of brush and do not allow it to dry out or be burned by the beating of the sun.

The threshing-floor is to be so placed, if possible, that it can be viewed from above by the master, or at least by the farm-manager. Such a floor is best

^a Cf. Varro, *R R* I 13 3, Palladius, I 31

LUCIUS JUNIUS MODERATUS COLUMELLA

optima est silice constrata, quod et celeriter frumenta deteiuntur, non cedente solo pulsibus ungularum tribularumque, et eadem eventilata mundiora sunt lapillisque carent et glaebulis, quas per trituram feie
 24 terrena remittit area Huic autem nubilar¹ applicari debet maximeque in Italia propter inconstantiam caeli, quo conlata semitrita frumenta protegantur, si subitaneus imber incesseit Nam in transmarinis quibusdam regionibus, ubi aestas pluvia caret, super-
 vacuum est Pomaria quoque et hortos oportet saepto circumdari et esse in propinquo atque in ea parte, qua possit omnis stercoiata colluvies cohortis² balneariorumque et oleis expressa amurcae sanies influere Nam quoque eius modi laetatur alimentis et holus et arbor

VII His omnibus ita vel acceptis vel compositis, praecipua cui a domini requiritur cum in ceteris rebus tum maxime in hominibus Atque hi vel coloni vel servi sunt soluti aut vincti Comiter agat cum colonis facilemque se praebeat, et avarius opus exigit quam pensiones, quoniam et minus id offendit et tamen in univsum magis prodest Nam ubi sedulo colitur ager, plerumque compendium, numquam, nisi si caeli maior vis aut praedonis incessit, detrimentum adfert, eoque remissionem colonus petere non audet
 2 Sed nec dominus in unaquaque re, cui³ colonum obligaverit, tenax esse iuris sui debet, sicut in diebus

¹ nubilar SA, Lundstrom nubilarium R, plerique edd

² cohortis R, vet edd chortes SA chortis Lundstrom
 cortis Ald, Gesn, Schn

³ cui R, Ald Gesn, Lundstrom cum SA, cet edd

^a Described by Varro, RR I 52 1, cf LL V 21

^b Cf Varro, RR I 13 5, where nubilar (nubilarium) is derived from nubilare (to be cloudy, i e to threaten rain)

when paved with hard stone, for the reason that the grain is threshed out quickly, since the ground does not give under the beating of hoofs and threshing-sledges,^a and the winnowed grain is cleaner and is free from small stones and clods which a dirt floor nearly always casts up during the threshing. Adjoining this there should be a shed ^b (and especially in Italy, because of the changeableness of the weather), in which the half-threshed grain may be stacked under cover if a sudden shower comes up. In certain districts across the sea, where there is no rain in summer, this is unnecessary. The orchards, too, and the gardens should be fenced all around and should lie close by, in a place to which there may flow all manure-laden sewage from barnyard and baths, and the watery lees squeezed from olives, for both vegetables and trees thrive on nutriment of this sort too.

VII After all these arrangements have been acquired or contrived, especial care is demanded of the master not only in other matters, but most of all in the matter of the persons in his service, and these are either tenant-farmers or slaves, whether unfettered or in chains. He should be civil in dealing with his tenants, should show himself affable, and should be more exacting in the matter of work than of payments, as this gives less offence yet is, generally speaking, more profitable. For when land is carefully tilled it usually brings a profit, and never a loss, except when it is assailed by unusually severe weather or by robbers, and for that reason the tenant does not venture to ask for reduction of his rent. But the master should not be insistent on his rights in every particular to which he has bound his tenant, such as the exact day for payment, or

LUCIUS JUNIUS MODERATUS COLUMELLA

pecuniarum vel¹ lignis et ceteris parvis accessionibus exigendis, quarum cura maiorem molestiam quam impensam rusticis adfert, nec sane est vindicandum nobis quicquid licet, nam summum ius antiqui summam putabant crucem. Nec rursus in totum remittendum, quoniam "vel optima nomina non apellando fieri mala" faenerator Alfius dixisse
3 verissime fertur. Sed et ipse nostra memoria veterem consularem virumque opulentissimum P. Volusium adseverantem audivi felicissimum fundum esse, qui colonos indigenas haberet et tamquam in paterna possessione natos iam inde a cunabulis longa familiaritate retineret. Ita certe mea fert opinio rem malam esse frequentem locationem fundi, peiorem tamen urbanum colonum, qui per familiam
4 mavult agrum quam per se colere. Saserna dicebat ab eius modi homine fere pro mercede litem reddi, propter quod operam dandam esse ut et rusticos et eosdem assiduos colonos retineamus, cum aut nobismet ipsis non licuerit aut per domesticos colere non expedierit, quod tamen non evenit nisi in his regionibus quae gravitate caeli solique sterilitate
5 vastantur. Ceterum cum mediocris adest et salubritas et terrae bonitas, numquam non ex agro plus sua cuique cura reddidit quam coloni, numquam non

¹ vel *Lundstrom* ut *codd*, *cett edd*

^a Cf. Terence, *Heaut* 796, *ius summum saepe summast malitia*. The proverb is given by Cicero (*De Off* I 33), *summum ius summa iniuria*, with the comment that it was worn threadbare.

^b In the *Fasti Romani Consulares* the name of Q. Volusius Saturninus appears under the year 807 A U C (= A D 55)

the matter of demanding firewood and other trifling services in addition, attention to which causes country-folk more trouble than expense, in fact, we should not lay claim to all that the law allows, for the ancients regarded the extreme of the law as the extreme of oppression^a On the other hand, we must not neglect our claims altogether, for, as Alfius the usurer is reported to have said, and with entire truth, "Good debts become bad ones if they are not called" Furthermore, I myself remember³ having heard Publius Volusius,^b an old man who had been consul and was very wealthy, declare that estate most fortunate which had as tenants natives of the place, and held them, by reason of long association, even from the cradle, as if born on their own father's property So I am decidedly of the opinion that repeated letting of a place is a bad thing, but that a worse thing is the farmer who lives in town and prefers to till the land through his slaves rather than by his own hand Saserna⁴ used to say that from a man of this sort the return was usually a lawsuit instead of revenue, and that for this reason we should take pains to keep with us tenants who are country-bred and at the same time diligent farmers, when we are not at liberty to till the land ourselves or when it is not feasible to cultivate it with our own servants, though this does not happen except in districts which are desolated by the severity of the climate and the barrenness of the soil But when the climate is moderately⁵ healthful and the soil moderately good, a man's personal supervision never fails to yield a larger return from his land than does that of a tenant—never than that of even an overseer, unless the

LUCIUS JUNIUS MODERATUS COLUMELLA

etiam vilici, nisi si maxima vel negligentia servi vel rapacitas intervenit Quae utraque peccata plerumque vitio domini vel committi vel foveri nihil dubium est, cum liceat aut cavere ne talis praeficiatur negotio, 6 aut iam praepositus ut summoveatur curare In longinquis tamen fundis, in quos non est facilis excursus patris familiae, cum omne genus agri tolerabilius sit sub liberis colonis quam sub vilicis servis habere, tum praecipue frumentarium, quem et minime, sicut vineas aut arbustum, colonus evertere potest et maxime vexant servi, qui boves elocant eosdemque et cetera pecora male pascunt nec industrie terram vertunt longeque plus imputant seminis iacti, quam quod severint, sed nec quod terrae mandaverunt sic adjuvant, ut recte¹ proveniat, idque cum in aream contulerunt, per trituram cotidie 7 minuunt vel fraude vel negligentia Nam et ipsi diripiunt et ab aliis furbus non custodiunt, sed nec conditum cum fide rationibus inferunt Ita fit, ut et actor et familia peccent et ager saepius infametur Quare talis generis praedium, si, ut dixi, domini praesentia cariturum est, censeo locandum

VIII Proxima est cura de servis, cui quemque officio praeponere conveniat quosque et qualibus operibus destinare Igitur praemoneo ne vilicum ex eo genere servorum, qui corpore placuerunt,

¹ adjuvantur haec te A adjuvantur nec te a adjuvantur ut recte R

LUCIUS JUNIUS MODERATUS COLUMELLA

instituiamus, ne ex eo quidem ordine, qui urbanas ac
 2 delicatas artes exercuerit Socors et somniculosum
 genus id mancipiorum,¹ otius, campo, circo, theatris,
 aleae, popinae, lupanaribus consuetum, numquam
 non easdem ineptias somniat, quas cum in agri
 culturam transtulit, non tantum in ipso servo quan-
 tum in universa re detrimenti dominus capit Eli-
 gendus est rusticis operibus ab infante duratus et
 inspectus experimentis Si tamen is non erit, de iis
 praeficiatui qui servitutem laboriosam toleraverunt,
 3 iamque is² transcenderit aetatem primae iuventae
 nec dum senectutis attigerit, illa ne et auctoritatem
 detrahat ad imperium, quoniam maiores dedignentur
 parere adulescentulo, haec ne laboriosissimo succum-
 bat operi Mediae igitur sit aetatis et firmi roboris,
 pertus rerum rusticarum aut certe maximae curae,
 quo celerius addiscat Nam non est nostri negotii
 4 alterum imperare et alterum docere, neque enim
 recte opus exigere valet, qui quid aut qualiter
 faciendum sit ab subiecto discit Potest etiam inlit-
 teratus, dum modo tenacissimae memoriae, rem satis
 commode administrare Eius modi vilicum Corne-
 lius Celsus ait, saepius nummos domino quam librum
 adferre, quia nescius litterarum vel ipse minus possit

¹ mancupiorum SA, *Lundstrom*

² iamque is *plerique edd, sed* isque qui iam *maluit Schn in*
not iamque iis S Iamque his A¹ iamque qui *ad, vet*
edd iam qui A R

who are physically attractive, and certainly not from
 that class which has busied itself with the voluptuous
 occupations of the city This lazy and sleepy- 2
 headed class of servants, accustomed to idling, to the
 Campus, the Circus, and the theatres, to gambling,
 to cookshops, to bawdy-houses, never ceases to
 dream of these follies, and when they carry them
 over into their farming, the master suffers not so
 much loss in the slave himself as in his whole estate
 A man should be chosen who has been hardened by
 farm work from his infancy, one who has been tested
 by experience ^a If, however, such a person is not
 available, let one be put in charge out of the number
 of those who have slaved patiently at hard labour,
 and he should already have passed beyond the time of 3
 young manhood but not yet have arrived at that of
 old age, that youth may not lessen his authority to
 command, seeing that older men think it beneath
 them to take orders from a mere stripling, and that
 old age may not break down under the heaviest
 labour He should be, then, of middle age and of
 strong physique, skilled in farm operations or at
 least very painstaking, so that he may learn the
 more readily, for it is not in keeping with this
 business of ours for one man to give orders and
 another to give instructions, nor can a man properly 4
 exact work when he is being tutored by an underling
 as to what is to be done and in what way Even an
 illiterate person, if only he have a retentive mind,
 can manage affairs well enough Cornelius Celsus
 says that an overseer of this sort brings money to
 his master oftener than he does his book, because,
 not knowing his letters, he is either less able to
 falsify accounts or is afraid to do so through a second

LUCIUS JUNIUS MODERATUS COLUMELLA

rationes confingere vel per alium propter conscientiam fraudis timeat ¹

Sed quaecumque vilico contubernalis mulier adsignanda est, quae et ² contineat eum et in quibusdam rebus tamen adiuvet, eidemque actori praecipendum est, ne convictum cum domestico multoque minus cum extero habeat Non numquam tamen eum, quem assidue sedulum et fortem in operibus administrandis cognoverit, honoris causa mensae suae die festo dignetur adhibere Sacrificia, nisi ex
6 praecepto domini, ne fecerit Haruspices sagasque, quae utraque genera vana superstitione rudes animos ad impensas ac deinceps ad flagitia compellunt, ne admiserit, neque urbem neque ulla nundinas noverit, nisi emendae vendendaeve pertinentis ad se
7 rei causa Vilicus enim, quod ait Cato, ambulator esse non debet, nec egredi terminos, nisi ut addiscat aliquam culturam, et hoc si ita in vicino est, ut remeare ³ possit Semitas novosque limites in agro fieri ne patiatur, neve hospitem, nisi amicum familiaremque domini necessarium, receperit

8 Ut ab his arcendus, ita exhortandus est ad instrumentorum ⁴ ferramentorumque curam, ut duplicia, quam numerus servorum exigit, refecta et reposita custodiat, ne quid a vicino petendum sit, quia plus in operis servorum quam in pretio rerum eius modi
9 consumitur Cultam vestitamque familiam magis

¹ timere *R*, *edd ante Gesn*

² *om SA*, et *R aliquot*

³ remanere *SA*, et *R pauci* re manere *Lundstrom*

⁴ instrumenti *M*, *vett edd Schn*

^a *Cf Varro, R R I 17 5*

^b This precept and many of those that follow are repeated nearly word for word in XI 1 19-28

BOOK I VIII 4-9

party because that would make another aware of the deception

But be the overseer what he may, he should be ⁵ given a woman companion to keep him within bounds ^a and yet in certain matters to be a help to him, and this same overseer should be warned not to become intimate with a member of the household, and much less with an outsider, yet at times he may consider it fitting, as a mark of distinction, to invite to his table on a holiday one whom he has found to be constantly busy and vigorous in the performance of his tasks ^b He shall offer no sacrifice except by direction of the master Soothsayers and witches, ⁶ two sets of people who incite ignorant minds through false superstition to spending and then to shameful practices, he must not admit to the place He must have no acquaintance with the city or with the weekly market, except to make purchases and sales in connection with his duties For, as Cato says, ^c ⁷ an overseer should not be a gadabout, and he should not go out of bounds except to learn something new about farming, and that only if the place is so near that he can come back He must allow no foot-paths or new crosscuts to be made in the farm, and he shall entertain no guest except a close friend or kinsman of his master

As he must be restrained from these practices, so ⁸ must he be urged to take care of the equipment and the iron tools, and to keep in repair and stored away twice as many as the number of slaves requires, so that there will be no need of borrowing from a neighbour, for the loss in slave labour exceeds the cost of articles of this sort In the care and clothing ⁹

^a Cato, 5 2

LUCIUS JUNIUS MODERATUS COLUMELLA

- utiliter quam delicate habeat munitamque diligenter a vento, frigore pluviaque, quae cuncta prohibentur pellibus manicatis, centonibus confectis vel sagis cucullis Id si fiat, nullus dies tam intolerabilis est,
- 10 quo non sub divo moliri aliquid possit Nec tantum operis agrestis sit artifex, sed et animi, quantum servile patitur ingenium, virtutibus instructus, ut neque remisse neque crudeliter imperet semperque aliquos ex melioribus foveat, parcat tamen etiam minus bonis, ita ut potius timeant eius severitatem, quam crudelitatem detestentur Id contingere poterit, si maluerit custodire subiectos, ne peccent, quam negligentia sua committere, ut puniat delinquentes
- 11 Nulla est autem maior vel nequissimi hominis custodia quam operis exactio, ut iusta reddantur, ut vilicus semper se repraesentet Sic enim et magistri singulorum officiorum sedulo munia sua exsequuntur,¹ et ceteri post fatigationem² operis quieti ac somno potius quam deliciis operam dabunt
- 12 Iam illa vetera, sed optimi moris, quae nunc exoleverunt, utinam possint obtineri ne conservo ministro quoquam, nisi in re domini, utatur, ne cibum nisi in conspectu familiae capiat neve alium quam

¹ exsequantur *SA* exequantur *vett edd* exequentur *Ald, Gesn, Schn*

² defatigationem *Gesn, Schn*

BOOK I VIII 9-12

of the slave household he should have an eye to usefulness rather than appearance, taking care to keep them fortified against wind, cold, and rain, all of which are warded off with long-sleeved leather tunics, garments of patchwork, or hooded cloaks. If this be done, no weather is so unbearable but that some work may be done in the open. He should be not only skilled in the tasks of husbandry, but should also be endowed, as far as the servile disposition allows, with such qualities of feeling that he may exercise authority without laxness and without cruelty, and always humour some of the better hands, at the same time being forbearing even with those of lesser worth, so that they may rather fear his sternness than detest his cruelty. This he can accomplish if he will choose rather to guard his subordinates from wrongdoing than to bring upon himself, through his own negligence, the necessity of punishing offenders. There is, moreover, no better way of keeping watch over even the most worthless of men than the strict enforcement of labour, the requirement that the proper tasks be performed and that the overseer be present at all times, for in that case the foremen in charge of the several operations are zealous in carrying out their duties, and the others, after their fatiguing toil, will turn their attention to rest and sleep rather than to dissipation.

Would that those well-known precepts, old but excellent in morality, which have now passed out of use, might be held to to-day. That an overseer shall not employ the services of a fellow-slave except on the master's business, that he shall partake of no food except in sight of the household, nor of other

LUCIUS JUNIUS MODERATUS COLUMELLA

qui ceteris praebetur Sic enim curabit ut et panis diligenter confiat¹ et reliqua salubriter apparentur Ne extra fines nisi a se missum progredi sinat, sed nec ipse mittat, nisi magna necessitate cogente

- 13 Neve negotietur sibi pecuniamque domini aut animalibus aut rebus aliis promercalibus occupet, haec enim negotiatio curam vilici avocat nec umquam patietur eum cum rationibus domini paria facere, sed ubi numeratio exigitur, rem pro nummis ostendit In univrsum tamen hoc maxime obtinendum ab eo est, nequid se putet scire quod nesciat, quae-
14 ratque semper addiscere quod ignorat Nam cum multum prodest perite quid facere, tum plus obest perperam fecisse Unum enim ac solum dominatur in rusticatione, quicquid exigit ratio culturae, semel facere, quippe cum emendatur vel imprudentia vel negligentia, iam res ipsa decoxit nec in tantum postmodo exuberat, ut et se amissam restituat et quaestum temporum praeteritorum resarciat

- 15 In ceteris servis haec fere praecepta servanda sunt, quae me custodisse non paenitet, ut rusticos, qui modo non incommode se gessissent, saepius quam urbanos familiaris adloquerer, et cum hac² comitate domini levare perpetuum laborem eorum intel-

¹ conficiatur *vel* confitiatur *R nonnulli*

² cum hac *Lundstrom, praeunte Schn* hac *S* hãc *A*
a *R* enim *M* cum *vett edd*

BOOK I VIII 12-15

food than is provided for the rest, for in so doing he will see to it that the bread is carefully made and that other things are wholesomely prepared. He shall permit no one to pass beyond the boundaries unless sent by himself, and he shall send no one except there is great and pressing need. He shall carry on 13 no business on his own account, nor invest his master's funds in livestock and other goods for purchase and sale, for such trafficking will divert the attention of the overseer and will never allow him to balance his accounts with his master, but, when an accounting is demanded, he has goods to show instead of cash. But, generally speaking, this above all else is to be required of him—that he shall not think that he knows what he does not know, and that he shall always be eager to learn what he is ignorant of, for not only is it very helpful to do a thing skilfully, 14 but even more so is it hurtful to have done it incorrectly. For there is one and only one controlling principle in agriculture, namely, to do once and for all the thing which the method of cultivation requires, since when ignorance or carelessness has to be rectified, the matter at stake has already suffered impairment and never recovers thereafter to such an extent as to regain what it has lost and to restore the profit of time that has passed.

In the case of the other slaves, the following are 15 in general, the precepts to be observed, and I do not regret having held to them myself to talk rather familiarly with the country slaves, provided only that they have not conducted themselves unbecomingly, more frequently than I would with the town slaves, and when I perceived that their unending toil was lightened by such friendliness on the

LUCIUS JUNIUS MODERATUS COLUMELLA

legerem, nonnumquam etiam iocarer et plus ipsis
iocari permitterem. Iam illud saepe facio, ut quasi
cum peritioribus de aliquibus operibus novis deli-
berem et per hoc cognoscam cuiusque ingenium,
quale quamque sit prudens. Tum etiam libentius
eos id opus adgredi video, de quo secum deliberatum
16 et consilio ipsorum susceptum putant. Nam illa
sollemnia sunt omnibus circumspectis,¹ ut ergastuli
mancipia recognoscant,² ut explorent³ an diligenter
vincti sint, an ipsae sedes custodiae satis tutae
munitaeque sint, num⁴ vilicus aut alligaverit quem-
piam domino nesciente aut revinxerit. Nam utrum-
que maxime servare debet, ut et quem pater familiae
tali poena multaverit, vilicus nisi eiusdem permissu
compedibus non eximat et quem ipse sua sponte
17 vinxerit, antequam sciat dominus, non resolvat, tan-
toque curiosior inquisitio patris familiae debet esse
pro tali genere servorum, ne aut in vestiarium aut in
ceteris praebitis iniuriose tractentur, quanto et pluri-
bus subiecti, ut vilicis, ut operum magistris, ut
ergastulariis, magis obnoxii perpetiendis iniuriis, et
rursus saevitia atque avaritia laesi magis timendi
18 sunt. Itaque diligens dominus cum et ab ipsis tum
et ab solutis, quibus maior est fides, quaerit,⁵ an ex

¹ circumseptis *SAA*, *vett edd*

² recognoscant *SAR* recognoscam *Lundstrom*

³ explorent *SAR* explorem *Lundstrom*

⁴ num *R*, *edd vulgo* numquam *SA* num quem *Lundstrom*

⁵ quaerat *Ald*, *Gesn*, *Schn*

BOOK I VIII 15-18

part of the master, I would even jest with them at times and allow them also to jest more freely. Nowa-days I make it a practice to call them into consultation on any new work, as if they were more experienced, and to discover by this means what sort of ability is possessed by each of them and how intelligent he is. Furthermore, I observe that they are more willing to set about a piece of work on which they think that their opinions have been asked and their advice followed. Again, it is the established custom of all men of caution to inspect the inmates of the 16
workhouse, to find out whether they are carefully chained, whether the places of confinement are quite safe and properly guarded, whether the overseer has put anyone in fetters or removed his shackles without the master's knowledge. For the overseer should be most observant of both points—not to release the shackles from anyone whom the head of the house has subjected to that kind of punishment, except by his leave, and not to free one whom he himself has chained on his own initiative until the master knows the circumstances, and 17
the investigation of the householder should be the more painstaking in the interest of slaves of this sort, that they may not be treated unjustly in the matter of clothing or other allowances, inasmuch as, being liable to a greater number of people, such as overseers, taskmasters, and jailers, they are the more liable to unjust punishment, and again, when smarting under cruelty and greed, they are more to be feared. Accordingly, a careful master 18
inquires not only of them, but also of those who are not in bonds, as being more worthy of belief, whether they are receiving what is due to them under his in-

LUCIUS JUNIUS MODERATUS COLUMELLA

sua constitutione iusta percipiant, atque ipse panis
 potionisque probitatem ¹ gustu suo explorat, ² vestem,
 manicas pedumque tegumina recognoscit ³ Saepe
 etiam querendi potestatem faciat de us, qui aut
 crudeliter eos aut fraudulenter infestent Nos qui-
 dem aliquando iuste dolentes tam vindicamus, quam
 animadvertimus in eos, qui seditionibus familiam
 concitant, qui calumniantur magistros suos, ac
 rursus praemio prosequimur ⁴ eos, qui strenue atque
 19 industrie se gerunt Feminis quoque fecundioribus,
 quarum in subole certus numerus honorari debet,
 otium, nonnumquam et libertatem dedimus, cum
 complures natos educassent Nam cui tres erant
 filii, vacatio, cui plures, ⁵ libertas quoque contingebat

Haec et ⁶ iustitia et cura patris familiae multum
 20 confert augendo patrimonio Sed et illa memineant,
 cum e civitate remeaverit, deos penatis adorare,
 deinde, si tempestivum erit, confestim, si minus,
 postero die oculis perlustrare, omnes partes agri
 revisere atque aestimare num quid absentia sua de
 disciplina et custodia remiserit, num aliqua vitis, num
 arbor, num fruges absint, tum etiam pecus ⁷ et
 familiam recenseat fundique instrumentum et
 supellectilem Quae cuncta si per plures annos facere
 instituerit, bene moratam disciplinam, cum senectus
 advenit, obtinebit, nec erit ulla eius aetas annis
 ita confecta, ut spernatur a servis

¹ bonitatem *R, Ald, Gesn, Schn*

² exploret *R, Ald, Gesn, Schn*

³ recognoscat *P plerique, Ald, Gesn, Schn*

⁴ prosequamur *SA*

⁵ plus *SA, Lundstrom*

⁶ enim *Ald, Gesn*

⁷ pecudes *R*

structions, he also tests the quality of their food and drink by tasting it himself, and examines their clothing, their mittens, and their foot-covering. In addition he should give them frequent opportunities for making complaint against those persons who treat them cruelly or dishonestly. In fact, I now and then avenge those who have just cause for grievance, as well as punish those who incite the slaves to revolt, or who slander their taskmasters, and, on the other hand, I reward those who conduct themselves with energy and diligence. To women, too, who are un- 19 usually prolific, and who ought to be rewarded for the bearing of a certain number of offspring, I have granted exemption from work and sometimes even freedom after they had reared many children. For to a mother of three sons exemption from work was granted, to a mother of more her freedom as well.

Such justice and consideration on the part of the master contributes greatly to the increase of his estate. But he should also bear in mind, first to pay 20 his respects to the household gods as soon as he returns from town, ^a then at once, if time permits, if not, on the next day, to inspect his lands and revisit every part of them and judge whether his absence has resulted in any relaxation of discipline and watchfulness, whether any vine, any tree, or any produce is missing, at the same time, too, he should make a new count of stock, slaves, farm-equipment, and furniture. If he has made it a practice to do all this for many years, he will maintain a well-ordered discipline when old age comes, and whatever his age, he will never be so wasted with years as to be despised by his slaves.

LUCIUS JUNIUS MODERATUS COLUMELLA

IX Dicendum etiam est, quibus operibus quemque habitum corporis aut animi contribuendum putemus Magistros pecoribus¹ oportet praeponere sedulos ac fugalissimos Ea res utraque plus quam corporis statua roburque confert huic negotio, quoniam id ministerium custodiae diligentis et artis officium² est Bubulco quamvis necessaria non tamen satis est indoles mentis, nisi eum vastitas vocis et habitus metuendum pecudibus efficit³ Sed temperet vires clementia, quoniam terribilior debet esse quam saevior, ut et obsequantur eius imperius et diutius perennent boves, non confecti veneratione simul operum verberumque Sed quae sint magistrorum³ munia quaeque bubulcorum, suo loco repetam, nunc admonuisse satis est nihil in his, in illis plurimum referre vires et proceritatem Nam longissimum quemque aratorem,³ sicut dixi, faciemus, et propter id, quod paulo ante rettuli, et quod in re rustica nullo minus opere fatigatur prolixior, quia in arando stivae paene rectus innititur Mediastinus qualiscumque status potest esse, dummodo perpetiundo labori sit⁴ idoneus Vineae non sic altos quemadmodum⁴ latos et lacertosos viros exigunt, nam hic habitus fossuris et putationibus ceterisque earum culturis magis aptus Minus in hoc officio quam in ceteris agrico-

¹ operibus *Gesn*, *Schn*

² effecit *SA*

³ maiorem *SA*, et *R* nonnulli

⁴ quomodo *AA*

^a The *bubulcus* was, in a restricted sense, as here and often, a ploughman (= *arator*) or ox driver, in the wider sense, as just below and elsewhere, a herdsman in general charge of the cattle

^b See Bks VII 1-7 and VI 1-26

BOOK I IX 1-4

IX Something should be said, too, as to what tasks we think each kind of body or mind should be assigned. As keepers of the flocks it is proper to place in charge men who are diligent and very thrifty. These two qualities are more important for this task than stature and strength of body, since this is a responsibility requiring unremitting watchfulness and skill. In the case of the ploughman,^a intelligence, though necessary, is still not sufficient unless bigness of voice and in bearing makes him formidable to the cattle. Yet he should temper his strength with gentleness, since he should be more terrifying than cruel, so that the oxen may obey his commands and at the same time last longer because they are not worn out with the hardship of the work combined with the torment of the lash. But what the duties of shepherds and herdsmen are, I shall treat again in their proper places,^b for the present it is sufficient to have called to mind that strength and height are of no importance in the one, but of the greatest importance in the other. For, as I have said, we shall make all the taller ones ploughmen, both for the reason I have just given and because in the work of the farm there is no task less tiring to a tall man, for in ploughing he stands almost erect and rests his weight on the plough-handle.^c The common labourer may be of any height at all, if only he is capable of enduring hard work. Vineyards require not so much tall men as those who are broad-shouldered and brawny, for this type is better suited to digging and pruning and other forms of viticulture. In this department husbandry is less exacting in the matter of

^a Pliny (*N H* XVIII 179) says that the ploughman does not steer a straight course unless he stoops to his work

LUCIUS JUNIUS MODERATUS COLUMELLA

latio fugacitatem requirit, quia et in turba et sub
 monitore vinitor opus facere debet ac plerumque
 velocior animus est improborum hominum,¹ quem
 desiderat huius operis conditio Non solum enim
 fortem, sed et acuminis strenui ministrum postulat,
 ideoque vineta plurimum per alligatos excoluntur
 5 Nihil tamen eiusdem agilitatis homo fugi non melius
 quam nequam faciet

Hoc interposui, ne quis existimet in ea me opinione
 versari, qua malim per noxios quam per innocentes
 ruina coli² Sed et illud censeo, ne confundantur
 opera familiae, sic ut omnes omnia exsequantur
 6 Nam id minime conducit agricolae, seu quia nemo
 suum proprium aliquod esse opus credit, seu quia cum
 enisus est, non suo sed communi officio proficit ideoque
 labori multum se subtrahit, nec tamen viritim male-
 factum deprehenditur, quod fit a multis Propter
 quod separandi sunt aratores a vinitoribus et vinitores
 7 ab aratoribus³ ique a⁴ mediastinis Classes etiam
 non maiores quam denum hominum faciundae, quas
 decurias appellaverunt antiqui et maxime proba-
 verunt, quod is numeri modus in opere commodissime
 custodiretur nec praeceuntis monitoris diligentiam
 8 multitudo confunderet Itaque si latior est ager, in
 regiones diducendae⁵ sunt eae classes dividendum-

¹ hominum om SA

² coli M

³ sic vulgo aratores (a *suprascr* S²) vinitoribus ab aratori-
 bus SA et vinitores ab aratoribus *inclusit* Schn, monente
 Pontedera

⁴ ique a] et qua SA

⁵ sic S² et Schn cum Gesn, not deducendae S¹A, Lund-
 strum cum edd plerisque dividunde R aliquot

thrift than in the others, for the reason that the vine-dresser should do his work in company with others and under supervision, and because the unruly are for the most part possessed of quicker understanding, which is what the nature of this work requires. For it demands of the helper that he be not merely strong but also quick-witted, and on this account vineyards are commonly tended by slaves in fetters. Still there is nothing that an honest man of equal quickness will not do better than a rogue.

I have inserted this that no one may think me obsessed of such a notion as to wish to till my land with criminals rather than with honest men. But this too I believe that the duties of the slaves should not be confused to the point where all take a hand in every task. For this is by no means to the advantage of the husbandman, either because no one regards any particular task as his own or because, when he does make an effort, he is performing a service that is not his own but common to all, and therefore shirks his work to a great extent, and yet the fault cannot be fastened upon any one man because many have a hand in it. For this reason ploughmen must be distinguished from vine-dressers, and vine-dressers from ploughmen, and both of these from men of all work. Furthermore, squads should be formed, not to exceed ten men each, which the ancients called *decuriae* and approved of highly, because that limited number was most conveniently guarded while at work, and the size was not disconcerting to the person in charge as he led the way. Therefore, if the field is of considerable extent, such squads should be distributed over sections of it and the work should be so apportioned

LUCIUS JUNIUS MODERATUS COLUMELLA

que ita opus, ut neque singuli binive sint, quoniam dispersi non facile custodiuntur, nec tamen supia decem, ne rursus, ubi nimia turba sit, id opus ad se pertinere singuli non existiment Haec ordinatio non solum concitat aemulationem, sed et deprehendit ignavos, nam cum certamine opus excitetur, tum in cessantes animadversio iusta et sine querela videtur adhiberi

- 9 Sed nimirum, dum quae maxime providenda sunt agricolae futuro praecipimus, de salubritate, de via, de vicino, de aqua, situ villae, fundi modo, colonorum et servorum generibus, officiorum operumque distributione tempestive per haec ad ipsum iam terrae cultum pervenimus, de quo pluribus libro insequente mox disseremus

that men will not be by ones or twos, because they are not easily watched when scattered, and yet they should number not more than ten, lest, on the other hand, when the band is too large, each individual may think that the work does not concern him. This arrangement not only stimulates rivalry, but also it discloses the slothful, for, when a task is enlivened by competition, punishment inflicted on the laggards appears just and free from censure.

But surely, in pointing out to the farmer-to-be ⁹ those matters for which especial provision must be made—healthfulness, roads, neighbourhood, water, situation of the homestead, size of the farm, classes of tenants and slaves, and assignment of duties and tasks—we have now come properly, through these steps, to the actual tilling of the soil, of this we shall presently treat at greater length in the book that follows.

BOOK II

LIBER II

I Quaeris ex me, P Silvius, quod ego sine cunctatione non recuso docere, cur priore libro veterem¹ opinionem fere omnium, qui de cultu agrorum locuti sunt, a principio confestim reppulerim, falsamque sententiam repudiaverim censentium longo aevi situ longique iam temporis exercitatione fatigatam
2 et effatam humum consenuisse Nec te ignoro cum et aliorum inlustrum scriptorum tum praecipue Tremelii auctoritatem revereri, qui, cum plurima rusticarum rerum praecepta simul eleganter et scite memoriae prodiderit, videlicet inlectus nimio favore priscorum de simili materia disserentium falso credidit parentem omnium teriam, sicut muliebrem sexum aetate anili iam confectam, progenerandis esse fetibus inhabilem Quod ipse quoque confiterer,
3 si in totum nullae fruges provenirent² Nam et hominis tum demum declaratur sterile senium non cum desinit mulier trigeminos aut geminos parere, sed cum omnino nullum conceptum edere valet Itaque transactis iuventae temporibus, etiam si longe vita superest, partus tamen annis denegatus non resti-

¹ veterum *R*, *edd ante Schn*

² convenirent *SA*

BOOK II

I You ask me, Publius Silvius, and I have no hesitation in informing you at once, why in the preceding book I immediately at the start^a rejected the long-standing opinion of almost all who have discoursed on the subject of agriculture, and repudiated as mistaken the views of those who hold that the soil, wearied and exhausted by age-long wasting away and by cultivation now extending over a long period of time, has become barren And I am not unaware² that you hold in reverence, not only the authority of other renowned writers, but particularly that of Tremelius, who, in handing down to posterity a very great number of agricultural precepts set forth with refinement as well as learning, being obviously misled through too great deference to the ancients who treat of a like subject, held the mistaken belief that the earth, the mother of all things, like womankind now worn out with old age, is incapable of bearing offspring This fact I too should admit if no fruits whatever were being produced, for the old age of³ a human being also is pronounced barren, not when a woman no longer gives birth to triplets and twins, but only when she is able to conceive and bring forth no offspring at all Thus, after the period of youth is past, even though a long life still remains, still parturition is denied to years and is not re-

LUCIUS JUNIUS MODERATUS COLUMELLA

tuntur At e contrario seu sponte seu quolibet casu derelicta¹ humus, cum est repetita cultu, magno
 4 faenore cessatorium² colono respondet Non ergo est exiguarum fugum causa terrae vetustas, si modo, cum semel invasit senectus, regressum non habet nec revirescere³ aut repubescere potest, sed ne lassitudo quidem soli minuit agricolae fructum Neque enim prudentis est adduci tamquam in hominibus nimiae corporis exercitationi⁴ aut oneris alicuius ponderi,⁵ sic cultibus et agitationibus agrorum
 5 fatigationem succedere Quid ergo est, inquis, quod adseverat Tremelius intacta et silvestria loca, cum primum ceperint⁶ cultum, exuberare, mox deinde non ita respondere labori colonorum⁷ Videt sine dubio quid eveniat, sed cur id accadat non pervidet Neque enim idcirco iudis et modo ex silvestri habitu in arvom transducta fecundior haberi terra debet, quod sit requietior et iunior, sed quod multorum annorum frondibus et herbis, quas suapte natura progenerabat, velut saginata largioribus pabulis facilius edendis educandisque frugibus sufficit
 6 At cum perruptae rastris et aratius radices herbarum ferroque succisa nemora frondibus suis desierunt alere matrem, quaeque temporibus autumnī fructectis

¹ destituta *R nonnulli deteriores, Ald, Gesn, Schn*

² cessationis *M, Ald, Gesn, Schn*

³ reviviscere *R aliquot*

⁴ nimia exercitatione *R nonnulli, Ald, Gesn*

⁵ ponderi *Schn, Lundstrom ponderis SA^{1a} pondere R plerique, edd ante Schn*

⁶ ceperint *Lundstrom coeperint SA et R aliquot, plerique edd, deinde cultu Ald, Gesn*

BOOK II 1 3-6

stored But on the contrary, when the soil, whether abandoned deliberately or by chance, is cultivated anew, it repays the farmer with heavy interest for its periods of idleness ^a The antiquity of the earth, ⁴ therefore, is not the reason for the scantiness of her fruits—if, I mean, when once old age sets in, it takes no backward step and has no power to grow vigorous and young again—but not even the weariness of the soil lessens its fruits for the farmer For it is not like a man of intelligence to be persuaded that, as in the case of human beings exhaustion follows immoderate physical exertion or the bearing of some heavy burden, just so does it follow cultivation and activity on the part of the land What then, you say, does ⁵ Tremelius mean by his assertion that virginal and wooded areas, when they are first cultivated, yield abundantly, but soon thereafter are not so responsive to the toil of those who work them? He observes, undoubtedly, what occurs, but does not understand thoroughly why it happens For ground that is new and but recently taken out of its wooded state and brought under cultivation should not be regarded as more fruitful on this account, because it has lain fallow longer and is younger, but because, in the leaves and herbage of many years, which it has kept producing naturally, fattened, so to speak, with more plentiful nourishment, it more readily satisfies the requirements for bringing forth crops and supporting them But when the roots of the plants, broken by ⁶ mattocks and ploughs, and when the trees, cut down by the axe, cease to nourish their mother with their foliage, when the leaves which fell from bushes and

^a Lundström restores the reading of the best manuscripts, preferred also by Pontedera as *cessatorum* <*temporum*>

LUCIUS JUNIUS MODERATUS COLUMELLA

et arboribus delapsa folia superiaciebantur, mox conversa vomeribus et inferiori solo, quod plerumque est exilius, permixta atque absumpta sunt, sequitur, ut destituta pristinis alimentis macrescat humus

7 Non igitur fatigatione, quemadmodum plurimi crediderunt, nec senio, sed nostra scilicet inertia minus benigne nobis arva respondent Licet enim maiorem fructum percipere, si frequenti et tempestiva et modica stercoratione ¹ terra refoveatur De cuius cultu dicturos nos priori volumine polliciti iam nunc disceamus

II Calidissimi rusticarum rerum, Silvinae, genera terreni tria esse dixerunt, campestre, collinum, montanum Campum non aequissima situm planitie nec perlustrata, sed exigue prona, collem clementer et molliter adsurgentem, montem ² sublimem et asperum, sed nemorosum et herbidum, maxime pro-
2 baverunt His autem generibus singulis senae species contribuuntur, soli pinguis vel macri, soluti vel spissi, umidi vel sicci, quae qualitates inter se mixtae vicibus et alternatae plurimas efficiunt agrorum varietates Eas enumerare non est artificis agricolae, neque enim artis officium est per species, quae sunt innumerabiles, evagari sed ³ ingredi per genera, quae possunt et cogitatione mentis et ambitu
3 verborum facile copulari Recurrendum est igitur ad qualitatum ⁴ inter se dissidentium quasi quasdam

¹ stercoratione *SAA, Lundstrom*

² montem non sublimem *Ald, Gesn, Schn*

³ et *SAA, vet edd, Lundstrom*

⁴ qualitatum *SA et R aliquot, Lundstrom*

^a Cf Varro, *RR* I 6 2

^b Cf Palladius, I 5 5

BOOK II 1 6-II 3

trees in the autumn season and which were spread over her are presently turned under by the ploughshare and mixed with the subsoil, which is usually thinner, and are used up, the result is that the soil, being deprived of its old-time nourishment, grows lean. It is not, therefore, because of weariness, as very many have believed, nor because of old age, but manifestly because of our own lack of energy that our cultivated lands yield us a less generous return. For we may reap greater harvests if the earth is quickened again by frequent, timely, and moderate manuring. As I promised in the preceding book to speak of its cultivation, I shall now begin the discussion.

II Those who are most experienced in agricultural affairs have said, Silvinus, that there are three kinds of terrain—champaign, hilly, and mountainous.^a Of champaign land they favoured especially that lying, not in a perfectly even and level plain, but in a somewhat sloping one, of hilly land, that with a gentle and gradual rise, of mountainous land, the high and rugged, but wooded and grassy.^b Furthermore,² under each of these classes there fall six species of soil—fat or lean, loose or compact, moist or dry, and these qualities, in combination and in alternation with one another, produce a very great variety of soils. To enumerate them is not the mark of a skilled farmer for it is not the business of any art to roam about over the species, which are countless, but to proceed through the classes, for these can readily be connected in the imagination and brought within the compass of words. We must have recourse, then,³ to certain unions, as we may call them, between qualities which are at variance with each other—

LUCIUS JUNIUS MODERATUS COLUMELLA

coniunctiones, quas Graeci *σιζυγίας ἐναντιοτήτων*,¹ nos "discordantium comparationes" tolerabiliter dixerimus. Atque etiam significandum est ex omnibus, quae terra progeneret, plura campo magis quam colle, plura pingui solo quam macro laetari

4 De siccaneis et riguis non comperimus, utra numero vincant, quoniam utrimque paene infinita sunt,² quae siccis quaeque umidis locis gaudent, sed ex his nihil non melius resoluta humo quam densa provenit. Quod nostri quoque Vergilius, cum et alias fecundi aevi laudes rettulisset, adiecit,

et cui putre solum namque hoc imitatur arando

Neque enim aliud est colere quam resolvere et
5 fermentare terram, ideoque maximos quaestus ager praebet idem pinguis ac putris, quia cum plurimum reddat, minimum poscit, et quod postulat exiguuo labore atque impensa conficitur. Praestantissimum igitur tale solum iure dicatur. Proximum deinde huic pinguius densum, quod impensam
6 coloni laboremque magno fetu remuneratur. Tertia est ratio loci rigui, quia sine impensa fructum reddere potest. Hanc primam Cato esse dicebat, qui maxime redditum pratorum ceteris anteponebat, sed nos de
7 agitatione terrae nunc loquimur, non de situ. Nullum deterius habetur genus quam quod est pariter siccum et densum et macium, quia cum difficulter

¹ *Graec om, spat relict R plerique*

² *cum (R) utique p 1 sint (R aliquot) Ald, Gesn*

BOOK II II 3-7

what the Greeks call συζυγίαι ἐκαιτισήτων, and which we may fairly render "the couplings of opposites" Furthermore, it must be pointed out that, of all things which the earth brings forth, more thrive better on a plain than on a hill, and more in fat land than in lean As to dry ground and wet ground, 4 we have not ascertained which of these excels in number, since there are, in each case, almost limitless things which thrive in dry places, and the same in wet areas, but of this number there is nothing that does not grow better in loose soil than in dense This, too, our own Vergil said when, after recounting the other good points of a fruitful field, he added

and one of crumbling soil, for this is what we
rival when we plough ^a

For cultivation is nothing else than the loosening and breaking up of the ground, and on this account a 5 field which is both rich and mellow yields the greatest returns, because in producing most it demands least, and what it does require is supplied with trifling labour and expense Such a soil may therefore with justice be called the very best Next in order to this is the combination of rich and dense, a soil which rewards the expense and toil of the husbandman with rich increase Third in rank is a well-watered place, 6 because it can produce fruits without expense Cato, who rated the yield of meadow lands far ahead of other returns, used to say that this kind of land was first, ^b but we are now speaking of land under cultivation, not of that left untilled No kind is con- 7 sidered worse than that which is at the same time dry, stiff, and lean, for not only is it worked with

LUCIUS JUNIUS MODERATUS COLUMELLA

tractetur, tum ne tractatum quidem gratiam refert
nec relictum pratis vel pascuis abunde sufficit
Itaque hic ager sive exercetur seu cessat, colono est
paenitendus ac tamquam pestilens refugiendus
Nam ille mortem facit, hic taeterrimam comitem
mortis famem, si tamen Graecis camenis habemus
fidem clamitantibus

λιμῶ δ' οἴκτιστον θαιέειν

- 8 Sed nunc potius uberius soli meminerimus, cuius
demonstranda est duplex tractatio, culti et silvestris
De silvestri regione in arborum formam redigenda ¹
prius dicemus, quoniam est antiquius facere agium
quam colere Incultum igitur locum consideremus,
siccus an umidus, nemorosus arboribus an lapidibus
confragosus, iunccone sit et ² gramine vestitus an ³
9 filictis ⁴ aliisve frutectis impeditus Si umidus erit,
abundantia uliginis ante siccetur fossis Earum duo
genera cognovimus, caecarum et patentium Spissis
atque cretosis regionibus apertae relinquuntur,
at ubi solutior humus est, aliquae fiunt patentes,
quaedam etiam occaecantur, ita ut in ora ⁵ hiantium

¹ dirigenda *S* dirigenda *A* et *R* aliquot, *vett* *edd*

² sic *Lundstrom* cum *codd* plerisque ut videtur an vel de *R*
nonnulli, *cett* *edd*

³ sic *Lundstrom* cum *Laurentiano* 53 27 ac *SAR*, *cett* *edd*

⁴ filictis *R* plerique, *Ald*, *Gesn*, *Schn* felictis *SA*, *Lund-*
strom filicibus *vett* *edd* salictis *R* pauci

BOOK II 7-9

difficulty, but even when worked it makes no recompense, and when left idle it is not altogether adequate for meadows or for grazing land. Therefore this type, whether in tillage or fallow, is a source of grief to the husbandman and should be shunned as if it were plague-ridden ground, for the one type brings death, and this brings starvation, that most frightful attendant of death, if we may trust the Grecian Muses, who cry

To die of hunger is the bitterest of fates ^a

But now we shall turn our attention rather to the more fertile soil, and our treatment of this is to be set forth under two heads—land in tillage, and woodland. We shall first speak of reducing a wooded area to an arable state, for the reason that the preparation of a field comes before its cultivation. As to an untilled piece of ground, then, let us consider whether it is dry or damp, shaded with trees or rough and stony, whether it is covered with rushes and grass or encumbered with fern-brakes or other bushy growth. If it is damp, the superfluous moisture must first be drained off with ditches. Of these we are familiar with two kinds—blind and open. In tracts of hard-packed and chalky soil they are left open, but where the ground is of looser texture some are made open and some of them, too, are covered over, though in such a way as to connect with the

^a Homer, *Od.* XII 342

⁵ in ora Sobel in eas ora R, vett edd, Lundstrom in ea hora (h expunct) S in ea ora A in patentes ora hiantia caecarum competant habent Ald, Gesn, Schn

LUCIUS JUNIUS MODERATUS COLUMELLA

fossarum competant Sed¹ latius apertas summa parte declivesque et ad solum coartatas imbricibus supinis similes facere conveniet, nam quarum recta sunt latera, celeriter aquis vitiantur et superioris
 10 soli lapsibus replentur Opertae rursus occaecari debebunt sulcis in altitudinem tripedaneam depressis, qui cum parte dimidia lapides minutos vel nudam glaream receperint, aequentur superiecta teria, quae fuerat effossa Vel si nec lapis erit nec glarea, sarmentis connexus velut funis informabitur in eam crassitudinem, quam solum fossae possit angustae
 11 quasi accommodatam coartatamque capere Tum per unum² contendetur, ut super calcatis cupressinis vel pineis aut, si eae non erunt, aliis frondibus teria contegatur, in principio atque exitu fossae mole ponticulorum binis saxis tantummodo pilarum vice constitutis et singulis superpositis, ut eius modi constructio ipsam sustineat, ne praecludatur umoris inlapsus atque exitus

Nemorosi fructectosique tractus duplex cuius est vel extirpandis radicibus arboribus et removendis vel, si rariae sunt, tantum succidendis incendendisque
 12 et inarandis Ac saxosum facile est expedire lectione

¹ sed patentes latius *Schn* sed et petentes latius *Ald*, *Gesn*

² humum *M*

* The text here translated accepts the emendation of Ragnar Sobel ("En Columellakonjektur," *Apophoreta Gotoburgensia Vilelmo Lundstrom Oblata* [Gothenburg, 1936], pp 169-170), reversing the illogical position of covered and open ditches as found in most of the manuscripts and in

BOOK II 9-12

mouths of the open ditches^a But it will be best to make open dians wider at the top, and sloping and narrowing together at the bottom, like inverted roof-tiles, for those whose sides are perpendicular are quickly eroded by water and are filled in by the slipping of the earth above The covered ones, on the other hand are to be blinded by sinking trenches to a depth of three feet, and then, after they have received a filling half way up of small stones or clean gravel, levelling them off by throwing over them the dirt that was dug out Or, if stones and gravel are not available, a sort of cable of entwined brushwood will be fashioned of such a thickness as the bottom of the narrow trench may receive when it is fitted, so to speak, and pressed down close This will then be stretched along the bottom, to be covered over with earth after cypress or pine foliage—or, failing this, other boughs—has been trampled down over it, there being, both at the beginning and at the outlet of the ditch, two stones set up, merely by way of supports, with one stone laid on top of them in the fashion of little bridges, that this sort of structure may hold the banks in place and prevent the stoppage of water at inlet and outlet

There are two methods of handling a wooded and bushy stretch of land either by tearing out the trees by the roots and removing them or, if they are few, by simply cutting them down, burning them, and ploughing them under It is easy to clear stony

Lundström's text Earlier editors read *ut in patentes ora hiania caecarum competant*, "that the gaping mouths of the blind ditches may connect with those that are open" On the subject of ditching, cf Cato, 43 1, 155, and especially Pliny, *N H* XVIII 47, and Palladius, VI 3

LUCIUS JUNIUS MODERATUS COLUMELLA

lapidum, quorum si magna est abundantia, velut quibusdam substructionibus partes agri sunt occupandae, ut reliquae emundentur, vel in altitudinem sulco depresso lapides obruendi, quod tamen ita
 13 faciendum erit, si suadebit operarii utilitas¹ Iunci et graminis pernicies² repastinatio est, filicis³ frequens exstirpatio, quae vel aratio fieri potest, quoniam intra biennium saepius convulsa emouitur,⁴ celerius etiam, si eodem tempore stercores et lupino vel faba conseras, ut cum aliquo reditu medearis agri vitio Namque constat filicem sationibus et stercoreatione facilius interiri⁵ Verum et si subinde nascentem falce decidas, quod vel puerile opus est, intra praedictum tempus vivacitas eius absumitur
 14 Sed iam expediendi iudis agri rationem⁶ sequitur cultorum novarum cura, de qua mox quid censeam profitebor, si quae ante discenda sunt, arborum studiosis praecepero

Plurimos antiquorum, qui de rusticis rebus scripserunt memoria repeto quasi confessa nec dubia signa pinguis ac frumentorum fertilis agri prodidisse dulcedinem soli propriam, herbarum et arborum
 15 proventum, colorem⁷ nigrum vel cinereum Nihil de ceteris ambigo, de colore satis admirari non possum cum alios tum etiam⁸ Cornelium Celsum, non solum agricolationis sed universae naturae

¹ utilitas *R aliquot* - pernities *S, Lundstrom*

² felix *SA Lundstrom*

⁴ sic *Lundstrom*, praeeunte *Madvig* convulsae moritur vel moriuntur *codd et edd vulgo*, sed convulsa *Schneider, Cornigenda*

⁵ interiri *S¹A, Lundstrom*

⁶ ruris agricolationem *R plerique, vet edd*

⁷ colorem *om AR, vet edd*

⁸ etiam *om R, edd ante Schn*

BOOK II II 12-15

ground by gathering up the stones, and if there is a great quantity of them, parts of the field must be used for building them into piles of some sort, so that the other parts may be cleared off, or the stones will have to be buried in a deep-dug trench. This should be done, however, only if the cheapness of labour makes it advisable. The bane of rushes and grass 13 is repeated grubbing, of the fern it is constant uprooting, which may be done even with the plough, for it dies out within two years' time if torn up repeatedly, and even sooner if at the same time you apply manure and sow with lupines or beans so as to have some return while remedying the defects of the field. For it is agreed that the fern is more easily destroyed by sowing and manuring, but even if you cut it down with the sickle (which is a boy's work) as it sprouts out from time to time, within the aforesaid period its vigour is spent. But now, after 14 a consideration of the clearing of unbroken ground, comes the management of land newly brought under cultivation, and I shall set forth presently my own views on this, after I have given to those who are concerned with land in tillage some precepts on matters which must be learned first.

I recall that very many of the ancients who have written on agricultural topics have laid down as acknowledged and unquestioned evidence of fat and fertile grain-land the natural sweetness of the soil, its growth of herbage and trees, and its black or ashy colour. As to the other points I have no doubt, 15 but in the matter of colour I cannot marvel enough, not only that other writers but especially that Cornelius Celsus, a man of discernment not merely in

LUCIUS JUNIUS MODERATUS COLUMELLA

prudentem virum, sic et sententia et visu deerrasse, ut oculis eius tot paludes, tot etiam campi salinarum non occurrerent, quibus feie contribuuntur praedicti

16 colores Nullum enim temere videmus locum, qui modo pigrum contineat umorem, non eundem vel nigri vel cinerei coloris, nisi forte in eo fallor ipse, quod non putem aut in solo limosae paludis et uliginis amarae aut in maritimis areis salinarum gigni posse laeta frumenta Sed est manifestior hic antiquorum error, quam ut pluribus argumentis convincendus sit Non ergo color tamquam certus auctor testis est
17 bonitatis avorum, et ideo frumentarius ager, id est pinguis, magis aliis qualitatibus aestimandus est Nam ut fortissimae pecudes diversos et paene innumerabiles, sic etiam robustissimae terrae plurimos et varios colores sortitae sunt Itaque considerandum erit, ut solum quod excolere destinamus,
18 pingue sit Per se tamen id parum est, si dulcedine caret, quod utrumque satis expedita nobis ratione contingit discere Nam peregigua conspargitur¹ aqua glaeba manuque subigitur, ac si glutinosa est, quamvis levissimo tactu pressa inhaerescit et

piceis in morem ad digitos lentescit habendo,

ut ait Vergilius, eademque inlisa humo non dissipatur, quae res nos admonet inesse tali materiae naturalem

19 sucum et pinguitudinem Sed si velis scrobibus

¹ conspargitur *S* et *R* aliquot, *edd ante Lundstrom*

^a *Georg* II 250 Palladius (I 5 3) also considers this a test of fat soil, but Pliny (XVII 27) remarks that stickiness is not a true test of fat soil, for potter's clay has the same quality

husbandry but also in nature as a whole, went so far
 astray, both in his thinking and in his observation,
 that the many maishes and the many stretches of
 salt meadows, in which the above-mentioned
 colours are usually present, did not attract his
 notice For our casual observations reveal no 16
 place, provided it contains stagnant water, which
 is not of a black or ashy colour, unless perhaps I am
 myself mistaken in thinking that luxuriant grain
 crops cannot be produced in the soil of slimy swamp
 and blackish marshland or in a region of salt de-
 posits along the seacoast But this mistake of the
 ancients is too apparent to require refutation by
 further argument It is not the colour, then, that is,
 so to speak, the infallible voucher and witness of
 goodness of ploughland, and for that reason grain- 17
 land, that is rich land, is to be judged rather by
 other qualities For, as the sturdiest of farm animals
 have been allotted different and almost countless
 colours, just so the strongest soils have them in very
 great number and variety Accordingly, we must
 take care that the soil which we intend to cultivate
 is rich Still this of itself is not sufficient if it lacks 18
 sweetness, and we may come to know both qualities
 by a very easy method For a clod is sprinkled with a
 little water and kneaded in the hand, and if it is
 viscous and cohesive when firmed with the slightest
 touch and,

in the manner of pitch is shaped to the fingers in
 handling,

as Vergil says,^a and does not crumble when dashed
 to the ground, this test informs us that there is in
 such earth a natural moistness and fatness But when 19

LUCIUS JUNIUS MODERATUS COLUMELLA

egestam humum recondere et recalcare, cum aliquo quasi fermento abundaverit, certum erit esse eam pinguem, cum defuerit, exilem, cum aequaverit, mediocrem. Quamquam ista, quae nunc rettuli, non tam vera possint ¹ videri, si sit pulla terra, quae
20 melius proventu frugum approbatur. Saporem ² quoque sic ³ dinoscemus ⁴ ex ea parte agri, quae maxime displicebit, effossae glaebae et in fictili vaso madefactae dulci aqua permisceantur ac more faeculenti vini diligenter colatae gustu explorentur, nam qualem traditum ab eis rettulerit umor saporem, talem esse dicemus eius soli ⁵. Sed et citia hoc experimentum multa sunt, quae et dulcem terram et frumentis habilem significant, ut iuncus, ut calamus, ut gramen, ut trifolium, ebulum, rubi, pruni silvestres et alia complura, quae etiam indagatoribus aquarum nota non nisi ⁶ dulcibus terrae venis edu-
21 cantur. Nec contentos esse nos oportet prima specie summi soli, sed diligenter exploranda est inferioris materiae qualitas, terrena necne sit. Frumentis autem sat erit, si aequae bona suberit bipedanea humus, arboribus altitudo quattuor pedum abunde est. Haec cum ita exploraverimus, agrum sationibus

¹ possunt *M Ald, Gesn, Schn*

² Saporem *Ald, Gesn, Schn*

³ sic *om Gesn, Schn*

⁴ dinoscemus, si ex *Ald, Gesn, Schn*

⁵ humi *M*

⁶ non tamen nisi *AR, veti edd*

^a Such a soil test is mentioned also by Vergil (*Georg II* 226-237) and Palladius (*loc cit*). Pliny (*loc cit*) rejects the test as inconclusive.

^b Cf *I Praef 24*

^c On testing by tasting cf *De Arb 3 6*, Vergil, *Georg II* 238-247, Palladius, *loc cit*

LUCIUS JUNIUS MODERATUS COLUMELLA

faciundis expediemus Is autem non minimum exuberat, si cumose et scite subigitui Quare antiquissimum est formam huius operis conscribere,¹ quam velut sectam legemque in proscindendis agris sequantur agricolae

- 22 Igitur in opere boves arte iunctos habere convenit, quo speciosius ingradientui sublimes et elatis capitibus ac minus colla eorum labefactentui iugumque melius aptum cervicibus insadat Hoc enim genus iuncturae maxime probatum est Nam illud, quod in quibusdam provincis usurpatur, ut cornibus inligetur iugum, feie repudiatum est ab omnibus qui praecepta rusticis conscripserunt, neque immerito
- 23 Plus enim queunt pecudes collo et pectore conari quam cornibus, atque hoc modo tota mole corporis totoque pondere nituntur, at illo retractis et resupinis capitibus excruciantur aegreque tenae summam partem levi admodum vomere sauciant Et ideo minoribus aratus moluntur, quia² non valent alte perfossa novalum terga³ rescindere, quod cum fit, omnibus virentibus plurimum confertui,⁴ nam penitus arvis sulcatis maiore incremento segetum arborumque
- 24 fetus grandescunt Et in hoc igitur a Celso dissentio, qui reformidans impensam, quae scilicet largior est in amphoribus armentis,⁵ censet et exiguis vomeribus et dentalibus terram subigere, quo minoris formae bubus id administrari possit, ignorans plus esse

¹ conscripsere *A et R plerique*

² quia *S, Lundstrom* qui *AR*, et vulgo

³ terra *AR* ⁴ confert *Ald, Gesn, Schn*

⁵ armentis *edd* argumentis *SAR* iugamentis *M*

^a Cf Palladius, II 3 1 Pliny, though apparently in agreement with Columella (*N H XVIII* 177), speaks of yoking by the head as customary in the Alps (*N H VIII* 179)

field in readiness for planting, and it yields no trifling increase if it is worked with care and understanding. For this reason it is a matter of first importance to put a plan of this kind of work in writing, that husbandmen may adhere to it as a pattern and a law in the breaking up of their fields.

To proceed then, it is proper to have oxen closely yoked while at work, so that they will move with a more stately gait, with lofty bearing and heads held high, also that their necks may be galled less, and that the yoke may sit more closely on their shoulders. This method of yoking is most approved, for the method in use in some provinces—fastening the yoke to the horns—has been condemned by almost all who have written precepts for husbandmen, and not without reason. For cattle can put forth more effort with neck and shoulders than with the horns,^a and in this way they exert themselves with the entire bulk of the body and its whole weight, but in the other way, with their heads pulled back and faces turned upward, they are tortured, and barely scratch the surface of the ground with a very light ploughshare. And it is for this reason that they work with smaller ploughs, because they are unable to tear up the surface of new ground and dig it deep, but when this is done, all growing things are greatly benefited, for when ploughlands are deeply furrowed the fruits of crops and trees swell with greater increase. On this point, therefore, I disagree with Celsus, who, shrinking from the expense which is undoubtedly greater in the case of larger cattle, advises the breaking up of land with small shares and share-beams, so that it may be accomplished with oxen of smaller size, disregarding the fact that the revenue in fruit-

LUCIUS JUNIUS MODERATUS COLUMELLA

reditus in ubertate frugum quam impendū, si maiora
 meicemui armenta, praesertim in Italia, ubi arbustis
 atque oleis consitus agei altius resolvi ac subigi
 desiderat, ut et summae radices vitium olearumque
 vomeribus rescindantur, quae si maneant, frugibus
 obsint, et inferiores penitus subacto solo facilius
 25 capiant umoris alimentum Potest tamen illa Celsi
 ratio Numidiae et Aegypto convenire, ubi plerumque
 arboribus viduum solum frumentis seminatur, atque
 eius modi terram pinguibus haenis putiem velut
 cinerem solutam quamvis levissimo dente moveri
 satis est Bubulcum autem per proscissum ingredi
 oportet alternisque versibus obliquum tenere aratrum
 et alternis recto plenoque sulcare, sed ita necubi
 crudum solum et immotum relinquat, quod agricolae
 26 scamnum vocant, boves, cum ad arboiem venerint,
 fortiter retinere ac retardare, ne in radicem maiore
 nisu vomis impactus colla commoveat, neve aut
 cornu bos ad stipitem vehementius offendat aut
 extremo iugo truncum delibet ramumque deplantet
 Voce potius quam verberibus terreat, ultimaque sint
 opus recusantibus remedia plagae Numquam sti-
 mulo lacessat iuencum, quae res taetricum¹ calcitro-
 sumque eum reddit, non numquam tamen admoneat

¹ quae res taetricum scripsi, praeeunte ex parte Lundstrom
 (q r taetratum) quae rescae tratum SA q, recte (vel
 recte) tractum R iuencumque recte (vel recte) tractum
 vet edd quod retractantem Gesn, Schn, praeeunte Ursino
 (q retractantem)

^a The *arbustum* was a plantation of trees to which vines
 were trained

^b Cf Varro, *L L V* 135, *dens, quod eo mordetur terra*

^c I.e. a "skip" or "balk" On the matter of ploughs

fulness of crops outweighs the expense of buying heavier draught animals, and especially in Italy, where the land, being planted with vineyards ^a and olives, wants to be broken and worked rather deep, so that the uppermost roots of vines and olives, which are detrimental to the yield if they are left, may be cut off by the ploughshares, and that the deeper roots may receive the nourishment of moisture more readily when the ground is deeply worked. Still ²⁵ Celsus' method may be suited to Numidia and Egypt, where, as a rule, the land is destitute of trees and is sown with grain, and soil of that sort, crumbling with fat sands, and like loose ashes, is stirred sufficiently with the lightest plough-point (*dens*) ^b. The ploughman, moreover, must walk upon the broken ground and in every other furrow must hold his plough slantwise, running alternate furrows with the plough upright and at its full depth, but in such a way as not to leave anywhere any solid and unbroken ground, which farmers call *scamnum* ^c. When the oxen come ²⁶ to a tree, he must keep them firmly in hand and check their pace, for fear that the driving of the ploughshare with too great force against a root may jolt their necks, and so that an ox may not strike a horn violently against the bole of the tree, or graze the trunk or break off a branch with the end of the yoke. He should keep them in dread of his voice rather than of his lash, blows being his last resort when they balk at a task. He should never urge a bullock with a goad, for this makes him irritable and inclined to kick, yet he may urge him on now and then with a

and ploughing, particularly with reference to this chapter and the three following, see Fairfax Harrison, "The Crooked Plow," *Classical Journal* XI 323-332

LUCIUS JUNIUS MODERATUS COLUMELLA

27 flagello Sed nec in media parte versurae consistat
 detque requiem in summa, ut spe cessandi totum
 spatium bos agilius enitatur Sulcum autem ducere
 longiorē quam pedum centum viginti contrarium
 pecori est, quoniam plus aequo fatigatur ubi hunc
 28 modum excessit Cum ventum erit ad versuram, in
 priorem partem iugum propellat et boves inhibeat,
 ut colla eorum refrigescant, quae celeriter confla-
 grant, si adsidue stringuntur,¹ et ex eo tumor ac
 deinde ulcera invadunt Nec minus dolabra quam
 vomere bubulcus utatur et praefiactas stirpes sum-
 masque radices, quibus ager arbusto consitus impli-
 catur, omnes refodiat ac persequatur

III Boves cum ab opere disjuncti, substrictos
 confricet, manibusque comprimat dorsum et pellem
 revellat nec patiatui corpori adhaerere, quia et ²
 2 genus morbi maxime est armentis noxium Colla
 subigat merumque faucibus, si aestuaverint, infundat,
 satis autem est singulis vini ³ sextarios praebere
 Sed ante ad praesaepia boves religari non expedit,
 quam sudare atque anhelare desierint Cum deinde
 tempestive potuerint vesci, non multum nec uni-
 versum cibum, sed partibus et paulatim praebere
 convenit Quem cum absumpserint, ad aquam duci

¹ si stringuntur *scripsi* nisi (ex nt si?)
 stringantur (astringantur *M*) *codd*, *vett* *edd*, *Lundstrom*
 refrigerentur *Ald*, *Gesn* *Schn*

² et *SAR* id *edd* ante *Schn* ³ binos *Ald*, *Gesn*, *Schn*

^a *I*e the part of the neck embraced by the bow of the yoke

whip He should not stop in the middle of the 27
 furrow, but should allow a rest at the end of it, so that
 the ox will exert himself more energetically the
 whole way in the hope of stopping But to run a
 furrow more than one hundred and twenty feet in
 length is injurious to a beast, for he is wearied more
 than is right when he goes beyond this limit When 28
 the turning-point is reached, the ploughman
 should push the yoke forward and hold the oxen back,
 to allow their necks to cool off, for these quickly be-
 come inflamed if they are constantly bound, and as a
 result there arises a swelling and then running sores
 And the ploughman should use the mattock no less
 than the ploughshare, and should dig up and hunt
 out all the broken stumps and surface roots with
 which a field is infested when it is planted with trees
 for supporting vines

III When the ploughman has unyoked his oxen
 after work, he should rub the lower parts that were
 bound,^a knead the upper part^b with his hands, and
 pull up the skin and not allow it to cling to the
 body, for this, too, is a kind of ailment very in-
 jurious to cattle^c He should rub down their necks 2
 and pour unmixed wine down their throats if they are
 heated, and it is enough to give a pint of wine to each
 But it is not proper for oxen to be tied to their cribs
 before they have stopped sweating and panting
 Then, when they are in proper condition for feeding,
 it is best not to give them much feed, and not the
 whole amount at once, but to portion it out, a little
 at a time When they have consumed this, they

^b Lit, the back (of the neck), pressed by the bar of the yoke

^c An affliction called *coriago*, "hidebound" Cf VI 13 2-3, and Vegetius, *Vet* IV 12 1, for causes and treatment

LUCIUS JUNIUS MODERATUS COLUMELLA

oportet sibiloque adlectari, quo libentius bibant, tum demum reductos laigiorē pabulo satiari

Hactenus de officio bubulci dixisse abunde est Sequitur ut tempora quoque subigendi arvi prae-
cipiamus

- IV Pingues campi, qui diutius continent aquam, prosciendendi sunt anni tempore iam incalescente, cum omnis herbas ediderint neque adhuc earum semina maturuerint, sed tam frequentibus densisque sulcis arandi sunt, ut vix dinoscatui, in utram partem vomer actus sit, quoniam sic omnes radices herbarum
2 peruptae necantur Sed et compluribus iterationibus sic resolvatur vervactum in pulverem, ut vel nullam vel exiguam desideret occasionem,¹ cum seminavimus² Nam veteres Romani dixerunt male subactum agrum, qui satis frugibus occandus sit
3 Eum porro an recte aretur frequenter explorare debet agricola, nec tantum visu, qui fallitur non numquam superfusa terra latentibus scamnis, verum etiam tactu, qui minus decipitur cum solidi rigoris admota pertica transversis sulcis inseritur Ea si aequaliter ac sine offensatione³ penetrauit, manifestum est totum solum deinceps esse motum, sin autem subeunti durior aliqua pars obstitit, crudum vervactum esse demonstrat Hoc cum saepius bubulci fieri vident, non committunt scamna facere

¹ occasionem SA, et R plerique

² seminabimus S, vet. edd. seminaverimus vulgo ante Lundstrom

³ offensatione Ald, Gesn, Schn

^a Vervactum is defined by Varro (R R I 44 2) as land that sometimes rests between crops, while land that is worked every year is called *restibilis* Pliny, N H XVIII 76, *quod vere semel aratum est, a temporis argumento vervactum vocatur*

^b Cf Palladius, II 3 2

should be led to water and enticed by whistling to drink more freely, and then taken back to eat their fill of a more generous allowance of fodder.

It is enough to have discussed the duties of the ploughman up to this point. Our next step is to give directions also as to the seasons for breaking up ploughland.

IV Rich plains which hold water for a considerable length of time are to be broken at a time of year when it is growing warm, after they have put forth all their vegetation and while the seeds of this vegetation have not yet ripened, but they should be ploughed with furrows so numerous and close together that it can hardly be told in what direction the ploughshare has been driven, for in this way all the roots of the growth are broken off and killed. But fallow ² land^a should be so pulverized by much re-ploughing that it will require no harrowing, or very little, after we have put in the seed. For the ancient Romans said that a field was poorly prepared when it had to be harrowed after the crop was in the ground. Furthermore, a farmer should examine it ³ frequently to see whether it is properly ploughed—and not merely by sight, which is sometimes mistaken when earth is scattered over unploughed skips that lie hidden, but also by touch, which is deceived the less when a strong and stiff pole is put to use and pushed into the furrows crosswise. If it goes in to a uniform depth and without striking anything, it is clear that all the ground has been stirred in turn, but if some harder spot obstructs its entrance, it shows that there is unbroken fallow. When ploughmen observe that this is done rather frequently, they are not guilty of leaving skips^b. Wet

LUCIUS JUNIUS MODERATUS COLUMELLA

Igitur uliginosi campi proscindi debent post Idus
 4 mensis Aprilis Quo tempore cum aiat fuerint,
 viginti¹ diebus interpositis circa solstitium, quod
 est nonum vel octavum Kalendas Iulias, iteratos esse
 oportebit ac deinde circa Septembris Kalendas
 tertiatos, quoniam in id tempus ab aestivo solstitio
 convenit inter peritos rei rusticae non esse aiandum,
 nisi si magnis, ut fit non numquam, subitaneis
 imbribus quasi hibernis pluvius terra permaduerit
 5 Quod cum accidit, nihil prohibet quo minus mense
 Iulio vervacta subigantur Sed quandoque² arabi-
 tur, observabimus ne lutosus ager tractetur neve
 exiguis nimbis semimadidus, quam terram rustici
 variam cariosamque appellant, ea est cum post
 longas siccitates levis pluvia superiorem partem
 glaebarum madefecit, inferiorem non attigit Nam
 quae limosa versantur arva, toto anno desinunt posse
 tractari nec sunt habilia sementi aut occationi aut
 sationi,³ at rursus, quae varia subacta sunt, continuo
 6 triennio sterilitate adficiuntur Medium igitur
 temperamentum maxime sequamur in arandis agris,
 ut neque suco careant nec abundant ulgine, quippe
 nimius umor, ut dixi, limosos lutososque reddit, at
 qui siccitatibus aruerunt, expediri probe non possunt

¹ viginti om AR, edd ante Schn

² quodocumque M, edd ante Gesn

³ sarritioni Schn, praeceuntibus Ursino et Pontedera

^a I e after April 13th Cf Palladius, V (April) 2 4

^b June 23rd or 24th

^c September 1st

champaign lands, then, should be broken after the Ides of April^a When they are ploughed at this 4 time, they should be gone over a second time after the passing of the twenty days around the solstice—which falls on the ninth or eighth day before the Calends of July^b—and then a third time in the neighbourhood of the Calends of September,^c for it is agreed among experts in husbandry that no ploughing should be done from the summer solstice up to this time unless, as sometimes happens, the earth is soaked with heavy and sudden showers as if by winter rains In this case there is no objection 5 to breaking fallow land in the month of July But whenever the ploughing is done, we must be careful not to let a field be worked when it is muddy or half soaked from light rains—a condition of soil which farmers call *varia* and *cariosa*,^d that is, when, after a long drought, a light rain wets the upper surface of the clods but does not reach the lower part For ploughlands which are turned over when they are muddy cannot be worked for a whole year, and they are not fit for sowing or harrowing or planting, but, on the other hand, those which are ploughed when they are *varia* are visited with barrenness for three successive years^e Let us, then, above all, follow a 6 middle course in ploughing our lands, that they may neither be entirely wanting in dampness nor immoderately wet, for too much moisture, as I have said, makes them sticky and muddy, while those that are parched with drought cannot be properly loosened

^a Cf Cato, 5 6 Pliny (*N H* XVII 34-35), commenting on Cato's precept, compares carious ground with the rottenness of wood, as being dry, spongy, full of holes, weak, unfruitful, and not fit for anything

^e Cf Palladius, II 3 2-3

LUCIUS JUNIUS MODERATUS COLUMELLA

- Nam vel respuitur duntia soli¹ dens aratri, vel si qua parte penetrauit, non minute diffundit humum, sed vastos caespites convellit, quibus obiacentibus impeditum aruum minus recte potest iterari, quia ponderibus glaebarum, sicut aliquis² obstantibus fundamentis vomis a sulco repellitur, quo evenit ut in iteratione quoque scamna fiant et boves iniquitate
- 7 operis maxime mulcentur. Accedit huc, quod omnis humus quamvis laetissima tamen inferiorem partem iuniorem habet, eamque attrahunt excitatae maiores glaebae, quo evenit ut infecundior materia mixta pinguiori segetem minus uberem reddat, tum etiam ratio rustici adgravatur exiguo profectu operis
- 8 Iusta enim fieri nequeunt, cum induit ager. Itaque siccitatibus censeo quod iam proscissum est iterare pluuiamque opperiri, quae madefacta terra facilem nobis culturam praebeat. Sed iugerum talis agri quattuor operis expeditur, nam commode proscinditur duabus, una iteratur, tertiatur dodrante, in liram satum³ redigitur quadrante operae. Liras autem rustici vocant easdem porcas, cum sic aratum est ut inter duos latius distantes sulcos medius
- 9 cumulus siccam sedem frumentis praebeat. Colles pinguis soli peracta satione trimestrium⁴ mense Martio, si vero tepor caeli siccitasque regionis suade-

¹ solis *codd*

² aliquibus *R pauci*, *edd ante Lundstrom*

³ statim *R pauci*, *edd ante Gesn*

⁴ trimestri *Ald*, *Gesn*, *Schn*

^a About three fifths of an acre

^b Varro says (*R R I 29 3*) that the ridges between the furrows are called *porcae* because that soil produces (*porricit*) the grain

For either the point of the plough is rejected by the hardness of the ground or, if it does enter at some spot, it does not break the soil into fine particles, but tears up huge clods, and when these lie in the way, the plough-land is under a handicap and cannot be properly worked at the second ploughing, because the ploughshare is thrown out of the furrow by the weight of the clods as though by some deep-seated obstructions, with the result that hard skips are left even in the re-ploughing and that the oxen are severely injured by the unevenness of the strain. Added to this is that all ground, though it be never 7 so rich, still has poorer soil underneath, and when the larger clods are turned up they bring this with them, the result being that the less productive soil, mixed with the richer, grows a less bountiful crop, and in addition the accounting of the farmer is made more difficult by the poor progress of his work, for the proper tasks cannot be completed when the ground is hard. For this reason my advice is, in dry 8 weather, to replough ground already broken, and to wait for rain which, by its soaking of the earth, makes cultivation easy for us. But a *ugerum*^a of such land is prepared with four days' labour, for it is broken easily in two days, gone over a second time in one, a third time in three-fourths of a day, and is formed into ridges and sown in one-fourth of a day. These ridges, moreover, country folk call *porcae*^b when the ground is ploughed in such a way that the earth heaped up between two widely separated furrows affords a dry bed for the grain. Hillsides where 9 the soil is rich should be broken after the sowing of the three-months crops is completed, in the month of March, or, if the warmth of the climate and the

LUCIUS JUNIUS MODERATUS COLUMELLA

bit, Februario statim proscindendi sunt Deinde ab Aprile medio usque in solstitium iterandi, tertianisque Septembri circa aequinoctium, ac totidem operis, quot uliginosi campi, excolitur iugerum talis agri

- 10 Sed¹ in arando maxime est observandum, semper ut transversus mons sulcetur Nam hac ratione difficultas acclivitatis infingitur, laborque pecudum et hominum commodissime sic minuitur Paulum tamen, quotiensque² iterabitur, modo in elatiora, modo in depressiora clivi obliquum agi sulcum oportebit, ut in utramque partem rescindamus
- 11 nec eodem vestigio terram moliamur Exilis ager planus, qui aquis abundat, primum aretur ultima parte mensis Augusti, subinde Septembri sit iteratus paratusque ad sementim³ circa aequinoctium Expediitior autem labor eius modi solo est, eoque⁴ pauciores impenduntur operae, nam tres uni iugero sufficiunt Item graciles clivi non sunt aestate arandi, sed circa Septembres Kalendas, quoniam si ante hoc tempus proscinditur, effeta et sine suco humus aestivo sole peruritur nullasque virum reliquias habet Itaque optime inter Kalendas et Idus Septembris aratur ac subinde iteratur, ut primis pluvius aequinoctialibus conseri possit, neque in ira, sed sub sulco talis ager seminandus est

V Prius tamen quam exilem terram iteremus,

¹ iugerum Sed tali agro *Schn*

² quotienscumque *edd ante Lundstrom*

³ ad sementim *Lundstrom* ac sementi *SA et R plerique sementi vulgo*

⁴ sic *Lundstrom cum codd, ut videtur* eo quod *M, et vulgo*

dryness of the region make it advisable, even in February. Then between the middle of April and the solstice they should be gone over a second time, and a third time in September around the equinox, and a *ugerum* of such ground is prepared with the same number of days labour as wet champaign land.

But especial care must be taken in the ploughing 10
always to run the furrow crosswise to the slope, for by this method the difficulty of the ascent is mitigated, and the toil of man and beast is thereby lessened most handily. Still, whenever it is reworked, the furrows should be run somewhat obliquely, now uphill, now downhill, so that we may tear up the ground in both directions and not work it in the same track. Lean land which lies level and is well watered 11
should be ploughed for the first time during the latter part of the month of August, then gone over again a second time in September, and put in readiness for sowing about the time of the equinox. In ground of this sort, moreover, the work is easier, and for this reason fewer days of labour are expended, for three days are sufficient for one *ugerum*. Lean and sloping ground, likewise, is not to be ploughed in summer, but around the Calends of September, ^a for if it is broken before this time, the earth, being exhausted and destitute of moisture, is burned by the summer sun and has no reserves of strength. Therefore it is best to plough it between the Calends and the Ides of September, ^b and then to work it again immediately, so that it may be sown during the first rains of the equinox, and such land is to be sown, not in the ridges, but in the furrows.

V Still, before we give lean land its second

LUCIUS JUNIUS MODERATUS COLUMELLA

stercorare conveniet, nam eo quasi pabulo gliscit In campo rarius, in colle spissius, acervi stercoreis instar quinque modiorum disponentur, atque in plano pedes intervalli quoquoersus octo, in clivo duobus minus relinqui sat erit Sed id nobis decrecente luna fieri placet, nam ea res herbis liberat segetes Iugerum autem desiderat, quod spissius stercoreatur, vehes quattuor et viginti, quod rarius, 2 duodeviginti Disiectum deinde protinus fimum inarari et obiri¹ convenit, ne solis halitu vires amittat et ut permixta humus praedicto alimento pinguescat Itaque, cum in agro disponentur acervi stercoreis, non debet maior modus eorum dissipari,² quam quem bubulci eodem die possint obruere

VI Quoniam sementi terram docuimus praeparare, nunc seminum genera persequamur³ Prima et utilissima sunt hominibus frumenta triticum et semen adoieum Triticum genera complura cognovimus, verum ex his maxime serendum est, quod robur dicitur, quoniam et pondere et nitore praestat 2 Secunda conditio est habenda siliginis, cuius species in pane praecipua pondere deficitur Tertium erit trimestre,⁴ cuius usus agricolis gratissimus, nam ubi propter aquas aliamve causam matura satio est omissa, praesidium ab hoc petitur Id porro⁵ genus

¹ obrui *R pauci, et vulgo adruu codd plerique, Lundstrom*

² dissipari *SA, Lundstrom*

³ persequemur *edd ante Lundstrom*

⁴ trimenstre *S, Lundstrom*

⁵ porro *om AR, edd ante Lundstrom*

^a 1 *modus* = about 1 peck

^b One cart load contained eighty *modii*, cf XI 2 86 and Palladius, X 1 2

ploughing, it will be best to manure it, for on such food, so to speak, it grows fat On level ground piles of manure, about five *modi* ^a to the pile, should be placed farther apart, and on hilly land closer together on the level it will suffice to leave an interval of eight feet each way, on a slope two feet less My own preference is that this be done when the moon is waning, for this frees the crops from weeds Furthermore, one *ugerum*, if manured heavily, requires twenty-four loads, ^b if lightly, eighteen Then the manure, once it is spread, should be ² ploughed in immediately and covered over, that it may not lose its strength from the heat of the sun and that the soil, being mixed with it, may grow fat on the aforesaid nourishment And so, when piles of manure are distributed in a field, the number of those so scattered should not exceed what the ploughmen can dig in on the same day

VI Inasmuch as we have given directions for the preparation of the ground for sowing, let us now treat of the kinds of seed The grains of first importance and most useful to mankind are wheat and spelt We know of several varieties of wheat, but of this number that called *robustus* or "ruddy" is most suitable for sowing, because it is superior in both weight and brightness Second place must be given to *siligo* ² or winter wheat, which is of excellent appearance in bread ^c but lacking in weight The third shall be the three-months wheat, the use of which is most gratifying to farmers, for when, because of rains or some other reason, an early sowing has not been made, recourse is had to this This, again, is a variety of

^a Because of its whiteness, cf II 9 13, and Pliny, *N H* XVIII 86

LUCIUS JUNIUS MODERATUS COLUMELLA

est siliginis Reliquae tritici species, nisi si quos
 multiplex varietas frugum et inanis delectat gloria,
 3 supervacuae sunt Adorei autem plerumque videmus
 in usu genera quattuor far, quod appellatur Clusi-
 num, candidi oris¹ et nitidi, fai, quod vocatur
 vennuculum rutilum atque alterum candidum, sed
 utrumque maioris ponderis quam Clusinum, semen
 trimestre, quod dicitur halic astrum, idque pondere
 4 et bonitate est praecipuum Sed haec genera tritici
 et adorei propterea custodienda sunt agricolis,
 quoniam raro quisquam ager ita situs est, ut uno
 semine contenti esse possimus, interveniente parte
 aliqua vel uliginosa vel arida Triticum autem sicco
 loco melius coalescit, adorem minus infestatur
 umore

VII Leguminum genera cum sint complura,
 maxime grata et in usu hominum videntur faba,
 lenticula, pisum, phaselus, cicer, cannabis, milum,
 panicum,² sesama, lupinum, linum etiam et hordeum,
 quia ex eo tisana³ est Item pabulorum optima sunt
 2 Medica et faenum Graecum nec minus vicia, proxima
 deinde cicera et ervum et farrago, quae est ex hordeo
 Sed de his prius disseremus quae nostra causa semi-
 nantur, memores antiquissimi praecepti quo monemur

¹ sic distinxit Lundström candidioris SR (ex candidioris
 corr A), veti edd candoris Ald, Gesn, Schn candidioris
 grani et nitidi Pontedera

² panicum SA et R pauci

³ tisana SR plerique, Lundström tisanana A ptisana R
 pauci, Ald, Gesn, Schn ptissana veti edd

siligo The other kinds of wheat, except for those who find pleasure in a great variety of crops and in idle vainglory, are superfluous. Of spelt, however, 3 we commonly see four varieties in use: the spelt which is called Clusian,^a of a white and shiny appearance, that called *vennuculum*,^b one kind reddish and the other white, but both of greater weight than the Clusian, the three-months spelt, called *halicstrum*,^c which is excellent both in weight and in goodness. But these kinds of wheat and spelt 4 should be kept by farmers for this reason, that seldom is any land so situated that we can content ourselves with one kind of seed, as some strip which is either swampy or dry cuts through it. Further, wheat grows better in a dry spot, while spelt is less harmed by moisture.

VII Though there are very many kinds of pulse or legumes, those observed to be most pleasing and useful to man are the bean, the lentil, the pea, the kidney-bean, the chick-pea, hemp, millet, panic grass, sesame, lupine, also flax and barley, because from the last named is made *tisana*^d or barley-grits. Likewise of the fodder crops the best are Medic clover and fenugreek, and vetch no less so, and next in 2 order are chickling-vetch, bitter vetch, and mixed fodder made from barley. But of this number we shall first discuss those which are sown for our own sake,^e keeping in mind that very ancient rule in which

^a So called from Clusium, a town of Etruria, now Chiusi.

^b The derivation of the word is not known.

^c Or *alicastrum*, defined by Isidore *Orig.* XVII 3 9) as similar to the Greek *alica*.

^d Greek *πρωσωνη*, hulled and crushed barley.

^e As against fodder plants for animals, cf II 10 24.

LUCIUS JUNIUS MODERATUS COLUMELLA

ut locis frigidis novissime, tepidis celerius calidis ocissime¹ metamus² Nunc autem proinde ac si temperatae regioni praecepta dabimus

VIII Placet nostro poetae adorem atque etiam triticum non ante seminare quam occiderint Vergiliae Quod ipsum numeris sic edisserit

At si triticeam in messem robustaque farra
Evincebis humum solisque instabis aristis,
Ante tibi Eoae Atlantides abscondantur

- 2 Absconduntur autem altero et tricesimo die post autumnale aequinoctium, quod fere conficitur VIII Kal Octobris, propter quod intellegi debet tritici satio dierum sex et quadraginta ab occasu Vergiliarum, qui fit ante diem nonum Kalendas Novembris ad brumae tempora Sic enim servant prudentes agricolae, ut quindecim diebus prius quam conficiatur bruma, totidemque post eam confectam neque aient neque vitem aut arborem putent Nos quoque

¹ frigidis ocissime t c calidis novissime *Schneider ex Catone 34, praeunte Pontedera*

² metamus *SA et R pauci, vett edd* metamur *R nonnulli* metemur *vel* metantur *vel* metam *alii* sereremus (*alt re expunct M*) *M et Cod Bononiensis 2523* seramus *Ald*, *Gesn*, *Schn* iaciamus *Lundstrom*

^a The translation follows the MSS and earliest editions, against *seramus* "sow" and *iaciamus* "cast" of more recent editors Columella appears to be speaking of the harvest from the autumn sowing (*cf* 9 6 below, and Palladius, I 34 6), in which sowing the order would be reversed

^b *I e* the Pleiades, seven daughters of Atlas, in the constellation Taurus

^c Vergil, *Georg* I 219-221

^d Sept 23rd under the Julian Reform of 46 B C, but *cf* circa VIII Kal Oct (= Sept 24) in IX 14 11

we are warned to reap ^a in cold places last, in warm places sooner, and in hot places earliest of all For the present, however, we shall give rules applicable to a temperate region

VIII Our poet holds that spelt and even wheat should not be sown before the setting of the Vergiliae,^b a rule which he puts in verse as follows

But if for wheat or spelt you plough, intent on
grain alone,

Let Atlas' daughters at dawn be hid before the
planting's done ^c

Now they are "hidden" on the thirty-second day ² after the autumnal equinox, which usually falls on the ninth day before the Calends of October,^d by which it should be understood that the seed-time of wheat lasts for forty-six days—from the setting of the Vergiliae, which occurs on the ninth day before the November Calends,^e up to the time of the winter solstice ^f For wise husbandmen observe this rule to such an extent that, for fifteen days before the occurrence of the solstice and a like number afterwards, they do no ploughing and no pruning of vine or tree We, too, do not deny that

^e Oct 24th, but Nov 11th according to Pliny, *N H XVIII* 225 Varro (*R R I* 28 2) reckons fifty seven days between the setting of the Pleiades and the winter solstice

^f Columella puts the shortest day (*bruma*) of the year *circa VIII Kal Ian* (= Dec 25, *cf IX* 14 12), and, citing Hipparchus, *XVI Kal Ian* (= Dec 17, *cf XI* 2 94) But Columella's calendar is often confused Some explanation may be found in his statement in *IX* 14 12, when treating of bees, that he follows the calendars of Eudoxus and Meton and the ancient astronomers as adapted to the public sacrifices and better known to husbandmen than the more exact reckonings of Hipparchus

LUCIUS JUNIUS MODERATUS COLUMELLA

non abnumus in agio temperato et minime umido
3 sementem sic fieri debere, ceterum locis uliginosis
atque exilibus aut frigidis aut etiam opacis plerumque
citra ¹ Kalendas Octobris seminare convenire,

dum sicca tellure licet, dum nubila pendent,

ut prius convalescant radices frumentorum quam
hibernis imbribus aut gelicidus ² pruinisve infestentur
Sed quamvis tempestive sementis confecta erit,
cavebitur tamen ut patentes luas crebrosque sulcos
aquarios, quos non nulli elices vocant, faciamus et
omnem umorem in colliquias ³ atque inde extra
4 segetes derivemus ⁴ Nec ignoro quosdam veteres
auctores praecepisse ne seminantur agri, nisi
cum terra pluvius permaduisset, quod ego, si
tempestive competat, magis conducere agricolae
non dubito Sed si, quod evenit non numquam,
seri sunt imbres, quamvis sitienti solo recte semen
committitur, idque etiam in quibusdam provinciis,
ubi status talis caeli est, usurpatur Nam quod
siccو solo ingestum et inoccatum est, proinde ⁵ ac
si repositum in horreo non corrumpitur, atque ubi
venit imber, multorum dierum sementis uno die
5 surgit Tremelius quidem adseverat, prius quam
impluverit, ab avibus aut formicis sata non infestari,
dum aestivis serenitatibus ager aret, idque etiam
saepius nos experti verum adhuc esse ⁶ comperimus
Magis apte ⁷ tamen in eius modi agris adorem

¹ circa *R aliquot* ² gelidis *SA et R aliquot, Lundstrom*

³ colloquias *R* cloacas *M*

⁴ derivemus *R aliquot, Lundstrom* diruemus *SA*

⁵ perinde *M, et vulgo ante Lundstrom*

⁶ non post esse add *Schn*

⁷ apte omnes post ed *Reg 1496* alte vel alter vel alitur
codd

the sowing should be governed by this rule in land that is temperate and not at all moist, but in sections 3 that are wet and lean, or cold, or even shaded, it is usually proper to sow before the Calends of October,

while the dry earth permits, while clouds are in suspense,^a

so that the roots of the grain may gain strength before they are attacked by winter rains or cold or frost. But even though the sowing be finished in good season, still we must be careful to make wide ridges and frequent water-furrows, which some call *elices*, and to turn off all water into drains ^b and hence outside the grain-fields. And I am not unaware that some 4 ancient authorities have left directions that fields should not be sown except after the ground is well soaked with rain, and that this is to the greater advantage of the farmer, if it comes in due season, I have no doubt. But if the rains are late, as sometimes happens, the seed is safely intrusted to ground however thirsty, and that is actually the practice in certain provinces where such weather conditions exist. For seed that is put into dry ground and harrowed in, is no more injured than if it were stored away in a granary, and when the rain does come, the sowing of many days' standing sprouts up in one ^c. Tremelius, in fact, makes the statement 5 that seed sown before the rains begin is not injured by birds or ants when the soil is parched during the fair weather of summer, and I have even tried it rather frequently and have thus far found it to be true. However, in land of this sort it is more suitable to sow

^a Vergil, *Georg.* I 214 ^b Cf. Pliny, *N. H.* XVIII 179

^c Cf. Pliny, *N. H.* XVIII 203

LUCIUS JUNIUS MODERATUS COLUMELLA

quam triticum seritur, quoniam folliculum, quo continetur, firmum et durabilem adversus longioris temporis umorem habet

- IX Iugerum agri pinguis plerumque modios tritici quattuor, mediocris quinque postulat, adorem modios novem, si est laetum solum, si mediocre, decem desiderat. Nam quamvis de mensura minus auctoribus convenit, hanc tamen videri commodissimam docuit noster usus, quem si quis sequi recusat, utatur praeceptis eorum, qui uberem campum in singula iugera tritici, quibus¹ et adorem, octo modis obserere praecipiunt atque hac portione mediocribus agris
2 semina praebenda censent. Nobis ne istam quidem, quam praediximus, mensuram semper placet servari, quod eam variat aut loci aut temporis aut caeli conditio, loci, cum vel in campis vel collibus frumentum seritur atque his vel pinguibus vel mediocribus vel macris, temporis, cum autumno aut etiam ingruente hieme frumenta iacimus, nam prima sementis rarius serere permittit, novissima spissius postulat, caeli, cum aut pluvium aut siccum est, nam illud idem quod prima sementis, hoc quod ultima
3 desiderat. Omne autem frumentum maxime campo patente et ad solem prono apricoque et soluto laetatur, collis enim quamvis granum robustius aliquanto, minus tamen tritici reddit. Densa cretosaque et uliginosa humus siliginem et far adorem non incommode alit. Hordeum nisi solutum et siccum
4 locum non patitur. Atque illa vicibus annorum requietum agitatumque alternis et quam laetissimum

¹ tritici quinque, et *Ald*, *Gesn*, *Schn*

^a *I e* at the rate of about one and two thirds bushels an acre

spelt than wheat, as it has a husk enclosing it which is tough and resistant to moisture for a longer period

IX A *iugerum* of rich land usually requires four *modu* of wheat, a land of medium quality, five, it calls for nine *modu* of spelt if the soil is fertile, and ten if it is ordinary For although there is little agreement among authorities as to the quantity, yet my own experience has shown that this amount seems best suited, and anyone who does not care to comply with this may follow the directions of those who instruct us to sow a rich field with eight *modu* of wheat a *iugerum*, and the same for spelt, and who hold that seed should be supplied to medium land in this proportion My opinion is that not even the amount 2 which I have mentioned above is always to be held to, for the reason that conditions of place or season or weather cause it to vary of place, according as the grain is sown on level ground or hillsides, and these, too, either fat or medium or lean, of season, according as we cast the seed in autumn or even at the onset of winter, for the earlier sowing allows a lighter seeding while the later requires it to be heavier, of weather, according as it is rainy or dry, for the former requires the same as the early sowing, and the latter the same as the late Further, every sort of grain especially 3 delights in ground that is open and sloping toward the sun, warm and loose, for though hilly ground produces a somewhat stronger grain, it yields a smaller crop of wheat Soil that is heavy, chalky, and wet is not unsuited to the growing of winter wheat and spelt Barley tolerates no place except one that is loose and dry And the first mentioned 4 grains require ground that lies fallow and is worked by turns in alternate years and that is as rich as

LUCIUS JUNIUS MODERATUS COLUMELLA

volunt arvum, hoc nullam mediocritatem postulat, nam vel pinguissima vel macerima humo iacitur Illa post continuos imbris, si necessitas exigit, quamvis adhuc limoso et madente solo sparseris, iniuriam sustinent, hoc si lutoso commiseris, emori-
 5 tur Siliginis autem vel tritici, si mediocriter cretosus uliginosusve ager est, etiam paulo plus quam, ut prius iam dixi, quinque modus ad sationem opus est At si siccus et resolutus locus idemque vel pinguis vel exilis est, quattuor, quoniam et e contrario macer tantundem seminis poscit, nam nisi rare
 6 conseritur, vanam et minutam spicam facit At ubi ex uno semine pluribus culmis fructificavit,¹ etiam ex rara segete densam facit Inter cetera quoque non ignorare debemus quinta parte seminis amplius occupari² agrum consitum arbusto quam vacuum et apertum

Atque adhuc de satione autumnali loquimur, hanc
 7 enim potissimam ducimus Sed est altera, cum cogit necessitas semestrem³ vocant agricolae Ea locis praegelidis ac nivosis, ubi aestas est umida et sine vaporibus, recte committitur, ceteris admodum raro respondet Quam tamen ipsam celeriter et utique ante aequinoctium vernum conveniet peragere, si vero locorum et caeli conditio patietur, quanto
 8 maturius severimus, commodius⁴ proveniet Neque enim est ullum, sicut multi crediderunt, natura

¹ fructificavit *R aliquot, Ald, Gesn, Schn*

² quantam partem (*AR*) occupare (*R pauci*) *edd ante Schn*

³ semestrem *S* et *R aliquot, veti edd* semenstrem *A* et *R aliquot, Lundstrom* triticum semestrem (semenstrem) vel t semestre (semenstre) *R cett* trimestrem *Ald, Gesn, Schn*

⁴ tanto commodius *Ald, Gesn*, tanto *inclusit Schn*

BOOK II ix 4-8

possible, while the last named wants no middling ground, being sown either in very rich or very poor soil. Even though you sow the first mentioned in ground that is still muddy and wet after continuous rains, if necessity so demands, it withstands the injury, if you commit the last named to miry ground, it dies. However, if the field is moderately chalky or 5 marshy, you need for a sowing of the white winter wheat or common wheat somewhat more than the five *modi* that I mentioned above. But if the ground is dry and loose, no matter whether it be rich or poor, only four, for, conversely, lean land requires the same amount of seed, because if it is not sown thinly it produces a small and empty head. But when 6 it forms a stool of several stalks from one seed it makes a heavy stand even from a light sowing. Among other things, too, we should not overlook the fact that a field planted with trees for supporting vines requires one fifth more seed than a treeless and open field.

We have been speaking thus far of the autumn sowing, for this we regard as the most important. There is another sowing, however, when necessity 7 requires it—what farmers call the “half-month sowing”^a. This is practised to advantage in very cold and snowy regions where the summer is damp and free from intense heat, but in other places it very seldom yields a return. And even in this sowing it will be better to finish it quickly, and certainly before the spring equinox, in fact, if conditions of ground and of weather allow it, the sooner we sow the better the result will be. For there is no seed that naturally 8 requires three months, as many have believed, and

^a Or, perhaps better, *trimestrem* (“three months sowing”).
Cf. Palladius, I 6 16, Pliny, *N H* XVIII 69.

LUCIUS JUNIUS MODERATUS COLUMELLA

trimestre semen, quippe idem iactum autumnō melius respondet Sed¹ sunt nihilo minus quaedam alius potiora, quae sustinent veris tepores, ut siligo et hordeum Galaticum et halcastium granumque fabae Marsicae Nam cetera robusta frumenta semper ante hiemem seu debent in regionibus temperatis

Solet autem salsam non numquam et amaram uliginem vomere terra, quae quamvis matura iam sata manante novio umore corrumpit et locis calentibus² sine ulla stupe seminum areas reddit Ea glabreta³ signis adhibitis notari convenit, ut suo tempore vitus eius modi medeamur, nam ubi vel uligo vel alia quae⁴ pestis segetem enecat,⁵ ibi columbinum stercus vel, si id non est, folia cupressi convenit spargi et inarari Sed antiquissimum est omnem inde umorem facto sulco deducere, aliter vana erunt praedicta remedia Nonnulli pelle hyaenae satoriam trimodiam vestiunt atque ita ex ea, cum paulum immorata sunt semina, iaciunt non dubitantes proventura, quae sic sata sint Quaedam etiam subterraneae pestes adultas segetes radicibus subsectis enecant Id ne fiat, remedio est aquae mixtus sucus herbae, quam rustici sedum appellant, nam hoc medicamine una nocte semina macerata iaciuntur Quidam cucumeris anguinei umorem ex-

¹ Sed om. SA, Schn

² glabrentibus R pauci, et vulgo ante Schn

³ ea (eam, ea in) glabreta R plerique, et vulgo eam glaeba SA eam (ea in a) gleba ad eam glaebam Lundstrom

⁴ alia quae S, Lundstrom aliquae A aliqua R, et vulgo

⁵ negat SA

in fact the same seed will do better when planted in the autumn. There are, nevertheless, certain seeds that do better than others in enduring the heat of spring, such as white wheat (*siligo*), Galatian barley, the three-months spelt,^a and the grain of the Marsian bean, for the other hardy grains should always be sown before winter in temperate localities.

Further, the earth has a way, at times, of emitting a brackish and bitter ooze which blights even full-grown crops with its poisonous seepage and in warm localities leaves patches without even a single stalk from the seed. It is best that such bare spots be indicated by the use of markers, so that we may take measures against faults of this kind in due season, for in a place where oozy ground or some other plague kills out the crop it is best that pigeon dung or, failing that, cypress foliage be scattered and ploughed in. But the very first thing to do is to draw off all free water by running a furrow, otherwise the aforesaid remedies will be useless. Some people wrap a three-modius sowing measure in the skin of a hyena and broadcast the seed from it after it has remained there a while, not doubting that seed sown in this way will do well.^b Certain underground pests¹⁰ also kill out mature crops by cutting off their roots. As a remedy against this they use the juice of a plant which country people call *sedum*,^c mixed with water, for the seeds are sown after they have been soaked in this solution for one night. Some take the juice squeezed from the wild cucumber and the

^b Compare with this paragraph Palladius, X 3, and especially sec 2, *Si modium, quo seretur, hyaenae pelle vestieris, et ibi aliquandiu quod serendum est, esse patiaris, sata bene provenire feruntur*

^c The house leek

LUCIUS JUNIUS MODERATUS COLUMELLA

pressum et eiusdem tritam radicem diluunt aqua, similique ratione madefacta semina terrae mandant Alii hac eadem aqua vel amurca insulsa, cum coepit infestari seges, perfundunt sulcos et ita novia animalia summovent

Illud deinceps praecipendum habeo,¹ ut demessis segetibus iam in area futuro semini consulamus

- 11 Nam quod ait Celsus, ubi mediocris est fructus, optimam quamque spicam legere oportet separatimque ex ea semen reponere, cum rursus amplior messis provenierit, quicquid exteretur, capisterio expurgandum erit, et semper, quod propter magnitudinem ac pondus in imo subsederit, ad semen reservandum Nam id plurimum prodest, quia quamvis celerius locis umidis, tamen etiam siccis frumenta degenerant, nisi cura talis adhibetur ²
- 12 Neque enim dubium est ex robusto semine posse fieri non robustum, quod vero protinus ex levi ³ natum sit, numquam robur accipere manifestum est, ideoque Vergilius cum et alia tum et hoc de seminibus praeclare sic disseruit

Vidi lecta diu et multo spectata labore
Degenerare tamen, ni vis humana quotannis
Maxima quaeque manu legeret, sic omnia fatiis
In peius ruere ac retro sublapsa referri

¹ habeto *R plerique*

² sic *SA*¹, *Lundstrom* adhibeatur *R*, et vulgo

³ exile *R*, et vulgo ante *Schn*

^a Cf Varro, *R R* I 2 25

^b Georg I 197-200

crushed root of the same, dilute it with water, and after soaking the seeds in the same way they consign them to the earth ^a Others sprinkle the furrows with this same liquid or with unsalted lees of oil, when the crop begins to be infested, and so drive off the destructive creatures

The next direction that I have to offer is that when the crops have been harvested and are on the threshing-floor, we should consider the sowing that is to follow For, as Celsus remarks, when the harvest 11 is just ordinary we should select all the best heads and store the seed from them by itself, when, in turn, there is a more generous yield, everything that is threshed out should be cleaned with a sieve, and the grain that settles to the bottom because of its size and weight should always be kept for seed This is a most beneficial measure because, while grain deteriorates more rapidly in damp places, it also does 12 so in dry places unless such pains are taken For there is no doubt that from strong seed there can be produced seed that has no strength, but it is obvious that what is produced continuously from weak seed can never acquire strength For that reason Vergil, in treating of other matters, has also expressed himself very clearly on the subject of seeds, as follows,

Some I have seen deteriorate, though chosen with
great care

And long examination, if with toil of man
The largest were not hand-picked every year
But so the will of Fate All things are doomed
To hasten to the worse and, downward turned,
To take a backward course ^b

LUCIUS JUNIUS MODERATUS COLUMELLA

- 13 Granum autem rutilum si, cum est diffissum,¹ eundem colorem interiorem habet, integrum esse non dubitamus, quod extrinsecus albidum, intus etiam candidum conspicitur,² leve ac vanum intellegi debet. Nec nos tamquam optabilis agricolis fallat siligo, nam hoc tritici vitium est et, quamvis candore praestet, pondere tamen vincitur. Verum in umido statu caeli recte provenit et ideo locis manantibus magis apta est. Nec tamen ea³ longe nobis aut magna difficultate requirenda est, nam omne triticum solo uliginoso post tertiam sationem convertitur in siliginem.
- 14 Proximus est his frumentis usus hordei, quod rustici hexastichum, quidam etiam cantherinum appellant, quoniam et omnia animalia, quae ruri sunt, melius quam triticum pascit et hominem salubrius quam malum triticum,⁴ nec aliud in egenis rebus magis inopiam defendit. Seritur soluta siccaque terra et vel praevalida vel exili, quia constat arva segetibus eius macescere,⁵ propter quod pinguissimo agro, cuius nimis⁶ viribus noceri non possit, aut macro, cui nihil aliud, committitur.
- 15 Altero sulco seminari debet post aequinoctium, media fere sementi, si laeto solo, si gracili, maturius Iugerum quinque modios occupabit⁷. Idque ubi

¹ diffusum AR

² sic Lundstrom cum codd. conspicitur candidum vulgo

³ ea om. SA

⁴ alt. pascit (cibat M) post triticum add. R

⁵ marcescere A²R pauci, Lundstrom manascere A¹
manescere S

⁶ nimis SAa, Schn, Lundstrom

Further if a red grain, when cut in two, shows the 13
 same colour throughout, we have no doubt that it is
 sound, but one that is whitish outside and is also seen
 to be white inside, that should be set down as light
 and lacking in substance. And let us not be misled
 into thinking that *siligo* is desirable for farmers, for
 this is a degenerate kind of wheat, and though
 superior in whiteness, it is inferior in weight. It
 does well, however, in a humid climate, and for that
 reason is better suited to springy places. Still we
 need not go a great distance or to great pains to find
 it, for in wet ground every kind of wheat turns into
siligo after the third sowing.

Next to these grains in utility is that variety of 14
 barley which country people call *hexastichum*,^a some
 also call it *canthernum*^b because it is a better food
 than wheat for all animals that belong on a farm, and
 is more wholesome for humans than is bad wheat, and
 in times of scarcity there is nothing better in guarding
 against want. It is sown in loose, dry ground, either
 very rich or poor, because it is agreed that land is
 weakened by crops of it, for this reason it is com-
 mitted to a very fertile field, whose excessive strength
 cannot be impaired, or to a lean one to which nothing
 else is entrusted. The seed should be cast at the 15
 second ploughing, after the equinox, about the middle
 of seed-time if the soil is rich, and earlier if it is poor.
 One *iugerum* will take five *modii* of seed. And when

^a I.e. "six rowed" barley

^b "horse barley," from *cantherius*, a gelding (Varro, *R R*
 II 7 15)

⁷ *modii occupabunt Ald Gesn, Schn, sed modius occupabit
 maluit Schn in not, ex Pallad, Sept 4*

LUCIUS JUNIUS MODERATUS COLUMELLA

- paulum maturuerit, festinantius quam ullum aliud frumentum demetendum erit, nam et fragili culmo et nulla vestitum palea granum eius celeriter decedit, isdemque¹ de² causis facilius teritur quam cetera. Sed cum eius messem sustuleris, optimum est novalia pati anno cessare, si minus, stercore satiare et omne virus, quod adhuc inest teriae, propulsare.
- 16 Alterum quoque genus hordei est, quod alii distichum, Galaticum nonnulli vocant, ponderis et candoris eximii, adeo ut tritico mixtum egregia cibaria familiae praebeat. Seritur quam pinguissimis, sed frigidis locis circa Martium mensem, melius tamen respondet si clementia hiemis permittit, cum seminatur circa Idus Ianuarias. Iugerum sex modios postulat.
- 17 Inter frumenta etiam panicum ac milum ponenda sunt, quamvis iam leguminibus ea contribuerim, nam multis regionibus cibarius eorum coloni sustentur³. Levem solutamque humum desiderant, nec in sabuloso solo, sed in harena quoque proveniunt, modo umido caelo vel riguo solo, nam siccum
- 18 cretosumque reformidant. Ante ver seri⁴ non possunt, quoniam teporibus maxime laetantur, ultima tamen parte Marti mensis commodissime terrae committuntur. Nec impensa gravi rationem⁵ cultoris onerant, quippe sextarius fere quattuor iugerum implet, frequentem tamen exigunt sar-

¹ hisdemque vel his denique *R* plerique

² de om. *Sa*

⁴ versari *A*²*R*, *vett* *edd*

³ sustinerentur *A*

⁵ sationem vel sartionem *R*

^a "two rowed"

^b The Sarmatians, says Pliny (*NH* XVIII 100), lived chiefly on millet porridge, made with mare's milk or with blood drawn from the thigh of a horse, while the Ethiopians knew of no other grains than millet and barley. Panic was used by

BOOK II IX 15-18

this has ripened somewhat it should be harvested with more haste than any other grains, for, having brittle straw and grain that has no covering of chaff, it shatters quickly, and for the same reason it is more easily threshed than other grains. But when you have taken off a crop of it, it is best to let the ground lie fallow for a year, or if not, to saturate it with manure and drive out all the poison that still remains in the land. There is also a second variety of barley 16 which some call *distichum* ^a and others Galatian, of extraordinary weight and whiteness, so much so that when mixed with wheat it makes excellent food for the household. It is sown about the month of March in ground that is very rich but cold, it does better, however, if a mild winter allows it, when sown around the middle of January. One *ugerum* calls for six *modu*

Panic and millet also should be counted among 17 grain crops, even though I have already listed them among the legumes, for in many countries the peasants subsist on food made from them ^b. They require a light, loose soil, and thrive not only in gravelly ground but also in sand, if only the climate is moist or the ground well watered, for they have a great dread of dry and chalky ground. They cannot 18 be sown before spring, for they are fond of warm weather above all, but they are intrusted to the earth to best advantage in the latter part of March. They do not burden the farmer's budget with a heavy expense, as about four *sextarii* are enough for a *ugerum*, and yet they demand repeated hoeing and

the people of Gaul and Aquitania, by the people of Italy beyond the Po, and was held in highest esteem by the nations of Pontus (*ibid* 101)

tionem¹ et runcationem, ut herbis liberentur Ea cum spicas ediderunt, prius quam semina hient aestibus,² manu carpuntur, et suspensa in sole cum adsiccuerunt,³ reconduntur atque ita reposita perennant diutius quam cetera Panis ex milio conficitur, qui antequam refrigeret, sine fastidio potest absumi Panicum pinsitum⁴ et evolutum furfuere, sed milium⁵ quoque pultem quamvis in copia⁶ maxime cum lacte⁷ non fastidiendam praebet

X Quoniam de frumentis abunde praecepimus, de leguminibus deinceps disseremus⁸ Lupini prima ratio est, quod et minimum operarum absumit et vilissime emitur et maxime ex iis, quae seruntur, iuvat agrum Nam vineis iam⁹ emaciatis et avis optimum stercus praebet ac vel effeto solo provenit vel repositum in granario patitur aevum Boves per hiemem coctum maceratumque probe alit, famem quoque, si sterilitas annorum incessit, hominibus² commodè propulsat Spargitur statim ex area, atque id solum omnium leguminum non desiderat requiem in horreo,¹⁰ sive Septembri mense ante aequinoctium seu protinus a Kalendis Octobribus crudis novalibus ingeras, et qualitercumque obruas, sustinet coloni negligentiam Teporem tamen autumnus desiderat, ut celeriter confirmetur, nam si

¹ sarritionem *plerique edd ante Lundstrom*

² aestibus *om SA*

³ *sic SAM, Lundström* ad(as)siccaverunt vel ad(as)siccaverint *R plerique assiccaverint veti edd assiccata fuerint Ald, Gesn, Schn*

⁴ pinsatum *R plerique*

⁵ sed et milium *Ald, Gesn, Schn*

⁶ quavis in copia *Schn, praeunte Pontedera* quavis inopia *Ald, Gesn*

⁷ maxime cum lacte *om S (in marg man alt) A*

weeding to make them free of weeds. When they have formed their heads, before the seeds crack open with the heat, they are gathered by hand, hung in the sun, and stored away after they have dried, and when stored in this fashion they keep longer than other grains. Bread is made of millet, and it may 19 be eaten without distaste before it cools. Panic, when ground and freed from bran, and millet as well, makes a porridge which, especially with milk, is not to be despised even in time of plenty.

X Inasmuch as we have given sufficient instructions about grains, we shall next discuss the legumes. First consideration belongs to the lupine, as it requires the least labour, costs least, and of all crops that are sown is most beneficial to the land. For it affords an excellent fertilizer for worn-out vineyards and ploughlands, it flourishes even in exhausted soil, and it endures age when laid away in the granary. When softened by boiling it is good fodder for cattle during the winter, in the case of humans, too, it serves to ward off famine if years of crop failures come upon them. It is broadcast direct from the 2 threshing-floor, and it is the only one of all the legumes which does not require a rest in the bin, whether you sow it in unbroken fallow in the month of September before the equinox or immediately after the Calends of October, and whatever way you cover it, it withstands the carelessness of the farmer. Still it needs the mild temperature of autumn to become quickly established, for if it has not taken

⁸ *sic S, Lundstrom* *disseramus AR, et vulgo*

⁹ *iam om SA* ¹⁰ *in horreo om SA*

LUCIUS JUNIUS MODERATUS COLUMELLA

- non ante hiemem convaluit,¹ frigoribus adfligitur
- 3 Reliquum quod semini superest, in tabulatum, quo fumus pervenit, optime reponas,² quoniam si umor invasit, vermes gignit, qui simul atque oscilla lupinorum adederunt,³ reliqua pars enasci non potest Id, ut dixi, exilem amat terram et rubricam
- 4 praecipue, nam cretam reformidat limosoque non exit agro Iugerum decem modios⁴ occupat Ab hoc recte phaselus terrae mandabitur vel in vetereto⁵ vel melius pingui et restibili agro, nec amplius quattuor modus iugerum obseretur⁶ Similis quoque ratio est pisi, quod tamen facilem et solutam terram desiderat tepidumque locum et caelum frequentis umoris Eadem mensura iugerum vel modio minus quam phaselum licet obserere primo tempore sementis ab aequinoctio autumnali⁷
- 5 Fabae pinguissimus locus vel stercoratus destinetur⁸ et si veteretum erit in valle situm, quod a superiore parte sucum accipit Prius autem iacemus⁹ semina, deinde proscindemus terram proscissamque in liram revocabimus occabimusque, quo altius largiore humo contegatur, nam id plurimum refert, ut radices enatorum seminum penitus demersae sint Sin autem proximae messis occupandum erit restibile, desectis stramentis quattuor

¹ convaluerit *R* plerique, *edd* ante *Lundstrom*, sed convaluit maluit *Schn*

² reponis *Ald*, *Gesn*, *Schn*

³ adederunt *A* edederunt vel ediderunt (*vett edd*) *R* plerique ederunt *R pauci*, *Ald*, *Gesn*

⁴ modios (modios *X M*) *R pauci*, *vett edd* modis *S¹A* modus *R plerique*, *Lundstrom* modii occupant *Ald*, *Gesn*, *Schn*

⁵ veterio *SAM* vervacto *Ald*, *Gesn*

⁶ observetur *A* obseritur *R*, *edd* ante *Schn*

⁷ autumnu *SA¹*

LUCIUS JUNIUS MODERATUS COLUMELLA

et viginti vehes stercois in iugerum disponemus
dissipabimusque¹ et similiter, cum semen crudo solo
ingesserimus, inarabimus inporcitumque² occa-
bimus,³ quamvis sint, qui negent locis frigidis
oportere occari fabam, quia exstantes glaebae a
gelicidius adhuc eam teneiam vindicent et aliquem
7 teporem frigore laboranti praebeant Sunt etiam
qui putent in arvis hanc eandem vice stercois fungi,
quod sic ego interpretor, ut existimem non sationibus
eius pinguescere humum, sed minus hanc quam
cetera semina vim terrae consumere Nam certum
habeo frumentis utiliore agrum esse, qui nihil quam
8 qui istam spicam⁴ proximo anno tulerit Iugerum
agri, ut Tremelio quattuor, ut nobis videtur, fabae
sex occupant modii,⁵ si solum pingue sit, si mediocre,
paulo amplius, eaque nec macrum nec nebulosum
locum patitur, densa tamen humo saepe commode
respondet Media sementi pars seri et pars ultima
debet, quae septimontialis satio dicitur, tempestiva
frequentius, non numquam tamen sera melior est
9 Post brumam parum recte seritur, pessime vere,
quamvis sit etiam trimestris faba, quae mense Febru-
ario seratur, quinta parte amplius quam matura, sed

¹ dissipavimusque *SAa*

² inporcitumque *A¹, Lundstrom* im(in)porcatumq, vel
importatunq, *R* inporcatumque *edd vulgo*

³ occupabimus *A*

⁴ siliquam *Ald, Gesn, Schn*

⁵ modius *SA* modius vel modii si *R pauci* modios vel
modios si *R plerique*

^a Varro (*RR I 23 3*), for example, speaks of the use of the field bean for green manuring before the pods have formed

^b A sowing made at about the time of the festival of the Seven Hills (*Septimontium*), celebrated in December before the

manure to the *ugerum* and spread it, and just as before, when we have scattered the seed on the unbroken ground, we shall plough it in, form ridges, and harrow, though there are some who say that beans should not be harrowed in cold regions because the projecting clods shelter them from the frosts while they are still young and provide some warmth when they are suffering from the cold. There are 7 people, too, who think that in cultivated land this same plant takes the place of manure^a—a belief which I take as meaning, not that the ground is enriched by the sowing of it, but that it uses up the strength of the soil less than other crops. For I am convinced that land which has borne no crop is better suited for grain than one which bore a crop of this legume the preceding year. A *ugerum* of land 8 requires four *modi* of beans, as Tremelius thinks, but six, in my opinion, if the ground is rich, and somewhat more if it is just ordinary, and it does not tolerate lean ground or a foggy situation, though it often does well on heavy soil. It should be sown, part at the middle of seed-time, and part at the end—the sowing called “septimontial”^b. The early sowing is more common, though the late one is sometimes better. There is little use in sowing it after the 9 winter solstice, and the very worst time is spring, although there is also a three-months bean which may be sown in February, using one-fifth more than for the early variety, but which yields scanty straw

solstice, cf Varro, *LL* VI 34, and Palladius, XIII (*Dec* 1). The festival celebrated, not the union of the Seven Hills of complete Rome, but a much earlier union of the three spurs of the Palatine, the three spurs of the Esquiline, and the lower ground of the Subura.

LUCIUS JUNIUS MODERATUS COLUMELLA

exiguas paleas nec multam siliquam facit Veteres
itaque rusticos plerumque dicentes audio malle se
10 matuae¹ fabalia quam fiuctum trimestris Sed
quocumque tempore anni seretui, opera danda erit,
ut quantum destinaverimus in sationem, tantum
quinta decima luna, si tamen ea non transcurrat eo
die solis radios, quod Graeci ἀτόκρουσι² vocant, si
minus, quarta decima utique adhuc lunae crescente
lumine spargatur, etiam si confestim totum semen
operiri non poterit Nihil enim nocebitur ei nocturnis
11 vindicetur Priscis autem rusticis nec minus Vergilio
prius amurca vel nitro macerari eam et ita seri
placuit,

laetior³ ut fetus siliquis fallacibus esset
et quamvis igni exiguo propeolata maderent⁴

Nos quoque sic medicatam comperimus, cum ad
maturitatem perducta sit, minus a curculione infes-
tari Sed et illud, quod deinceps dicturi sumus,
12 experti praecipimus⁵ Silente luna fabam vellito
ante lucem, deinde cum in area exaruerit, confestim,
prius quam luna incrementum capiat, excussam
refrigeratamque in granarium conferto Sic condita
a curculionibus erit innoxia, maximeque ex legumini-
bus ea sine iumentis teri, sine vento purgari expedi-

¹ matura *R*, *edd ante Schn*

² *Graec om, spat relict, R plerique*

³ laetior *SAR* grandior *M*, *codd Verg*

⁴ maderet *S*, *Schn*

⁵ praecepimus *vel* praecipiemus *R plerique*

^a Vergil, *Georg* I 195-196

^b Palladius (VII 3 2) gives similar directions for the pulling
of beans *luna minuente*, when the moon is waning In connec

and not many pods And so I hear the old-time farmers commonly remark that they would rather have the bean straw of the early sowing than the beans of the three-months variety But, whatever 10 the season of sowing, we must take care that the quantity allotted for seed be broadcast on the fifteenth day of the moon, provided only she does not on that day traverse the rays of the sun—what the Greeks call *απόκρονσις* or “waning”, otherwise that it be sown in any case on the fourteenth day, while the light of the moon is still waxing, even though the whole amount of seed cannot be covered immediately For no harm will come to it from nightly dews or other causes, if only it be protected from cattle and birds The ancient husbandmen, 11 moreover, and Vergil too, held that it should first be soaked in oil lees or in nitre, and then sown,

That the deceptive pods might have a larger fruit,
Their seeds soon softened by even a little heat ^a

We, too, have learned that seed so treated is less infested by weevils after it has reached maturity And what we are about to say next, we offer as a precept from own experience Gather beans 12 in the dark of the moon,^b before dawn, and when they have dried on the threshing-floor, immediately, before the moon begins its waxing, beat them out, cool them, and carry them into the granary When stored in this way they will not be harmed by weevils And this one, especially, of the legumes, can be very easily threshed without the use of cattle, and cleaned

tion with this and much of the moon lore that follows, see Eugene Tavenner, “The Roman Farmer and the Moon,” *Trans Am Phil Assn* XLIX 67-82

LUCIUS JUNIUS MODERATUS COLUMELLA

- 13 tissime sic poterit Modicus ¹ fasciculorum numerus
 resolutus in extrema parte areae colligetur, ² quem
 per longissimum eius mediumque spatium tres vel
 quattuor homines promoveant pedibus et baculis
 furcisve ³ contundant, ⁴ deinde cum ad alteram
 partem areae pervenerint, in acervum culmos
 14 regerant Nam semina excussa in area iacebunt, ⁵
 superque ea paulatim eodem modo reliqui fasciculi
 excutientur, ac durissimae quidem acus reiectae
 separataeque erunt a cudentibus, minutae vero,
 quae de siliquis cum faba resederint, ⁶ aliter secer-
 nentur Nam cum acervus paleis granisque mixtus
 in unum fuerit congestus, paulatim ex eo ventilabis
 per longius spatium iactetur, quo pacto ⁷ palea, quae
 levior est, citra decidet, faba, quae longius emitti-
 tur, pura eo perveniet, quo ventilator eam iaculabitur
 15 Lentim modo semediata ⁸ luna usque in duode-
 cimam solo tenui et resoluta vel pingui, sed ⁹ sicco
 maxime loco seri convenit, nam in flore facile luxuria
 et umore corrumpitur Quae ut celeriter prodeat
 et ingrandescat, ante quam seritur, ¹⁰ fimo ardo
 permisceri debet, et cum ita quatrinduo ¹¹ aut quinque
 diebus requieverit, spargi Sationes eius duas
 servamus, alteram maturam per mediam sementim,
 16 seniore alteram mense Februario Iugerum agri

¹ modius SA

² collocetur R aliquot, edd ante Lundstrom

³ furcillusve R aliquot, Ald, Gesn, Schn

⁴ contundat SA ⁵ iacebant SA

⁶ resederunt R, edd ante Schn

⁷ facto Gesn, Schn, praeunte Ursino

⁸ sic Lundstrom lenti modo semediata SA Lentem
 semente (Lentis sementem M) media crescente R, et vulgo
 Lentim modo a dimidiata Schn

⁹ sic Lundström pinguis et SA pinguis sed a pingui et
 R, et vulgo ¹⁰ seratur Ald, Gesn, Schn

BOOK II x 12-16

without the aid of wind, as follows Have a moderate 13
 number of loose sheaves brought together at one end
 of the threshing-floor, and let three or four men push
 them along with their feet through the middle of the
 floor the longest way, and beat them with sticks or
 forks, then, when they reach the other end of the
 floor, let them throw the stalks again into a pile
 For the seeds that have been beaten out will lie on 14
 the floor, and the other bundles will be threshed out
 on top of them, little by little, in the same manner
 For the hardest chaff will be knocked off and
 separated by the beaters, but the fine chaff which
 has fallen from the pods along with the beans will
 be separated in another way that is, when the mix-
 ture of chaff and seeds has been heaped together in
 one pile, let it be tossed some distance away, a little
 at a time, by winnowing-forks, and by this means the
 chaff, being lighter, will fall short, and the beans,
 which are thrown farther, will come clean to the spot
 where the winnower throws them

The lentil is properly sown only from the time of 15
 the half-moon up to her twelfth day, in ground that
 is lean and loose, or fat, but above all in a place that
 is dry, for when in flower it is easily damaged
 by rankness and moisture To make it come out
 quickly and make a good growth, it should be mixed
 with dried manure before sowing, and then broadcast
 after it has remained thus for four or five days Our
 practice is to make two sowings, the early one in the
 middle of seedtime, and the later in the month of
 February A little more than one *modus* covers a 16

¹¹ quattuor *vel* quatuor *vel* IIII *R plerique* quatuor *Ald*,
Gesn

LUCIUS JUNIUS MODERATUS COLUMELLA

paulo plus quam modius occupat Ea ne cuculoni-
bus absumatur—nam etiam dum est in siliqua exestui
—curandum¹ erit, ut cum extita sit, in aquam
demittatur et ab inani, quae protinus innatat,
separetur solida, tum in sole siccetur et radice silphi
trita cum aceto adspargatur defriceturque² atque
ita rursus in sole siccata et mox refrigerata reconda-
tur, si maior est modus, in horreo, si minor, in vasis
olearis salsamentariusque, quae repleta cum con-
festum gypsata sunt, quandoque in usus prompseri-
mus, integram lentim³ reperiemus Potest tamen
etiam citra istam medicationem cineri mixta commode
servari

- 17 Linum semen, nisi si⁴ magnus est eius in ea regione,
quam colis, proventus et pretium proritat, sciendum
non est, agris enim praecipue noxium est Itaque
pinguissimum locum et modice humidum poscit
Seritur a Kalendis Octobribus in ortum Aquilae, qui
est VII Idus Decembris Iugerum agri octo modus
obseritur Non nullis placet macro solo et quam
spississimum semen eius committi, quo tenuius⁵
linum proveniat Idem etiam, si laeto solo seiatur
mense Februario, decem modios in iugerum iaci
oportere dicunt

- 18 Sesama, quae rigantur, maturius, quae carent
umore, ab aequinoctio autumnali serenda sunt in

¹ extercorandum *R* editur curandum *M*

² oleo post defricetur add *Schn* ex *Catone* 116

³ lentem *R* aliquot, edd ante *Lundstrom*

⁴ si om *R*, edd ante *Schn*

⁵ tenuius *Schn*, *Lundstrom* tenui ut *SA*¹ tenue *A*²*R*, et
vulgo

^a Identified by Columella (VI 17 7, cf XII 7 4, 59 4)
with *laserpitium*, laserwort Pliny (*NH* XIX 38-46) gives
a long account of the history and uses of the plant

BOOK II x 16-18

ugerum of ground To keep it from being destroyed by weevils—for they eat it even when it is in the pod—care must be taken that, as soon as it is threshed out, it be sunk in water, and that the sound grains be separated from the empty, which come at once to the surface, then that it be dried in the sun, sprinkled and rubbed with the bruised root of silphium^a mixed with vinegar, and again dried in the sun, and presently, after cooling, that it be stored away—in the bin if the amount is rather large, or in olive jars and salt-fish jars if there is not much of it If these are sealed with gypsum immediately upon being filled, we shall find the lentil sound whenever we take it out for use Still, it can be kept satisfactorily without such treatment if mixed with ashes

Flax-seed should not be sown unless it yields a heavy 17 crop and brings a good price in the region where you farm, for it is particularly hurtful to land For this reason it requires a soil which is very rich and moderately moist It is sown from the first of October to the rising of Aquila, which falls on the seventh day before the Ides of December^b A *ugerum* of land is sown with eight *modu* of it Some hold that it should be sown in poor land, and very thickly, so that the flax may grow with a more slender stem The same people also say that if it is sown in rich ground in February, ten *modu* should be broadcast to the *ugerum*

Sesame^c is to be sown earlier on well-watered 18 ground, and from the autumnal equinox to the Ides

^b Dec 7th

^c Perhaps to be identified with the gingili- or gingelly plant

LUCIUS JUNIUS MODERATUS COLUMELLA

Idus Octobres Putre solum, quod Campani pullum vocant, plerumque desiderant, non deterius tamen etiam pinguibus harenis vel congesticia humo proveniunt, tantumque seminis quantum milium panicumque, interdum etiam duobus sextarius amplius in iugerum spargitur Sed hoc idem semen Ciliciae Syriaeque regionibus ipse vidi mense Iunio Iulioque conseri et per autumnum, cum permaturuit, tolli¹

- 19 Cicer aut² cicerula, quae piso est similis, mense Ianuario aut Februario seri debet laeto loco caelo umido, quibusdam tamen³ Italiae locis ante Kalendas Novembris seritur Tres modi iugerum implent Nec ullum legumen minus agro nocet, sed raro respondet, quoniam nec siccitates nec austros in flore sustinet, quae utraque incommoda fere eo tempore anni sunt, quo deflorescit Cicer, quod arietillum⁴ vocatur, itemque alterius generis, quod Puncum, seri mense Martio toto potest caelo umido, loco quam laetissimo, nam etiam id terram laedit atque ideo improbatur a callidioribus agricolis Quod tamen si seri debeat, pridie macerandum erit, ut celerius enascatur Iugero modi tres abunde sunt

- 21 Cannabis solum pingue stercoratumque et riguum vel planum atque umidum et alte subactum deposcit In quadratum pedem seruntur grana sex eius

¹ colligi *M* et per tolli *om SA*

² Cicer aut *om R plerique, Ald, Gesn, Schn*

³ tamen *om SA*

⁴ arietillum *Lundstrom cum codd* arietinum *vulgo*

^a Oct 15th

^b *Congesticia*, earth brought together from different places, cf II 15 4-5, Palladius X 7, Theophrastus, *De Caus Plant* III 25

of October^a on ground that lacks moisture. It usually requires a loamy soil, such as the Campanians call *pullum*, still it thrives no less well even in rich sand or in mixed ground^b. The same quantity of seed is sown to the *ugerum* as of millet and panic, sometimes even two *sextarii*^c more. But I have seen this same seed sown in the months of June and July in districts of Cilicia and Syria, and harvested during the autumn, when it was fully ripe.

The chick-pea or chuckling-vetch, which has a 19 resemblance to the pea, should be sown in January or February in rich soil if the weather is moist, though in some sections of Italy the sowing is made before the first of November. Three *modi* are sufficient for one *ugerum*. No legume is less hurtful to land, but it seldom does well, because, when in bloom, it cannot endure dry weather or south winds, and both these drawbacks usually attend the season when it drops its blossoms^d. The chick-pea which is 20 called *arvetillum*,^e and also one of another variety, called *Puncum*, may be sown during the whole month of March, if the weather is moist, in the most fertile soil, indeed, this kind is harmful to land and for that reason is not approved by the more expert farmers. If it must be sown, however, it should be soaked a day ahead to hasten its germination. Three *modi* are enough for one *ugerum*.

Hemp demands a rich, manured, well-watered soil, 21 or one that is level, moist, and deeply worked. Six grains of this seed to the square foot are planted at

^a 1 sextarius = about 1 pint

^d Cf. Palladius II (*Jan.*), 5

^e Pliny says (*N H.* XVIII 124) that it is so called because of its resemblance to the head of a ram (*aries*)

LUCIUS JUNIUS MODERATUS COLUMELLA

seminis Arcturo exoriente, quod est ultimo mense Februarii circa sextum aut quintum Kalendas Martias, nec tamen usque in aequinoctium verum, si sit pluvius caeli status, improbe seietur

- 22 Ab his leguminibus ratio est habenda napi¹ raporumque,² nam utraque iusticos implent Magis tamen utilia rapa sunt, quia et maiore incremento proveniunt et non hominem solum, verum etiam boves pascunt, praecipue in Gallia, ubi hiberna cibaria praedictis pecudibus id holus praebet Solum putie et solutum res utraque desiderat nec densa
23 nascitur humo Sed rapa campis et locis umidis laetantur, napus deversam amat et siccam tenuique propiorem terram, itaque glaeosis sabulosisque arvis melior exit,³ locique proprietas utriusque semen commutat, namque in alio solo rapa biennio sata convertuntur in napum, in alio napus raporum accipit speciem Riguis locis utrumque recte ab solstitio seitur, siccis ultima parte mensis Augusti vel prima Septembris Subactum solum pluribus iterationibus aratri vel rastris largoque stercore satiatum postulant,
24 nam id plurimum refert, non solum quod melius ea proveniunt, sed quod etiam post fructum eorum sic tractatum etiam⁴ solum segetes opimas facit Iu-

¹ naporum *R*, *edd ante Schn*, qui naporum legit, napi defendit in not

² raparumque *Lundstrom*, cum *SA* et *R* aliquot ut videtur

³ meliorescit *M*

⁴ etiam om *edd ante Lundstrom*

^a *I e* Feb 24th or 25th

^b *Cf* Palladius, VIII 2 2 Pliny remarks that the Greeks (*NH* XVIII 129) and medical men (*NH* XIX 75) distinguished between "male" (round) and "female" (elongated) turnips or navews, the original sex and change of nature being determinable by thickness of sowing and quality of soil

BOOK II x 21-24

the rising of Aicturus, which means toward the end of February, about the sixth or fifth day before the Calends of March,^a and yet no harm will be done in planting it up to the spring equinox if the weather is rainy

After these legumes consideration must be given 22
to the navew and the turnip, as both of them are filling food for country people. The turnips, however, are more profitable, because they yield a greater increase and serve as food, not only for mankind, but also for cattle, especially in Gaul, where this vegetable provides winter fodder for the aforesaid animals. Both require a loamy, loose soil, and do not grow in heavy ground. Turnips, however, like level and 23
moist places, while the navew prefers ground that is sloping and dry with more of a tendency to leanness, and so it grows better in gravelly and sandy lands. The nature of the situation changes the seed of both; thus, turnips sown in one soil are changed into navews in two years' time, while in the other the navew likewise takes on the appearance of the turnip.^b In well-watered situations both are properly sown after the summer solstice, in dry places at the end of August or the early part of September.^c They demand a soil that is well prepared by repeated working with the plough or mattock and generously manured, for this is of the greatest importance, not 24
only because they themselves make a better showing but also because, after they are harvested, soil so treated produces luxuriant crops of grain. One

^a Columella speaks also (XI 3 16 and 59) of a spring sowing, in February, for a summer crop, though the sowing in August was to be preferred

LUCIUS JUNIUS MODERATUS COLUMELLA

gerium agri non amplius quattuor sextarius raporum
seminis obserendum est quarta parte amplius
napi¹ spargendum, quia² non in ventrem latescit,
sed tenuem radicem deorsum agit

Atque haec hominum causa serenda censemus, illa
deinde pecudum pabulorum genera complura, sicut
Medicam, viciam, farraginem quoque hordeaceam
et avenam, faenum Graecum nec minus ervum et
ciceram, nam cetera neque enumerare et minus
serere dignamur, excepta tamen cytiso, de qua
dicemus³ in his libris, quos de generibus surculorum
25 conscripsimus Sed ex his, quae placent eximia est
herba Medica, quod semel seritur, decem annis
omnibus deinde recte quater,⁴ interdum etiam sexiens
demetitur, quod agrum stercoreat, quod omne emacia-
tum armentum ex ea pinguescit, quod aegrotanti
pecori remedium est, quod iugerum eius toto anno
26 tribus equis abunde sufficit Seritur ut deinceps
praecipiemus Locum, in quo Medicam proximo
vere saturus es, proscindito circa Kalendas Octobris
et eum tota hieme putrescere sinito, deinde Kalendis
Februariis diligenter iterato et lapides omnes eligito⁵
glabasque offingito, postea circa Martium mensem
tertiato et occato Cum sic terram subegeris, in
morem horti areas latas pedum denum, longas

¹ naps AR, omnes ante Gesn

² qui AR, vet edd

³ diximus M

⁴ Medica quod cum semel seritur, decem annis durat,
quod per annum deinde recte quater Ald, Gesn, Schn

⁵ eligito SAR, vet edd, Schn elegito Lundstrom egerito
Ald, Gesn

^a Medic clover or lucern (alfalfa) is said to have come to
Italy from Greece, where it was introduced from Media at the

ugerum of ground should be sown with not more than four *sextarii* of turnip seed, of the navew, one-fourth more is to be scattered, because it does not widen out into a globular shape but pushes its slender root straight down

The above plantings are to be made, in our opinion, for the sake of man, and then come several kinds of cattle fodder, such as Medic clover,^a vetch, mixed fodder of barley and oats, fenugreek, and also bitter vetch and chickling-vetch, for we do not think it worth while to enumerate the rest, and still less to sow them, excepting only the *cytissus* [shrub-clover] of which we shall speak in those books^b which we have in writing on the various kinds of young shoots But 25 of those which find favour the Medic plant is outstanding for several reasons one seeding affords, for all of ten years thereafter, four harvestings regularly and sometimes six, it improves the soil, lean cattle of every kind grow fat on it, it has medicinal value for an ailing beast, and one *ugerum* of it provides abundant fodder for three horses for an entire year It is sown as we shall next direct In the place where 26 you are to sow Medic the following spring, break the ground about the first of October and allow it to mellow during the entire winter, then, at the beginning of February, work it again carefully, remove all stones, and break up the clods, after that, sometime in the month of March, plough it a third time and harrow it When you have prepared the ground in this fashion, make divisions as you would in a

time of the Persian Wars with King Darius (Pliny, *N H* XVIII 144)

^b The cultivation of *cytissus* is discussed in V 12 and *De Arb* 28

LUCIUS JUNIUS MODERATUS COLUMELLA

- pedum quinquagenum facito, ut per semitas aqua ministrari possit aditusque utraque parte runcantibus
- 27 pateat Deinde vetus stercus incito, atque ita mense ultimo Aprilis serito tantum, quantum ut singuli cyathi seminis locum occupent decem pedum longum et quinque latum Quod ubi feceris, ligneis rastriis—id enim multum confert—statim iacta semina obruantur, nam celerrime sole aduruntur Post sationem ferro tangi locus non debet, atque, ut dixi, ligneis rastriis satiendus et identidem runcandus est, ne alterius generis herba invalidam Medicam
- 28 perimat¹ Tardius messim² primam eius facere oportebit, cum iam seminum aliquam partem eiecerit Postea quam voles teneram, cum prosiluerit, deseces licet et iumentis praebeas, sed inter initia parcius, dum consuescant, ne novitas pabuli noceat, inflat enim et multum creat sanguinem Cum secueris autem, saepius eam rigato, paucos deinde post dies, ubi coeperit fruticare,³ omnis alterius generis herbas eruncato Sic culta sexiens anno⁴ demeti poterit et permanebit annis decem
- 29 Viciae autem duae sationes sunt prima, qua⁵ pabuli causa circa aequinoctium autumnale serimus septem modios eius in unum iugerum, secunda, qua sex modios mense Ianuario vel etiam serius iacimus semini progenerando Utraque satio potest ciuda terra fieri, sed melius proscissa, idque genus prae-

¹ peremat *S¹A, Lundstrom* perveniat *M*

² messem *R aliquot, edd ante Lundstrom*

³ fructificare *AR*

⁴ sexies in anno *R aliquot, edd ante Lundstrom*

⁵ qua omnes post *Ursinum* quam *codd*

^a 1 cyathus = about one twelfth of a pint

garden, ten feet wide and fifty feet long, to allow water to be supplied by way of the foot-paths and to provide a means of access on both sides for the weeder. Then spread old manure over it, and 27 at the end of April sow at the rate of one *cyathus*^a of seed to a space ten feet long and five wide. When you have done so, the seed should be covered at once with wooden rakes—a matter of great importance—for the seed is very soon burned by the sun. After the seed is sown, the place should not be touched with iron, and so, as I have said, it must be hoed with wooden implements and repeatedly freed of weeds, so that no other kind of growth may kill out the weak Medic. It will be best to make the first cutting 28 rather late, after it has dropped some of its seed. Thereafter, when it has started up, you may cut it as tender as you please and feed it to stock, but somewhat sparingly at first, until they become accustomed to it, so that the novelty of the fodder may not harm them, for it causes bloating and greatly increases the blood supply. After cutting, water it rather frequently, then, a few days later, when it begins to send out new shoots, weed out all other kinds of growth. If cared for in this way, it can be cut six times a year and will last for ten years^b.

Of vetch, however, there are two sowings: the first 29 about the time of the autumnal equinox, for the purpose of forage, in which we sow seven *modi* to the *iugerum*, the second in the month of January or even later, when we scatter six *modi* for the production of seed. Both sowings may be made on untilled land, but with better results on broken ground, and this

^b Pliny (*loc. cit.*) gives it more than thirty years of life

LUCIUS JUNIUS MODERATUS COLUMELLA

- 30 cipe non amat rores, cum seritur Itaque post secundam diei horam vel tertiam spargendum est, cum iam omnis umor sole ventove deterius est, neque amplius proci debet, quam quod eodem die possit operiri, nam si nox incessit, quantulocumque umore, prius quam obruatur, corumpitur Observandum erit ne ante quintam et vicesimam lunam terrae mandetur, aliter satae fere limacem nocere comperimus
- 31 Farraginem in restibili stercoreatissimo loco et altero sulco serere convenit Ea fit optima, cum cantherini hordei decem modis iugerum obsertur circa aequinoctium autumnale, sed impendentibus pluvis, ut consita rigataque imbribus celeriter prodeat et confirmetur ante hiemis violentiam Nam frigoribus cum alia pabula defecerunt, ea bubus ceterisque pecudibus optime desecta praebeatur, et si depascere saepius voles, usque in mensem Maium sufficit
- 32 Quod si etiam semen voles ex ea percipere, a Kalendis Martius pecora depellenda et ab omni noxa defendenda est, ut sit idonea frugibus Similis ratio¹ avenae est, quae autumnosata partim² caeditur in faenum vel pabulum dum adhuc viret, partim semini custoditur³
- 33 Faenum Graecum, quod siliquam vocant rustici, duo tempora sationum habet, quorum alterum est Septembris mensis, cum pabuli causa seritur, isdem

¹ satio *R*, *edd ante Schn*

² quae autumnosata partim (*sed qua autumnosata partim in marg A man alt*) om et post viret inserunt *SA*

³ partim semini custoditur om *SA*

^c *Farrago* is defined by Varro (*RR* I 31 5) as a mixture of barley, vetch, and legumes for green feed, cf Pliny, *NH* XVIII 142

species especially does not like dew at the time of sowing For this reason it must be broadcast after 30 the second or third hour of the day, when all moisture has been dried up by sun or wind, and no more should be scattered than can be covered in the same day, for, if night comes on before it is covered, the least moisture spoils it Care must be taken not to put it in the ground before the twenty-fifth day of the moon, otherwise we usually find that the slug damages the crop

Mixed forage^a should be sown in land that is 31 worked every year, very heavily manured, and twice ploughed It turns out best when sown with ten *modi* of horse-barley to the *vugerum* about the autumnal equinox, but when rains are threatening, so that being watered by showers after sowing, it may come up quickly and gather strength before the severe weather of winter For in cold weather, when other forage has failed, this provides excellent cut fodder for oxen and other animals, and if you care to graze it frequently, it holds out even up to the month of May If, however, you wish also to take 32 seed from it, cattle must be kept off after the first of March, and it must be protected from every kind of harm so as to be capable of bearing seed The same method is applied to oats they are sown in the autumn, some are cut for hay or for fodder while still green, and some are set apart for seed

Fenugreek, which country people call *siliqua*,^b has 33 two seasons for sowing one of them in the month of September, when it is sown for fodder, on the same

^b The texts of Pliny (*N H XVIII 140*) read *siliqua*, with variants *silica* and *sicilia*

LUCIUS JUNIUS MODERATUS COLUMELLA

diebus, quibus vicia circa aequinoctium, alterum autem mensis Ianuarii ultimi vel primi Februarii, cum in semen¹ seminatur, sed hac satiatione iugerum sex modus, illa septem occupamus Utraque cruda terra non incommode fit, daturque opera ut spisse aretur, nec tamen alte, nam si plus quattuor digitis adobrutum est semen eius, non facile prodit, propter quod non nulli prius quam serant, minimis aratris proscindunt atque ita iaciunt semina et sarculis adobruunt²

- 34 Ervum autem laetatur loco macio nec umido, quia luxuria plerumque corumpitur Potest autumno seri nec minus post biunam Ianuarii parte novissima vel toto Febuario, dum ante Kalendas Martias, quem mensem universum negant agriculae huic legumini convenire, quod eo tempore satum pecori sit noxium et praecipue bubus, quos pabulo suo cerebrosos reddat Quinque modus iugerum obsentur

- 35 Cicera bubus ervi loco fresa datur in Hispania Baetica, quae cum suspensa mola divisa est, paulum aqua maceratur, dum lentescat,³ atque ita mixta paleis succretis⁴ pecori praebetur Sed ervi duodecim librae satisfaciunt uni iugo, cicerae sedecim Eadem hominibus non inutilis neque iniucunda est, sapor certe nihilo differt a cicercula, colore tantum discernitur, nam est obsoletior et nigro propior

¹ semen *SAR*, *Lundstrom* messem *R* duo dett, et vulgo

² adruunt *S*, *Lundstrom* adfruant *A*

³ inlentescat *Ald*, *Lundstrom*, cum *codd* ut videtur

⁴ sic *Lundstrom*, cum *codd* ut videtur subtritis vulgo

days as vetch, near the time of the equinox, the other, however, at the end of January or early in February, when it is sown for seed, though we use six *modi* to the *iugerum* for the latter sowing, and seven for the former. Both sowings are made not without advantage before the ground is prepared, and care is taken that it be ploughed closely but not deeply, for if the seed is covered more than four fingers deep it does not easily come up, and for this reason some people break the ground with the smallest ploughs before sowing, and then scatter the seed and cover it with light hoes.

Bitter vetch, on the other hand, thrives on soil that 34 is lean but not moist, because it is usually spoiled by rankness. It may be sown in autumn and equally well after the winter solstice, in the latter part of January or all of February, if only before the first day of March. This whole month, farmers say, is not suited to this legume, because when sown at this time it is harmful to cattle, and especially to oxen, in which it causes brain-madness when they eat it ^a. It is sown five *modi* to the *iugerum*.

Crushed chickling-vetch instead of bitter vetch is 35 given to oxen in Hispania Baetica ^b after being broken by a suspended ^c millstone it is soaked for a time in water, until it becomes soft, and in this condition, mixed with sifted chaff, it is fed to cattle. But twelve pounds of bitter vetch are sufficient for one yoke, and sixteen of chickling-vetch. This same chickling-vetch is not unsuited to human use, and is not unpleasant, in taste, at least, it differs not at all from the small chick-pea, being distinguished merely by its colour, for it is more dirty-looking.

^a *I e* set for coarse grinding

LUCIUS JUNIUS MODERATUS COLUMELLA

Sentur primo vel altero sulco mense Martio, ita ut postulat soli laetitia, quod eadem quattuor modus, non numquam et tribus, interdum etiam duobus ac semodio iugerum occupat

XI Quoniam quando quidque sciendum sit persecuti sumus, nunc quem ad modum quotque operis singula eorum, quae rettulimus, colenda sint demonstrabimus Peracta sementi sequens cura est sartionis, de qua non convenit inter auctores Quidam negant eam¹ quicquam proficere, quod frumenti radices sarculo detegantur, aliquae etiam succidantur ac, si frigora incesserint post sartionem, gelu frumenta enecentur, satius autem esse ea
2 tempestive runcani et puigari Pluibus tamen sarri placet, sed neque eodem modo neque isdem temporibus usque quaque fieri, nam in agris siccis et apricis, simul ac primum sartionem pati queant segetes, debere eas permota terra adobui, ut fruticare² possint Quod ipsum ante hiemem fieri oportere, deinde post hiemem iterari, in locis autem frigidis et palustribus plerumque transacta hieme sarri adobui, sed plana sartione terram permo-
3 veri Multis tamen nos regionibus aptam esse hiemalem sartionem comperimus dumtaxat ubi et siccitas caeli et tepores permittunt, sed nec istud ubique fieri censemus, verum incolarum consuetudine uti Sunt enim regionum propria munera, sicut Aegypti et Africae, quibus agricola³ post sementim

¹ eam om SA

² frutificare AR

³ agricolatio R

and nearer black It is sown at the first or second ploughing in the month of March, according as the richness of the soil requires, and the same consideration determines the amount—four *modi*, sometimes three, sometimes even two and a half to the *iugerum*

XI Since we have treated of the time at which each sowing should be made, we shall now show what method of cultivation is to be employed, and the number of days' labour required for each of the crops mentioned After the sowing is finished, the next matter is that of hoeing, a point on which authorities are not agreed Some say that this is of no advantage, because the roots of the grain are uncovered by the hoe and some of them are even cut off, and, if the weather is cold after the hoeing, the grain is killed by frost, but that it is better that weeding and cleaning be done at the proper season Still there ² are many who believe in hoeing, but that it should not be done everywhere in the same way and at the same time, thus, in dry and sunny fields, as soon as the crops can stand hoeing, they should be covered with well-stirred soil to enable them to bush out, and this should be done before winter, and then repeated after winter is past, while in cold and swampy places, usually after winter is over, they should be hoed without being covered over but having the earth thoroughly stirred by level hoeing Nevertheless we find that winter hoeing is suited to ³ many regions, but only where dryness and warmth of climate permit, though we think it best not to practice even this everywhere but to conform to the ways of those who live in the neighbourhood For countries have their own peculiar advantages, such as those of Egypt and Africa, where the farmer does

LUCIUS JUNIUS MODERATUS COLUMELLA

ante messem segetem non attingit, quoniam caeli
conditio et terrae bonitas ea est ut *vix* ulla herba
exeat nisi ex semine iacto, sive quia rari sunt imbres
seu quia qualitas humi sic se cultoribus praebet
4 In us autem locis, ubi desideratur sartio, non ante
sunt attingendae segetes, etiam si caeli status
permittat,¹ quam cum sata sulcos contexerint
Triticumque et adorem, cum quattuor fibras habere
coeperint, hordeum, cum quinque, faba et cetera
legumina, cum quattuor digitis a terra exstiterint,
recte sariantur, excepto tamen lupino, cuius semini
contraria est sartio, quoniam unam radicem habet,
quae sive ferro succisa est seu vulnerata, totus
5 frutex emoritur Quod etiam si non fieret, super-
vacuus tamen esset² cultus, cum sola haec res adeo
non infestetur herbis, ut ipsa herbas perimat At
quae³ aliae segetes vel umidae moveri possunt,
melius tamen siccae sariantur, quia sic tractatae
non infestantur rubigine, hordeum vero nisi siccissi-
6 mum tangi non debet Fabam multi ne sariendam
quidem putant, quod et manibus, cum maturuerit,
ducta secernatur a cetera runcatione⁴ et internatae
herbae faeno reserventur Cuius opinionis etiam
Cornelius Celsus est, qui inter ceteras dotes eius⁵
leguminis hanc quoque enumerat, quod sublata
faba faenum ex eodem loco secari posse dicat Sed
mihi videtur pessimi agricolae committere ut satis

¹ permittat *S*, *Lundstrom* permittit *AR*, et vulgo

² esset *ac*, *Ursinus*, *Gesn*, *Schn* erat *SA*, *Lundstrom*
erit *R*, *vett edd*

³ At quae *Lundstrom* atque *codd*, *Schn* at aliae segetes,
quae vulgo

⁴ runca *SA*¹, *Lundstrom*

⁵ eius *om R*, *edd ante Schn*

not touch his crop from the sowing until the reaping, for climatic conditions and the quality of the soil are such that scarcely any plant comes up except from seed that is sown, either because of the scarcity of rain or because the character of the soil so lends itself to those who cultivate it ^a Moreover, in those 4 regions where hoeing is desirable, the crops are not to be touched before the growth has covered the furrows, even if the condition of the weather should allow it It will be proper to hoe wheat and spelt as soon as they have put forth four blades, barley when it has five, and beans and other legumes when they stand four fingers above ground—with the exception, however, of the lupine, as hoeing is hurtful to its seedlings, for it has a single root, and if this is cut or injured by an iron tool, the whole plant dies And even if this were not the case, cultivation would 5 still be unnecessary, for this one plant is so far from being troubled by weeds as actually to destroy them on its own account Now other crops which may be worked when wet, are nevertheless hoed with better results when dry, because, when handled in this way, they are not attacked by rust, but barley must not be touched except when perfectly dry Many people 6 think that beans should not be hoed at all, because, being pulled by hand when ripe, they may be separated from the other growth, and the grass that grows among them may be saved for hay This is also the opinion of Cornelius Celsus, who counts this too among the other virtues of this legume when he says that after the beans are removed a cutting of hay may be taken from the same spot But to me it seems the mark of a very poor farmer to allow grass

^a Cf Pliny, *N H* XVIII 186

LUCIUS JUNIUS MODERATUS COLUMELLA

herba proveniat, frugibus enim pluvium detractur, si relinquitur runcatio¹ Neque² est rustici prudentis magis pabulis studere pecudum quam cibis hominum, cum praesertim liceat illa quoque cultu pratorum consequi, adeoque fabam sariendam censeo, ut existimem debere etiam ter sariri Nam sic cultam comperimus non solum multiplicare fructum, sed et³ exiguum portionem in valulis habere fresaeque eius et expurgatae modium paene tam plenum esse quam integrae, quoniam vix minuitur mensura detractis putaminibus Atque in totum, sicut ante iam diximus, hiberna sartio plurimum iuvat diebus serenis ac siccis post brumam confectam mense Ianuario, si gelicidia non sint Ea porro sic debet fieri, ne radices satorum laedantur et ut potius adobruantur cumulisque exaggerentur,⁴ ut latius se frutex culmi⁵ diffundat Id prima sartione fecisse proderit, secunda oberit, quia cum pullulare⁶ desit⁷ frumentum, putrescit si adobrutum⁸ est Nihil itaque amplius in iteratione quam remoliri⁹ terra debet aequaliter, eamque transacto aequinoctio verno statim peragi oportet intra dies viginti, ante quam seges in articulum eat, quoniam serius sarta corrumpitur insequentibus aestivis siccitatibus et caloribus Subiungenda deinde est sartioni runcatio curandumque ne florentem segetem tangamus, sed aut ante¹⁰ aut mox cum defloruerit Omne autem

¹ runca SA, Lundstrom

² neque enim R, edd ante Lundström

³ et om AR, edd ante Schn ⁴ exaggerantur codd

⁵ humi R, edd ante Lundstrom

⁶ paululum SA paulum a

⁷ desit SA, Lundstrom

⁸ adrutum SA, Lundstrom

⁹ sic Schn remoliri Lundstrom, et vulgo

to grow among his crops, for it detracts greatly from the yield if weeding is neglected. And it is no mark ⁷ of a wise husbandman to be more concerned with fodder for cattle than with food for man, especially when he may obtain the former as well by cultivation of his meadows. I am so strongly in favour of hoeing beans as to think that they should actually be hoed three times. For we find that when cultivated in this way they not only multiply their yield but also have but little pod in proportion, and that a measure of them when shelled and cleaned is almost as full as before they were shelled, as the amount is scarcely diminished by the removal of the outer coverings. And in general, as we have said before, winter hoeing ⁸ is of very great benefit on clear and dry days after the solstice is past, in the month of January, if there are no frosts. It should be done, besides, in such a way that the roots of the plants will not be damaged, but rather covered over and hilled up, so that the offshoots of the main stem may spread out farther. It will be beneficial to do this at the first hoeing, but harmful at the second, because grain rots if it is covered after it has ceased to send out shoots. Therefore nothing ⁹ more should be done at the second hoeing than to loosen the ground evenly, and this should be done immediately after the vernal equinox is past, within twenty days, before the plant forms a joint, for when it is hoed later it is destroyed by the dry weather and heat of the ensuing summer. To the hoeing must be added the weeding, and we must take care not to touch a grain-field when it is in bloom, but either beforehand or soon after the blossoms have fallen.

¹⁰ antea *R plerique*, edd ante *Lundstrom*

LUCIUS JUNIUS MODERATUS COLUMELLA

fiumentum et hordeum, quicquid denique non duplici semine est, spicam a tertio ad quartum nodum emittit et, cum totam edidit, octo diebus deflorescit ac deinde grandescit diebus quadraginta, quibus post florem ad maturitatem venit. Rursus quae duplici semine sunt, ut faba, pisum, lenticula, diebus quadraginta florent simulque grandescunt.

XII Et ut iam percenseamus, quot operis in aream perducantur ea, quae terrae credidimus, tritici modum quattuor vel quinque bubulcorum operas occupant quattuor, occatoris unam, sartoris duas primum et unam cum iterum sariuntur, runcatoris unam, messoris unam et dimidiam, in totum summam operarum decem et dimidiam. Siliginis modum quinque totidem operas desiderant. Seminis¹ modum novem vel decem totidem operas quot tritici modum quinque² postulant. Hordei modum quinque bubulci operas tres exigunt, occatoriam unam, sartoriam unam et dimidiam, messoriam unam summam operarum sex et dimidiam. Fabae modum quattuor vel sex in vetereto duas operas bubulcorum detinent, at in restibili unam, occantur sesquiopeia, sariuntur sesquiopeia et una opeia² iterum, tertium³ sariuntur una opera, metuntur una summa fit operarum octo³ vel septem. Viciae modum sex vel septem in vetereto bubulcorum duas operas volunt, in restibili unam,

¹ Seminis *S* si seminis *AR* Sesamii vel Sesami vulgo ante Schn, sed Pontedera adorea proposuit

² sariuntur *s e u* opera Lundstrom sariuntur sex una opera *R plerique*, om *SA* sariuntur sesquiopeia, iterum sariuntur una opera, et tertio una vulgo

³ tertium add Lundstrom

^a *I e*, in modern botanical usage, dicotyledonous

^b The amount of seed required for sowing one iugerum, cf II 9 1

Now all grain and bailey, in short everything that 10 is not of double seed,^a sends out an ear from the third to the fourth joint, and when it has pushed out the entire spike it casts its bloom within eight days, and then continues to grow until it reaches maturity forty days after its flowering. On the other hand, those that are of double seed, such as beans, peas, and lentils, bloom in forty days and increase in growth for the same length of time.

XII And now to reckon up the number of days' labour required to bring to the threshing-floor what we have committed to the earth, four or five *modi* of common wheat^b take up four days' work of the ploughmen, one of the harrower, two of the hoer for the first hoeing and one for the second, one of the weeder, and one and a half of the reaper—a total of ten and one-half days of labour. Five *modi* of winter wheat require the same number of days. Nine or ten *modi* of spelt^c call for as many days' work as five *modi* of common wheat. Five *modi* of barley require 2 three days' labour of the ploughman, one day of harrowing, one and a half of hoeing, and one of reaping—six and a half days in all. Four or six *modi* of beans use up two days' work of the ploughmen in old fallow ground, but one in land under cultivation, they are harrowed in a day and a half, hoed in a day and a half, hoed a second time in one day and a third time in one day, and harvested in one day—the total amounting to seven or eight days. Six or seven *modi* 3 of vetch want two days' labour of the ploughmen in old fallow, and one in ground that is kept under

^a *Semen adorem*, in combination or singly, cf II 6 1, II 9 1

LUCIUS JUNIUS MODERATUS COLUMELLA

item occantur una opera, metuntur una summa fit
operarum quattuor¹ Ervi modi quinque totidem
operis conseruntur, occantur una, item singulis
sariuntur, runcantur, metuntur, quae cuncta sex
operas occupant Siliquae modi sex vel septem
totidem operis obruuntur, metuntur una Phaseoli
modi quattuor obruuntur totidem operis, occantur
4 una, metuntur una Cicerae vel cicerculae modi
quattuor operas bubulcorum tres postulant, occantur
una opera, runcantur una, velluntur una summa
fit sex operarum Lentis sesquimodius totidem
operis² obruitur,³ occatur una, saritur duabus,
runcatur una, vellitur una summa fit operarum octo
Lupini modi decem obruuntur una, occantur una,
metuntur una Milii sextarii quattuor totidemque
panici bubulcorum operas occupant quattuor,
occantur operis tribus, sariuntur tribus, quot operis
5 carpantur, incertum est Ciceris modi tres operis
totidem seminantur, occantur duabus, sariuntur una,
runcantur una, velluntur tribus summa fit undecim
operarum Linii decem modi vel octo quattuor
iugis conseruntur, occantur tribus,⁴ runcantur una,
velluntur tribus summa fit undecim operarum
Sesami sextarii sex tribus iugis a proscissione col-
untur,⁵ occantur⁶ operis quattuor, sariuntur quattuor

¹ sic codd, Lundstrom vel trium add Ald, Gesn, Schn

² operas R, edd ante Lundstrom

³ obruitur add Madvig, Lundstrom, om SA, vet edd
desiderat R, Ald, Gesn, Schn

⁴ operis tribus Ald, Gesn Schn

⁵ coluntur R, edd tolluntur SA, Lundstrom

⁶ post occantur verba tribus runcantur una velluntur tribus
summa fit e sententia antecedente repetunt SA, teste Lundstrom
occantur operis tribus, s q, e s i d, runcantur una, velluntur
duabus Summa fit Schn praeunte Pontedera

cultivation, this likewise is harrowed in one day, and harvested in one day—the total amounting to [three or] four days' work Five *modii* of bitter vetch are sown in the same number of days, harrowed in one day, and also hoed, weeded, and harvested in one day each—the total making up six days Six or seven *modii* of fenugreek ^a are put in the ground with the same number of days' labour, and are harvested in one day Four *modii* of kidney-beans are put under ground in the same number of days, are harrowed in one day, and harvested in one Four *modii* of chickling-vetch or of the small chick-pea require three ⁴ days' work of the ploughmen, they are harrowed in one day, weeded in one, and pulled in one—the total amounting to six days of work A *modius* and a half of lentil is covered in the same number of days, harrowed in one, hoed in two, weeded in one, and pulled in one—the total coming to eight days' work Ten *modii* of lupine are covered in one day, harrowed in one, and harvested in one Four *sextarii* of millet and the same amount of panic take up four days' labour of the ploughmen, are harrowed in three days, and hoed in three, the number of days for gathering is not fixed Three *modii* of the chick-pea are sown in the same ⁵ number of days, harrowed in two days, hoed in one, weeded in one, and pulled in three—a total of eleven days' work Eight or ten *modii* of flaxseed are sown with four days' ploughing, harrowed with three days' work, weeded with one, and pulled with three—the total amounting to eleven days' work Six *sextarii* of sesame are cared for with three days' ploughing after the first breaking of the ground, four days of

^a *Silvica*, cf II 10 33

LUCIUS JUNIUS MODERATUS COLUMELLA

- et saruntur iterum duabus, metuntur duabus
6 summa fit operarum quindecim Cannabis seritur,
ut supra docuimus, sed incertum est quantam im-
pensam curamque desideret At Medica obiuatur
non aratio, sed, ut dixi, ligneis rastellis Iugerum
agri eius occant duo,¹ sarit unus, metit unus ²
- 7 Hac consummatione operarum colligitur posse
agrum ducentorum iugerum subigi duobus iugis
bovum ³ totidemque bubulcis et sex mediastinis, si
tamen vacet arboribus At ubi ⁴ sit arbustum,
tamen ⁵ eundem modum Saserna tribus hominibus
adiectis adseverit probe satis excoli Quae nos
ratio docet sufficere posse iugum bovum tritici
centum viginti quinque modus totidemque legum-
minum, ut sit in assem ⁶ autumnalis satio modiorum
ducentorum quinquaginta, et posthac nihilo minus
conserantur ⁷ timestium modii ⁸ quinque et septua-
8 ginta Hoc deinde sic probatur Semina, quae
quanto sulco seruntur in iugeribus viginti quinque,
desiderant bubulcorum operas centum decem et
quinque, nam proscinditur is agri modus, quamvis
durissimi, quinquaginta operis, iteratur quinque et
9 viginti, tertiatur et conseritur quadraginta Cetera ⁹
legumina occupant operas sexaginta, id est menses
duos Pluviales quoque et feriarum computantur,
quibus non aratur, dies quinque et quadraginta,
item peracta sementi, quibus requiescunt, dies

¹ occantur duabus *R* occatur duabus *M*, *Ald*, *Gesn*

² sarit una metit una *R* sarritur una, metitur una *M*,
Ald, *Gesn*

³ sic *SA*, *Lundstrom* boum *R*, et vulgo

⁴ si *Ald*, *Gesn*, *Schn*

⁵ tamen om *SA*, edd ante *Lundstrom*

⁶ asse *Ursinus*, *Schn*

harrowing, four of hoeing and two at the second hoeing, and two days of harvesting—a total of fifteen days Hemp is sown as we have directed above, but ⁶ the amount of expense and attention required is not fixed Medic, however, is put in the ground, not with the plough, but, as I have said, with small wooden rakes One *ugerum* of this is harrowed by two men, hoed by one, and harvested by one

From this summing up of the days of labour required ⁷ it is concluded that two hundred *ugera* of land can be worked with two yoke of oxen, the same number of ploughmen, and six common labourers, provided it be free of trees, but the same amount, when it is planted with trees, Saseina says can be satisfactorily cultivated with three additional men This calculation shows us that one yoke of oxen can meet the requirements of one hundred and twenty-five *modi* of wheat and the same of legumes, so that the autumn sowing may total two hundred and fifty *modi*, and even after that seventy-five *modi* of three-months crops may still be sown The proof of this is as ⁸ follows Seeds that are sown at the fourth ploughing require, for twenty-five *ugera*, one hundred and fifteen days' labour of the ploughmen, for such a plot of ground, however hard, is broken in fifty days, re-ploughed in twenty-five, ploughed a third time and then sown in forty days Other legumes ⁹ require sixty days, that is, two months Forty-five days also are allowed for rainy weather and holidays, on which no ploughing is done, likewise thirty days after the sowing is finished, in which there is a period

⁷ conseram *S* conserant *A* et *R* plerique conserat *Ald*,
Gesn, Schn

⁸ modios *Ald*, Gesn, Schn

⁹ Cetera om Schn

LUCIUS JUNIUS MODERATUS COLUMELLA

triginta Sic in asse fiunt octo menses et dies decem
Supersunt tamen de anno tres reliqui menses et dies
quinque et viginti, quos absumamus¹ aut in satione
trimestrium aut in vecturis faeni et pabulorum et
stercoris aliorumque utensilium

XIII Sed ex his, quae rettuli, seminibus idem
Saserna putat aliis stercoreari et iuvare agros, aliis
rursus periri et emaciarı, stercoreari lupino, faba, vicia,
ervilia, lenti, cicercula, pıso De lupino nihil dubito
atque etiam de pabulari vicia, si tamen eam viridem
desectam confestim aratrum subsequatur et, quod
falsı reliquerit, prius quam inarescat,² vomis rescin-
2 dat atque obruat, id enim cedit pro stercore Nam
si radices eius desecto pabulo relictas inaruerunt,³
suum omnem solo auferent vimque terrae absum-
ment, quod etiam in faba ceterisque leguminibus,
quibus terra gliscere videtur, verisimile est accidere,
ut nisi protinus sublata messe⁴ eorum proscinditur,⁵
nihil his segetibus, quae deinceps in eo loco seminari
3 debent, profuturum sit Ac de his quoque legumini-
bus, quae velluntur, Tremelius obesse ait maxime⁶
solo virus⁷ cicercis et lini, alterum quia sit salsae,⁸
alterum quia sit⁹ fervidae naturae, quod etiam
Vergilius significat dicendo

Urıt enim lini campum seges, urıt avenae,
Urunt Lethaeo perfusa papavera somno

¹ absumimus R plerique

² macrescat vel marcescat R plerique

³ inaruerunt SA, Lundstrom inaruerint R, et vulgo

⁴ messes SA

⁵ proscinditur codd, Lundstrom proscindatur vulgo

⁶ maxime ait R ⁷ virtus A

⁸ densae S dens (e suprascr man rec) A ⁹ sit om S

of rest Thus the total amounts to eight months and ten days Still there are left of the year three months and twenty-five days, which we may spend either in sowing three-months crops or in the hauling of hay, forage, manure, and of other useful things

XIII But of the crops that I have mentioned, the same Saserna thinks that land is fertilized and improved by some, and, on the other hand, that it is burned out and wasted by others, that it is fertilized by lupine, beans, vetch, bitter vetch, lentils, the small chickpea, and peas As to the lupine I have no doubt, nor yet as to vetch when it is sown for fodder, provided, however, that after being cut green it be followed up immediately by the plough, and that the ploughshare cut up and bury, before it dries out, what is left by the sickle, for this takes the place of manure For if the roots are left to dry out after 2 the fodder is cut, they will draw all the moisture out of the soil and use up the strength of the land, and it is probable that this happens also in the case of beans and other legumes by which the ground appears to be enriched, so that, unless the ground is broken up at once after a crop of them has been taken off, it will be of no benefit to the crops which are to be planted in that spot thereafter Of those legumes, too, which 3 are harvested by pulling, Tremelius says that the poisons of the chickpea and of flax are most harmful to the soil, the one because it is of a salty nature, the other because of its burning qualities, and Vergil, too, points this out when he says

A field is burned by crops of flax, is burned by
crops of oats,

Is burned by crops of poppies with Lethaeon
slumber steeped "

LUCIUS JUNIUS MODERATUS COLUMELLA

Neque enim dubium, quin et his seminibus infestetur ager sicut et ¹ milio et panico Sed omni solo, quod praedictorum leguminum segetibus fatiscit, una praesens medicina est, ut stercoie adiuves et absumptas vires hoc velut pabulo refoveas, nec tantum propter semina, quae sulcis aratri committuntur, verum etiam propter arbores ac vīgulta, quae maiorem in modum laetantur eius modi alimento Quare si est, ut videtur, agricolis utilissimum, diligentius de eo dicendum existimo, cum priscis auctoribus, quamvis non omissa res,² levi tamen admodum cura sit prodita

XIV Tria igitur genera stercoreis³ sunt praecipue,⁴ quod ex avibus, quod ex hominibus, quod ex pecudibus confit Avium primum habetur quod ex columbaris egeritur, deinde quod gallinae ceteraeque volucres edunt, exceptis tamen palustribus aut nantibus, ut anatis⁵ et anseris, nam id noxium quoque est Maxime tamen⁶ columbinum probamus, quod modice sparsum terram fermentare comperimus,² secundum deinde, quod homines faciunt, si et alius villae purgamentis immisceatur, quoniam per se⁷ naturae est ferventioris et idcirco teriam perurit Aptior est tamen surculis hominis urina, quam sex mensibus passus veterascere⁸ si vitibus aut pomorum arboribus adhibeas, nullo alio magis fructus exuberat nec solum ea res maiorem faciet⁹ proventum.

¹ etiam Ald, Gesn, Schn

² non omnes sares SA

³ stercoreis genera R

⁴ praecipua R pauci, et vulgo ante Schn

⁵ anetis SA, Lundström ⁶ autem S

⁷ per se vulgo additur, om codd et Schn

⁸ veterescere Lundstrom cum codd ut videtur

⁹ facit R aliquot, Ald, Gesn, Schn

For there is no doubt that a field is impaired by seeding it with these, just as it is by millet and panic. But for all ground that is exhausted by cropping the aforesaid legumes there is one remedy at hand, namely, to come to its aid with manure, and with this sustenance, so to speak, to restore the strength that has been taken from it, and this not only for the 4 sake of seed which is committed to the ploughed furrow, but also for trees and bushes, which thrive in greater measure on this kind of nourishment. Wherefore, if manuring is of the greatest advantage to the farmer, as it appears to be, I believe that it should be discussed with unusual care, inasmuch as this subject, though not overlooked by the ancient authorities,^a has nevertheless been given very slight attention.

XIV There are, then, mainly, three kinds of manure that produced by birds, by humankind, and by cattle. Of bird dung that is considered first which is gathered from dove-cotes, and next is that which comes from hens and other fowl, excepting nevertheless marsh birds or swimming fowl, such as ducks and geese, for that is actually harmful. Still we especially commend pigeon dung, because we find that a moderate spreading of it causes the earth to ferment, and second to this is human excrement, if it is mixed 2 with other refuse of the farmstead, for by itself it is naturally rather hot and for that reason it burns the ground. Better suited to young shoots, however, is human urine, and if you let it age for six months and then apply it to vines or fruit trees, there is nothing that makes them bear more abundantly, and not only will this treatment produce a larger crop but also

^a Cf. Cato, 36, Varro, *RR* I 38. Of later authorities cf. Pliny, *NH* XVII 50-57, and Palladius, I 33.

LUCIUS JUNIUS MODERATUS COLUMELLA

sed etiam saporem et odorem vini¹ pomorumque
 3 reddit meliorem Potest et vetus amurca, quae
 salem non habet, permixta huic commode frugiferas
 arbores et praecipue oleas rigare, nam per se quoque
 adhibita multum iuvat Sed usus utriusque maxime
 per hiemem est et adhuc vere ante aestivos vapores,²
 4 dum etiam vites et arbores ablaqueatae sunt Ter-
 tium locum obtinet pecudum stercus atque in eo
 quoque discrimen est, nam optimum existimatur,
 quod asinus facit, quia id animal lentissime mandit³
 ideoque facilius concoquit et bene confectum atque
 idoneum protinus arvo fimum reddit Post haec,
 quae diximus, ovillum et ab hoc caprinum⁴ est, mox
 ceterorum iumentorum⁵ alimentorumque Deter-
 5 rimum ex omnibus suillum habetur Quin etiam
 satis proficit⁶ cineris et favillae,⁷ frutex vero lupini
 succisus optimi stercoreis vim praebet Nec ignoro
 quoddam esse ruris genus, in quo neque pecora
 neque aves haberi possint, at tamen inestis est
 6 rustici eo quoque loco defici stercore Licet enim
 quamlibet frondem, licet e vepibus et e viis⁸ com-
 pitisque⁹ congesta colligere, licet filicem¹⁰ sine
 iniuria vicini, etiam cum officio decidere et permiscere

¹ vitis SA ² aestivus tempores A

³ mandat A

⁴ quae diximus caprinum om SA

⁵ ceterum dum in iumentorum SA

⁶ proficit *Lundstrom* profuit R, *edd plerique* prodicitur
 S prodicit A

⁷ cineris usus et favillae *Ursinus, Gesn, Schn*

⁸ et e viis om R

⁹ compitisque *Ald* compitique S¹A compitibusque R

¹⁰ felicem S¹Aa, *Lundstrom*

LUCIUS JUNIUS MODERATUS COLUMELLA

cum purgamentis cohortis, licet depressa fossa, qualem stercoꝝ reponendo primo volumine fieri praecepimus, cinerem caenumque cloacarum et culmos ceteraque, quae eveiruntur, in unum congerere Sed eodem medio loco robustam materiem defigere convenit, namque ea res serpentem noxam¹ 7 latere in stercore prohibet Haec ubi viduus pecudibus ager Nam ubi greges quadrupedum versantur, quaedam cotidie, ut culna et caprile, quaedam pluvius diebus, ut bubilia et ovilia, debent emundari Ac si tantum frumentarius ager est, nihil refert genera stercoꝝ separare,² sin autem surculo et segetibus atque etiam piatis fundus est dispositus, generatim quoque³ reponendum est, sicut caprarum et avium Reliqua deinde in praedictum locum concavum egerenda⁴ et adsiduo humore⁵ satianda sunt, ut herbarum semina culmis ceterisque rebus 8 immixta putrescant Aestivis deinde mensibus non aliter ac si repastines, totum stercolinum rastris permisceri oportet, quo facilius putrescat et sit arvis idoneum Parum autem diligentis existimo esse agricolas, apud quos minores singulae pecudes tricenis diebus minus quam singulas itemque maiores denas vehes stercoꝝ efficiunt totidemque singuli homines, qui non solum ea purgamenta, quae ipsi corporibus edunt, sed et quae colluvies cohortis et

¹ serpentum noxam *Ald*, *Gesn*

² separari *R*, *Ald*, *Gesn*, *Schn*

³ quodque *Ursinus*, *Schn*

⁴ egerenda *R*, *Lundstrom* erigenda *SA*, *vett edd* congerenda *vulgo*

⁵ adsiboum mores (more *A*) *SA*¹

^a I 6 21-22

^b So Varro, *R R* I 38 3, Pliny, *N H* XVII 57

BOOK II xiv 6-8

them with the cleanings from his inclosure, he may sink a trench such as, in my first book,^a I directed to be made for the storage of manure, and may heap together in one pile his ashes, sewer filth, straw, and other dirt that is swept out. But it is well to fasten a piece of oak wood in the middle of that same place, for this keeps the harmful serpent from hiding in the manure.^b All this of land which is bereft of cattle, 7 for where herds of four-footed animals are kept, there are some places, such as the kitchen and the goat-sheds, which should be cleaned every day, and others, like the ox-stalls and sheepfolds, which are to be cleaned on many days. And if the ground is used merely for grain, it is of no importance to keep the different kinds of manure apart, but if the farm is laid out for a nursery, for grainfields, and also for meadows, the manure too must be stored separately, as that of goats and of birds. Then the rest of the refuse should be gathered into the hollowed-out place before mentioned, and it should be constantly saturated with moisture, so that the weed seeds mixed with the chaff and other matter may rot. Then 8 during the summer months the whole dunghill should be thoroughly stired with rakes, just as if you were loosening the ground, so that it may decay more readily and be fit for the land. Moreover, I consider those farmers lacking in industry who have from each of the smaller animals less than one load^c of manure in thirty days, and likewise ten loads from each of the larger ones, and the same amount from each person, for they can gather and heap together not only the waste matter from their own bodies, but also the dirt

^a Columella, XI 2 86, speaks of one load (*vehis*) of manure as containing 80 *modi* (= about 20 bushels)

aedifici cotidie gignit, contrahere et congereire
 9 possunt Illud quoque praecipendum habeo, stercus
 omne, quod tempestive repositum anno requieverit,
 segetibus esse¹ maxime utile, nam et vires adhuc
 solidas habet et herbas non creat, quanto autem
 vetustius sit, minus prodesse, quoniam minus valeat
 Itaque pratis quam recentissimum debere mici, quod
 plus herbarum progeneret, idque mense Februario
 luna crescente fieri oportere, nam ea quoque res²
 aliquantum faeni fructum adiuvat De cetero usu
 stercois qualis in quaque re debeat esse, tum
 dicemus, cum singula persequemur

XV Interim qui frumentis aia praeparare volet,
 si autumnio sementem facturus est, mense Septembri,
 si vere, qualibet hiemis parte modicos acervos luna
 decrescente disponat,³ ita ut plani foci iugerum
 duodeviginti,⁴ clivosi quattuor et viginti vehes stercois
 teneant, et ut paulo prius dixi, non antea dissipet
 2 cumulos, quam erit saturus⁵ Si tamen aliqua
 causa eum⁶ tempestivam stercorationem facere
 prohibuerit, secunda ratio est, ante quam sariat,⁷
 more seminantis ex aviarius pulverem stercois per
 segetem spargere, si et is non erit, caprinum manu
 iacere atque ita terram sarculis permiscere Ea res
 laetas segetes reddit Nec ignorare colonos oportere
 reor,⁸ sicuti refrigescere agrum, qui non stercoretur,
 ita peruri, si nimium stercoretur, magisque conducere

¹ repositum esse om SA ² res om SA

³ disputat SA

⁴ duo et viginti R duodecim Gesn

⁵ arturus SA araturus Schn, praeunte Pontedera

⁶ eum om R, edd plerique

⁷ sarias R seras Schn

⁸ oportere (reor s re scr man alt S) SAR oportet edd
 ante Lundstrom

which the yard and the buildings produce every day I have also this further direction to give, that all manure is most beneficial to crops when it has been stored in proper season and has rested for a year, for it still has its strength unimpaired and does not produce weeds, moreover, that the older it is, the less beneficial, because it has less strength. For this reason it should be spread on meadows while as fresh as possible, because it produces more grass, and this should be done in the month of February, while the moon is waxing, as this also contributes somewhat to the hay crop. As to the other use of manure, what sort is suitable for the several kinds of crops, we shall speak when we treat of them individually.

XV Meanwhile, one who wishes to prepare his fields for grain should distribute manure in piles of moderate size while the moon is waning—in the month of September if he intends to sow in the autumn, at any time of winter if he is to sow in the spring—at the rate of eighteen loads to the *vugerum* on level ground and twenty-four on hilly land, and, as I said a little earlier,^a he should not spread these heaps until he is ready to sow. Yet if anything keeps him from applying manure at the proper time, a second method is, before hoeing, to scatter over the grainfield the pulverized droppings from the bird houses in the manner of one casting seed, and if there is none of this, to broadcast goat dung by hand and then stir the ground thoroughly with hoes. This produces luxuriant crops. And I think that husbandmen should not be unacquainted with the fact that as land grows cold when it is not manured, so it is burned if manured too heavily, and that it is of

^a Chap 5 of this book

LUCIUS JUNIUS MODERATUS COLUMELLA

agricolae fiequenter id potius quam immodice facere
 3 Nec dubium quin aquosus agei maiorem eius copiam,
 siccus minorem desideret, alter quod adsiduis umori-
 bus rigens hoc adhibito regelatur, alter quod per se
 tepens siccitatibus hoc¹ adsumpto largioribus²
 torretur,³ propter quod nec deesse ei talem mater-
 4 iem nec superesse oportet Si tamen nullum genus
 stercoreis suppetet, multum prodeit fecisse quod
 Marcum Columellam patium meum, doctissimum
 et diligentissimum agricolam, saepe numero usurpasse
 memoria repeto, ut sabulosis⁴ locis cretam ingereret,
 cretosis ac nimium densis sabulum, atque ita non
 solum segetes laetas excitaret verum etiam pul-
 5 cherrimas vineas efficeret Nam idem negabat
 stercus vitibus ingerendum, quod saporem vini
 corrumpere, melioremque censebat esse materiam
 vindemus exuberandis congesticiam vel de vepibus
 vel denique aliam quamlibet arcessitam et advectam
 humum Iam vero et ego reor, si deficiatur omnibus
 rebus agricola, lupini certe praesidium expeditis-
 simum non deesse, quod cum exili loco⁵ circa Idus
 Septembris sparseit et inaraverit idque tempestive
 vomere vel ligone succideit, vim optimae stercora-
 6 tionis exhibebit Succidi autem lupinum sabulosis
 locis oportet, cum secundum florem, lubricosis,⁶
 cum tertium egerit Illic, dum tenerum est, con-

¹ ad hoc SA

² largiore R, et vulgo ante Lundstrom

³ tolleretur SA

⁴ pabulosis SA

⁵ sola SA solo Schn

⁶ lubricosis SA, Lundström rubricosis R, et vulgo

greater advantage to the farmer to do this frequently rather than lavishly And there is no doubt 3 that wet land requires a greater quantity of it, and dry land less—the one because, being chilled by constant moisture, it is warmed when manure is applied, and the other because, being naturally warm, it is parched by the increased aridity when this is added, for which reason such dressing should be neither deficient nor over-sufficient If, however, no kind of 4 manure is available, it will be very helpful to follow the practice which I remember my uncle, Marcus Columella, a very learned and painstaking farmer, frequently employed that is, to heap clay on gravelly ground, and gravel on ground that was clayey and too stiff, and in this way to grow not only luxuriant crops of grain but also very fine vineyards For this same authority used to say that dung 5 should not be applied to vines, because it spoiled the flavour of the wine, and he thought that a better dressing for making a heavy vintage was humus, either that which accumulates around bramble-thickets, or in fact any earth obtained elsewhere and brought in But my opinion nowadays is that if the farmer is destitute of everything, at any rate there is no lack of lupine, that very ready aid, and if he will scatter this on lean ground about the middle of September, plough it in, and at the proper time cut it up with the ploughshare or the mattock, it will have the effect of the best manure The lupine should be 6 cut, moreover, in gravelly ground when it is in the second flower, and in sticky soils when it is in its third ^a In the former case it is turned under while it is tender,

^a Pliny, in describing the lupine, says (*N H* XVIII 133) that it blooms three times

LUCIUS JUNIUS MODERATUS COLUMELLA

vertitur, ut celeriter ipsum putrescat permisceaturque gracili solo, hic iam robustius, quod solidioris glaebras diutius sustineat et suspendat, ut eae solibus aestivis vaporatae resolvantur

- XVI Atque haec arator exsequi poterit, si non solum quae rettuli genera pabulorum providerit, verum etiam copiam faeni, quo melius alimenta tueatur, sine quibus terram commode moliri difficile est, et ideo necessarius ei cultus est etiam prati, cui veteres Romani primas in agricolatione tribuerunt
- 2 Nomen quoque indiderunt ab eo, quod protinus esset paratum nec magnum laborem desideraret Marcus quidem Porcius et illa commemoravit, quod nec tempestatibus adflingeretur ut aliae partes ruris minimeque¹ sumptus egens per omnis annos praeberet redditum neque eum simplicem, cum etiam in
- 3 pabulo non minus redderet quam in faeno Eius igitur animadvertimus duo genera, quorum alterum est siccaneum, alterum riguum Laeto pinguique campo non desideratur² influens rivus, meliusque habetur faenum, quod suapte natura sucoso gignitur solo, quam quod inrigatum aquis elicitur,³ quae tamen sunt necessariae, si macies terrae postulat Nam et in densa et resoluta humo, quamvis exili, pratum fieri potest, cum facultas inrigandi datur
- 4 Ac nec campus concavae positionis esse neque collis praeruptae debet ille ne collectam diutius contineat

¹ minimique *vulgo ante Lundstrom*

² desideretur *SA*

³ suapte (suapte *A*) natur aquis et eligitur (*cetera verba om*) *SA*

^a So also Varro, *RR* I 7 10, Pliny, *NH* XVIII 29, Isidore, *Orig* XV 3

^b Cato But the passage is lost

so that it may rot quickly and be mixed with the thin soil, in the latter case when it has grown stronger, so that it may hold up the more solid clods longer and keep them suspended, to be broken down when heated by the summer sun

XVI These things the ploughman will be able to accomplish if he makes provision not only for the varieties of forage crops which I have mentioned, but also for a supply of hay for the better maintenance of his cattle, without which it is difficult to work the land to advantage, and on that account the tending of a meadow is also required of him. To the meadow the ancient Romans assigned the leading rôle in agriculture, and to it also they gave its name (*pratum*)² from the fact that it was immediately "ready" (*paratum*)^a and did not require a great amount of toil. Marcus Porcius,^b indeed, called to mind also the following considerations: that it is not damaged by storms like the other divisions of the farm, and that, though needing very little outlay, it yields a return year after year—and that not a single return, because it pays no less in pasturage than in hay. We take³ notice, then, of two kinds of meadows, the dry and the watered.^c In level ground that is rich and fat there is no need of an inflowing stream, and hay which grows naturally on a moist soil is considered superior to that enticed by irrigation, though such watering is necessary if the leanness of the soil demands it. For a meadow can be laid down both in stiff and in loose soil, however poor, if the opportunity for irrigation is offered. And it should not be a plain that slopes⁴ inward, nor a hill with a steep pitch—the former that it may not hold too long the water which settles

^a Cato, 8 1

LUCIUS JUNIUS MODERATUS COLUMELLA

aquam, hic ne statim praecipitem fundat Potest tamen mediocriter acclivis, si aut pinguis est aut
 5 riguus ager, pratum fieri At pluvies maxime talis probatur, quae exigue piona non patitur diutius imbres aut influentis rivos immorari, sed ut ¹ quis eam supervenit umor, lente prorepat ² Itaque si palus in aliqua parte subsidens restagnat, sulcis derivanda est, quippe ³ aquarum abundantia atque penuria gramini-
 bus aequae est exitio

XVII Cultus autem pratorum magis curae quam laboris est Primum ne stipes aut spinas ⁴ validiorisve ⁵ incrementi herbas inesse patiamur, atque alias ante hiemem per autumnum exstipemus, ut rubos, virgulta, iuncos, alias sic vellamus, ut ⁶ intuba ac solstitialis spinas, ac ⁷ neque suem velimus impasci, quoniam rostro suffodiat et cespites excitet, neque pecora maiora, nisi cum siccissimum solum est, quia udo demerguntur ungulae ⁸ et atterunt
 2 scinduntque radices herbarum Tum deinde asperiora ⁹ et pendula loca mense Februario luna crescente fimo iuvanda sunt, omnesque lapides et si qua obiacent falcibus obnoxia colligi debent ac longius exportari summittique pro natura locorum aut temperius aut serius Sunt etiam quaedam prata situ vetustatis obducta, quibus mederi solent agri-

¹ sed ut] aut si R, edd ante Schn

² proripit SR, Lundstrom

³ qui et SA

⁴ cineras SA

⁵ validiorisque R, edd ante Lundstrom

⁶ sic vellamus ut Lundstrom sigilla /// mus u (t suprascr man rec) S sigillam usu A si vellamus ut R per ver evellamus Ald, Gesn, Schn

⁷ intuba solstitialis ac (cett verba om) SA

⁸ demergunt ungulas R, et vulgo ante Lundstrom

there, the latter that it may not immediately pour it off in a torrent. However, if the ground has a gentle slope and is either rich or moist, a meadow may be laid down. But the place most approved is an even surface which, having a slight slope, does not allow rain or inflowing rivulets to stand too long, but when any moisture reaches it, it gradually drains off. And so if there is in any part of it a low and boggy place where water stands, it must be drained with ditches, for an oversupply and an undersupply of water are equally destructive to grass.

XVII The keeping up of meadows is, moreover, a matter of care rather than of labour. In the first place, we must not allow shrubs or thorn bushes or weeds of rather vigorous growth to remain in them, but before winter and throughout autumn we must root out some of them, such as bramble-bushes, thickets, and rushes, and pull up others like endive and midsummer thorns, and we should not permit swine to feed on them, as they root them up with their snouts and tear up the sod, nor larger animals except when the ground is very dry, because their hoofs, sinking into the wet ground, bruise and cut the grass roots. Then also the more rugged and elevated sections should be enriched with manure in the month of February, while the moon is waxing, and all stones and any harmful objects that may lie in the way of the sickle should be gathered up and carried some distance away, and then, sooner or later, according to the nature of the place, the meadows should be let alone to grow to hay. There are also some meadows covered with the mould of long neglect, and the old-

⁹ *asperiora R pauci aspriora SA, Lundstrom macriora R aliquot, et vulgo*

LUCIUS JUNIUS MODERATUS COLUMELLA

colae veteres¹ vel eraso musco seminibusque de
 tabulato superiectis vel ingesto stercore, quorum
 neutrum tantum prodest quantum si cinerem saepius
 3 ingeras Ea res muscum enecat At tamen pigriora
 sunt ista remedia, cum sit efficacissimum de integro
 locum exarare Sed haec, si prata accessimus,²
 facere debemus, sin autem nova fuerint instituenda
 vel antiqua renovanda—nam multa sunt, ut divi,
 quae neglegentia exolescant et fiant sterilia, eaque
 expedit interdum etiam frumenti causa exarare,
 quia talis ager post longam desidiam laetas segetes
 4 adfert—igitur eum locum, quem prato destinaverimus,
 aestate proscissum subactumque protinus³ per
 autumnum rapis vel napo vel etiam faba conseremus,
 insequente deinde anno, fumento Tertio dili-
 genter arabimus omnesque validiores herbas et
 iubos et arbores, quae interveniunt, radicitus⁴
 extirpabimus, nisi si⁵ fructus arbusti id facere nos
 prohibuerit Deinde viciam permixtam seminibus
 faeni seremus, tum glaebras sarculis resolvemus et
 inducta crate coaequabimus grumosque, quos ad
 versuram plerumque tractae faciunt crates, disicia-
 mus⁶ ita, necubi ferramentum faenisezis possit
 5 offendere Sed eam viciam non convenit ante
 desecare, quam permaturuerit et aliqua semina
 subiacenti solo iecerit Tum faenisezas eam oportet
 recidere ac deinde rigari,⁷ si fuerit facultas aquae et

¹ veteres *Lundstrom* veteri *codd*, et *vulgo*

² adaccessimus *SA*, *Lundstrom* cepimus *R* plerique accepi
 mus *Gesn*, *Schn* coepimus vel cepimus *vett edd*

³ protinus *SA*, *Lundstrom* sepius *R* saepius *cett edd*

⁴ interveniunt radicibus *SA*, *Schn* ⁵ si om *SA*

⁶ disiciamus *Lundstrom*, praeeunte *Pontedera* assicamus
 vel adsiccamus *codd* plerique dispiciemus *R* duo *dett*
 despiciemus *vett edd* dissipabimus *vulgo*

time farmers have a way of restoring them by scaping off the moss and broadcasting seed from the hayloft, or by applying manure, neither of which is so effective as the frequent application of ashes. This last treatment kills the moss completely. Still ³ these remedies are rather slow, whereas the most effective measure is to plough the spot all over again. The above are measures that we should take if we have taken over meadows ready-made, but if new ones are to be established or old ones restored—for there are many, as I have said, which run down and become barren through neglect, and it is expedient to plough them up now and then for a grain crop, because such land after long idleness produces lux-
 uriant crops—we shall break up in the summer such ⁴ land as we have set apart for a meadow, work it continuously throughout the autumn, and seed it with turnips or navews or even beans, then the following year, with grain. In the third year we shall plough thoroughly and dig out by the roots all the stouter growth, brambles and trees, that stand in the way, unless the fruitfulness of the set trees keeps us from so doing. Next we shall sow vetch mixed with hay-seed, then break the clods with hoes and level the surface by drawing a brushwood drag over it, and scatter the heaps of earth which the drags usually form at the turnings, so that the mower's scythe may not strike against anything. But it is not advisable ⁵ to cut this vetch until it is entirely ripe and has shed some seed on the ground beneath it. Then the mowers should cut it down, and the ground should next be irrigated if there is a supply of water, but

LUCIUS JUNIUS MODERATUS COLUMELLA

si tamen terra densior est, nam in resoluta humo non expedit inducere maiorem vim rivoꝝ, prius quam conspissatum fuerit¹ et herbis colligatum solum,² quoniam impetus aquarum proluit terram nudatisque
6 radicibus gramina non patitur coalescere Propter quod ne pecora quidem oportet teneris adhuc et subsidentibus pratis immittere, sed quotiens herba prosiluerit, falcibus desecare, nam pecudes, ut ante iam dixi, molli solo infigunt ungulas atque interruptas non sinunt herbarum³ radices serpere et condensari Altero tamen anno minora pecora post faeniscia permittemus admitti, si modo siccitas et
7 conditio⁴ loci patietur Tertio deinde cum pratum solidius ac durius erit, poterit etiam maiores recipere pecudes Sed in totum curandum est, ut secundum Favonũ exortum mense Februario circa Idus immixtis seminibus faeni macroia loca et utique celsiora stercorentur Nam editior clivus praebet etiam subiectis alimentum, cum superveniens imber aut manu rivus⁵ perductus sucum stercoreis in inferiorem partem secum trahit Atque ideo fere prudentes agricolae etiam in aratis collem magis quam vallem stercoreant, quoniam, ut dixi, pluviae semper omnem pinguiorem materiam in ima deducunt

XVIII Faenum autem demetitur optime ante

¹ fuerit om SA, edd ante Lundstrom

² sic Lundstrom conspissatum et herbis colligatum sit solum vulgo

³ herbarum om SA

⁴ conducio S conductio A

⁵ rivus SA et R plerique, Lundstrom

only in case the ground is rather heavy, for in loose soil it is not wise to let in too heavy a flow of water before the ground is packed and bound together by vegetation, because the force of the water washes away the soil and, by exposing the roots, does not allow the grass to gain a foothold. It is for this reason 6 that one should not even turn his herds into meadows that are still soft and settling, but should cut the grass with sickles whenever it shoots up, for, as I have said before, cattle plant their hoofs in the soft ground and, cutting off the grass roots, do not allow them to spread and form a dense growth. In the second year, however, we shall allow the smaller animals to be turned in after the haymaking, if only dry weather and the condition of the ground will permit it. Then 7 in the third year, when the meadow is quite solid and firm, it will be in condition to receive even the larger cattle. But, in general, care must be taken that after the rising of Favonius^a in February, about the middle of the month, the poorer spots and especially the higher places be given a coating of manure in which hayseed is mixed, for the more elevated slope supplies nourishment to the land that lies below when a pouring rain or a hand-conducted rivulet carries the liquid manure along with its own waters to the part below. And it is for this reason that wise farmers, even in ploughed land, manure a hillside more heavily than a valley, because, as I have stated, the rains are forever carrying all the richer matter down to the lowland.

XVIII It is best, moreover, that hay be cut before

^a Favonius, also called Zephyrus, was the gentle west wind, a harbinger of spring. Cf. VIII 11 7, *cum Favoni spirare coeperunt, id est ab Idibus Februariis ante Martium mensem*.

LUCIUS JUNIUS MODERATUS COLUMELLA

quam inarescat,¹ nam et largius percipitur et iucundiorum cibum pecudibus praebet. Est autem modus in siccando, ut neque pericandum neque ruisus viride colligatur, alterum quod omnem sucum si amisit, stramenti vicem obtinet, alterum si nimium retinuit, in tabulato putrescit ac saepe, cum concaluit,² ignem creat et incendium. Non numquam etiam, cum faenum cecidimus, imber oppressit, quod si permaduit, inutile est udum movere, melius-
2 que patiemur superiorem partem sole siccari. Tunc demum convertemus et utrumque³ siccatum coartabimus in strigam atque ita manipulos vinciemus. Nec omnino cunctabimur, quo minus sub tectum congeratur, vel si non competet, ut aut⁴ in villam faenum portetur aut in manipulum colligatur,⁵ certe quicquid ad eum modum, quem⁶ debet, siccatum erit, in metas exstrui conveniet easque ipsas in angustissimos
3 vertices exacui. Sic enim commodissime faenum defendetur⁷ a pluvius, quae etiam si non sint, non alienum tamen est praedictas metas facere, ut si quis umor herbis inest, exsudet atque⁸ excoquatur in acervis. Propter quod prudentes agricolae quamvis iam inlatum tecto non ante componunt, quam per paucos dies temere congestum in se concoqui et defervescere patiantur. Sed iam faenisicia insequitur cura messis, quam ut recte possimus percipere, prius instrumenta praeparanda sunt, quibus fruges coguntur

¹ arescat *SA* ² caluit *SAC*

³ siccari utrumque *om SA* utrumque *Ursinus*
utrumque *R*

⁴ aut *om Schn*

⁵ manipulos colligatum *Schn*

⁶ quo *Ald, Gesn, Schn*

⁷ defenditur *R, edd ante Lundstrom*

it begins to wither, as a greater quantity of it is harvested and it affords a more agreeable food for cattle. But a middle course should be followed in the curing, that it be gathered neither when very dry nor, on the other hand, while still green—in the one case because it is no better than straw if it has lost all its sap, and in the other because, if it has kept too much of it, it rots in the loft and often, when it becomes heated it breeds fire and starts a blaze. Sometimes, too, when we have cut our hay a rain surprises us, and if the hay is soaked through it is useless to move it while wet, but better to let the upper side of it dry out in the sun. Only then shall we turn it, and, when it is dry on 2 both sides, we shall bring it together in windrows and then bind it up in bundles. And above all we shall lose no time in putting it under cover, or, if it is not convenient for the hay to be carried to the farmstead or tied into bundles, it will be well at any rate that all of it that had been dried out to the proper extent be built up into cocks and that these be topped off with very sharp peaks. For by this method hay 3 is very conveniently protected from rains, and even if there is no rain, it is still not amiss to build the aforesaid cocks, so that any moisture remaining in the hay may sweat and dry out in the piles. For this reason wise husbandmen, even in the case of hay brought under cover, do not store it away until they have allowed it to heat and cool for a few days in a loose pile. But now after the haymaking comes attention to the grain harvest, and that we may properly gather it, we must first put in readiness the implements with which the crops are harvested

LUCIUS JUNIUS MODERATUS COLUMELLA

XIX Area quoque si tenera erit, ut sit ad trituram satis habilis, primum iadatur, deinde confodiatur,¹ permixtis paleis cum amurca, quae salem non accepit, et rigetur,² nam ea res a populatione murum formicarumque frumenta defendit Tum aequata paviculis vel molari lapide condensetur et rursus superiectis paleis inculcetur atque ita solibus siccanda relin-
2 quatur Sunt tamen, qui prati subiacentem Favonio³ partem triturae destinant areamque demessa faba et iniecta⁴ expoliunt, nam dum a pecudibus legumina proculcantur, etiam herbae ungulis atteruntur, atque ita glabrescit et fit idonea frumentis⁵ area

XX Sed cum matura fuerit seges, ante quam torieatur vaporibus aestivi sideris, qui sunt vastissimi per exortum⁶ Caniculae, celeriter demetatur,⁷ nam dispendiosa est cunctatio, primum quod avibus praedam ceterisque animalibus praebet, deinde quod grana et ipsae spicae culmis arentibus et aristis
2 celeriter decidunt Si vero procellae ventorum aut turbines incesserunt,⁸ maior pars ad terram defluit, propter⁹ quae recrastinari non debet, sed aequaliter flaventibus iam satis, ante quam ex toto grana indurescant, cum rubicundum colorem traxerunt,

¹ conficiatur SA

² et rigetur SA et R aliquot extricetur Lundstrom ex tringetur R plerique, velt edd aspergatur Ursinus irrigetur Schoettgen, et maluit Gesn extergatur vulgo

³ prati subiacentem Favonio Lundstrom, praeunte Schn in not pratis obiacentem fabonio (b in v mut S) SA pratis obiacente favonio R potius adiacentium fabalium vulgo

⁴ lecta R, et vulgo ante Schn

⁵ trituris Ald, Gesn, Schn

⁶ ortum R, et vulgo ante Lundstrom

⁷ demetur SA

⁸ incesserint R, edd ante Lundstrom

⁹ propter om SA

XIX The threshing-floor, too, if it is of earth, to be satisfactorily prepared for threshing should first be scraped, then dug thoroughly, with an admixture of chaff and oil lees which have not been salted, and moistened, for such treatment protects the grain from the ravages of mice and ants. Then, after being smoothed down, it should be packed hard with rammers or with a millstone, and, again strewn with chaff, it should be tramped down and left in this condition to be dried by the sun. There are people, however, who set aside for the threshing a piece of meadow land which is exposed to the west wind, and smooth off a threshing-place by cutting beans and throwing them on it, for while the legumes are being trampled out by the cattle the vegetation also is worn away by their hoofs, and in this way the place becomes bare and makes a suitable threshing-floor for grain.

XX But when the grain is ripe it should be quickly harvested before it can be parched by the heat of the summer sun, which is most severe at the rising of the Dog-star,^a for delay is costly—in the first place because it affords plunder for birds and other creatures, and, secondly, because the kernels and even the heads themselves quickly fall as the stalks and beards wither. And if wind-storms or cyclones strike it,² the greater part of it is lost on the ground, for which reason there should be no delay, but when the crop is even golden yellow, before the grains have entirely hardened and after they have taken on a reddish colour, the harvest should be gathered, so

^a XI 2 53, *Septimo Kal Augustas* (= July 26) *Cancula apparet*

LUCIUS JUNIUS MODERATUS COLUMELLA

messis facienda est, ut potius in area et in acervo quam in agro grandescant frumenta. Constat enim, si tempestive decisa sint, postea capere incrementum.

3 Sunt autem metendi genera complura. Multi falcibus veruculatis atque as vel rostratis¹ vel denticulatis medium culmum secant, multi mergis, alii pectinibus spicam ipsam legunt, idque in rara segete facillimum, in densa difficillimum est.

Quod si falcibus seges cum parte culmi demessa sit, protinus in acervum vel in nubila² congeritur et subinde opportunius solibus³ tonefacta proteritur.

4 Sin autem spicae tantummodo recisae sunt, possunt in horreum conferri et deinde per hiemem vel baculis excuti vel exteri pecudibus. At si competit ut in area teratur frumentum, nihil dubium est quin equis melius quam bubus ea res conficiatur et, si pauca iuga sunt, adicere tribulam et traheam⁴ possis, quae res utraque culmos facillime comminuit. Ipsae autem spicae melius fustibus cuduntur⁵.

5 vannisque expurgantur. At ubi paleis immixta sunt frumenta, vento separantur. Ad eam rem Favonius habetur eximius, qui levis aequalisque aestivis mensibus perflat, quem tamen oppellum lenti est agricolae,

¹ rostratis ac nostratibus SAR, vet. edd.

² nubilarium Ald, Gesn, Schn. ³ solidibus SA.

⁴ traheam Lundstrom trahere SAR traham vulgo.

⁵ cuduntur SA, Schn. tunduntur R Lundstrom, et vulgo.

^a Cf. Columella on olives (XII 52 18) *Plerique agricolae crediderunt, si sub tecto baca deponatur, oleum in tabulato grandescere, quod tam falsum est quam in area frumenta crescere.*

^b Commentators are uncertain as to the nature and use of these implements. Festus (111 L) defines *mergae* as forks for lifting grain, so called because in the hands of the reaper they plunge into the grain just as diving birds (*mergi*) dive.

that the grain may grow larger on the floor ^a and in the stack rather than in the field. For it is an established fact that, if cut at the proper time, it makes some growth afterwards. There are, furthermore, ³ several methods of reaping. Many cut the straw in the middle with cradle-scythes, and these either bill-shaped or toothed, many gather the heads only with forks, and others with combs ^b—an operation which is very easy in a thin crop, but very difficult in a thick one.

But if the grain, with a part of the straw, is cut with sickles, it is at once gathered into a pile or carried into the shed, ^c and then after repeated drying in the sun, as opportunity offers, it is threshed. If, ⁴ however, the heads only are cut off they may be carried into the granary and then, during the winter, be beaten out with flails or trodden out by cattle. But if it is convenient to have the grain threshed on the floor, there is no doubt that this work is better done with horses than with oxen, and if you have few teams you may hitch to them a threshing-sledge and a drag, either of which very easily breaks up the straw. It is better, however, that the heads themselves be beaten with flails and winnowed with fans. But when the grain is mixed with the chaff it is cleaned ⁵ by the wind. The west wind is considered excellent for this purpose, as it blows gently and evenly in the summer months, but to wait for it is the mark of a

(*mergunt*) in pursuit of food. Others conjecture a sharp V shaped contrivance which the user pushed before him in such a way as to catch and tear off the heads of the grain. The "comb" (*pecten*) is regarded by some as a rake, by others as an iron implement with comb like teeth, used to clip off the heads of the standing grain. Cf Varro, *R R* I 50, Pliny, *N H* XVIII 296-297. ^a Cf I 6 24, with note

LUCIUS JUNIUS MODERATUS COLUMELLA

quia saepe,¹ dum expectatur, saeva nos hiems deprendit Itaque in area detrita frumenta sic sunt aggeranda ut omni flatu possint excerni At si compluibus diebus undique silebit aura, vannus² expurgentur, ne post nimiam ventorum segnitiam vasta tempestas inritum faciat totius anni laborem
6 Pura deinde frumenta, si in annos reconduntur, reteri³ debent, nam quanto sunt expolitiora, minus a curculionibus exeduntur, sin protinus usui destinantur, nihil attinet repoliri, satisque est in umbra refrigerari et ita granario inferri Leguminum quoque non alia cura est quam reliquorum frumentorum, nam ea quoque vel⁴ statim absumuntur vel conduntur Atque hoc supremum est aiatoris emolumentum percipiendorum seminum quae terrae crediderit⁵

XXI Sed cum tam otii quam negotii rationem reddere maiores nostri censuerunt, nos quoque monendos esse agricolas existimamus, quae ferus facere quaeque non facere debeant Sunt enim, ut ait poeta, quae

festis exercere diebus⁶

Fas et iura sinunt rivos deducere nulla
Religio vetuit, segeti praetendere saepem,
Insidias avibus moliri, incendere vepres
Balantumque gregem fluvio mersare salubri

¹ saepe om R et edd ante Schn ² manibus SA

³ reteri R, Lundstrom reperiri S repperiri A repurgari Ald, Gesn, Schn repoliri Pontedera

⁴ Post vel verba manifeste exciderunt SAR absumuntur statim vel inserit Bononiensis 2523 statim absumuntur vel Ald, et deinceps omnes praeter Lundstrom, qui lacunam indicat

⁵ crediderit Lundstrom ceciderit SA crediderat R, cett edd

⁶ exercere festis diebus SA

BOOK II xx 5-xxi 1

dilatory farmer, for often, while we are waiting, a raging storm surprises us. Therefore the threshed grain should be heaped on the threshing-floor in such a way that it can be winnowed with any gentle wind. But if the air is quiet in every quarter for many days, the grain should be cleaned with winnowing-fans, for fear that after excessive stillness of the winds a mighty storm may bring to naught the toil of an entire year. Then the pure grain, if it is being laid away for a term of years, should be threshed again, for the better it is scoured the less it is preyed upon by weevils, but if it is intended for immediate use, there is no need of a second cleaning and it is sufficient that it be cooled in the shade and so carried to the granary. The handling of legumes, too, differs not at all from that of other grains, for they also are either consumed at once or stored away. And this is the crowning reward of the husbandman—reaping the harvest of the seed that he has entrusted to the earth.

XXI But inasmuch as our ancestors saw fit to render an account of their leisure hours as well as of their times of employment,^a I also believe that farmers should be advised of what they should do on holidays and what they should leave undone. For here are things which, as the poet says,

Divine and human laws let be performed on festive
days

No sacred law forbids to fetch the irrigating rills,
A hedge along the field to stretch, for birds a
snare to lay,

And briars to burn, and bleating flocks to dip in
wholesome stream.^b

^a Cicero remarks (*Pro Plancio*, 27) that this was a dictum of Cato in his *Origines*

^b Vergil, *Georg.* I 268-272

LUCIUS JUNIUS MODERATUS COLUMELLA

- 2 Quamquam pontifices negant segetem ferus saepiri
debeire, vetant quoque lanarum causa lavari¹
oves nisi si² propter medicinam Vergilius quod³
liceat ferus flumine ablueire gregem praecipit et
idcirco adicit "fluvio mersare salubri," id est salu-
tari,⁴ sunt enim vitia, quorum causa pecus utile
3 sit lavare Ferus autem ritus maiorum etiam illa
permittit far pinsere,⁵ faces incidere, candelas
sebare, vineam conductam coleire, piscinas, lacus,
fossas veteres teigere et purgare, prata sicilire,
stercora aequare, faenum in tabulata componere,
fructus oliveti conductos cogere, mala, pira, ficos pan-
dere, caseum facere, arbores serendi causa collo vel
mulo chtellario adferre, sed iuncto advehere non per-
mittitur nec adportatas⁶ serere neque teriam aperire
4 neque arborem conlucare, sed ne sementem quidem
administrare, nisi prius catulo feceris, nec faenum
secare aut vincire aut vehere, ac ne vindemiam quidem
cogi per religiones pontificum ferus licet nec ovis
tondere, nisi si catulo feceris Defrutum quoque
facere et vinum defrutare licet Uvas itemque
olivās conditu⁷ legere licet Pellibus oves vestiri

¹ lavare *SA* ² si *om. R*, *edd ante Lundstrom*

³ qui *Gesn., Schn*

⁴ id est salutari *om. R aliquot, Ald., Gesn., Schn*

⁵ faro (farao *A*) instare *SA*

⁶ adportatas *Warmington* adportata vel apportata *R*,
edd adportare *SA*

⁷ conditui *R plerique, Ald., Gesn., Schn*

^a The ancient authorities frequently speak, for example,
of dipping sheep as a preventive of scab

^b *Cf. Cato, 2 4*

^c *Sicilire* is defined by Varro (*R R I 49 2*) as cutting with
a sickle the tufts of grass which the mowers have passed over

^d Not the regular pruning (*putatio*), but the removal of
superfluous foliage to admit the light (*conlucare, sublucare*)

And yet the pontiffs assert that a grain-field should ² not be fenced on holidays, they also forbid the washing of sheep for the good of the fleece, except as a curative measure. Vergil is instructing us as to the lawfulness of washing the flock in a river on holidays, and for that reason he adds "to dip in wholesome stream"—that is, in a healing stream, for there are ailments because of which it is expedient to bathe the cattle.^a Furthermore, the religious observances ³ of our forefathers permit these tasks also on holidays: ^b the braying of spelt, the cutting of torches, the dipping of candles, the tilling of a leased vineyard, the cleaning out and cleaning of fish-ponds, cisterns, and old ditches, the sickling^c of meadows, the spreading of manure, the storing of hay in the loft, the gathering of the fruits of a leased olive-grove, the spreading of apples, pears, and figs to dry, the making of cheese, the carrying of trees for planting, either on our own shoulders or with a pack mule. But it is not permitted to haul them with a yoked animal, nor to plant them after they are transported, nor to open the ground, nor to thin a tree,^d and not even to assist ⁴ in the sowing unless you have first sacrificed a puppy, nor to cut hay or bind it or haul it, and it is not even permissible by the ordinances of the priests for the vintage to be gathered on feast days, nor to shear sheep, unless you have sacrificed a puppy. It is also lawful to make boiled must and to boil wine. To gather grapes and olives for preserving is likewise lawful. It is not lawful to clothe sheep with skins.^e

^e Certain breeds of fine woolled sheep were jacketed with skins to keep their fleeces free from dirt, etc., Varro, *R R* II 2 18, Pliny, *N H* VIII 47. Columella devotes a chapter (VII 4) to the care of these delicate animals.

LUCIUS JUNIUS MODERATUS COLUMELLA

non licet In horto quicquid holerum causa facias,
 omne licet Feris publicis hominem mortuum
 5 sepeliri ¹ non licet M Porcius Cato mulis, equis,
 asinis nullas esse ferias ait, idemque boves permittit
 coniungere lignorum et frumentorum advehendorum
 causa Nos apud pontifices legimus feris tantum
 denicalibus ² mulos iungere non licere, ceteris licere

Hoc loco certum habeo quosdam, cum solemnia
 festorum percensuerim,³ desideraturos lustrationum
 ceterorumque sacrificiorum, quae pro fugibus fiunt,
 6 morem priscis usurpatum Nec ego abnuo docendi
 curam, sed differo in eum librum, quem componere in
 animo est, cum agricolationis totam disciplinam
 praescripsero Finem interim praesentis disputa-
 tionis faciam dicturus exordio sequente, quae de
 vineis arbustisque prodidere veteres auctores quaeque
 ipse mox comperi

¹ sepelire *vel* sepellire *R plerique*

² denicalibus *R pauci dett* dentalibus *M* devivalibus *S*
 denibalibus ⁴ dominicalibus *R plerique*

³ percensuerint *SA*

^a But Columella omits Cato's exception, "unless they fall on family festivals", cf Cato, 138, *Mulis, equis, asinis feriae nullae, nisi si in familia sunt*

^b Holidays celebrated by the family in honour of its deceased members, cf Paul Fest 61 L, *Denicales feriae colebantur, cum hominis mortui causa familia purgabatur Graeci enim νεκρῷ mortuum dicunt*, and Fest 282 L,

Anything that you may do in your garden for the good of your vegetables is lawful. It is not lawful to bury a dead person on public feast days. Marcus Porcius Cato says that there are no holidays for mules, horses, and asses,^a the same authority permits the yoking of oxen for the purpose of hauling wood and grain. We ourselves have read in the books of the pontiffs that only on the holidays called *Denicales*^b is it unlawful to have mules in harness, but on other holidays it is lawful.

I am well aware that at this point, after my survey of the observances of feast days, some people will miss the customs observed by the ancients in the matter of purificatory ceremonies and other offerings which are made for the good of the crops.^c And I⁶ am not declining the task of offering this instruction, but am postponing it for that book^d which I intend to put together after I have written precepts on the whole science of agriculture. Meanwhile I shall bring the present discussion to an end, having in mind to tell in the next book what ancient authorities have handed down on the subject of vineyards and of tree-plantations, and what I myself have since discovered.

Privatae feriae vocantur sacrorum propriorum, velut dies natales, operationis, denecales. See also Cicero, *De Leg* 2 55, and Cincius ap. Gellius XVI 4 4.

^c Cf. Cato 141, Vergil, *Georg* I 338 f.

^d This proposed volume, if ever written, has been lost.

BOOK III

LIBER III

I "Hactenus arborum cultus," ut ait praestantissimus poeta Nihil enim prohibet nos, Publi Silvius, de isdem¹ rebus dicturos celeberrimi carminis auspicari² principio³ Sequitur arborum cura, quae pars rei iusticiae vel maxima est Enim species diversae et multiformes sunt quippe varii generis, sicut auctor idem refert,

nullis hominum cogentibus ipsae
Sponte sua veniunt,

2 multae⁴ etiam nostra manu satae procedunt Sed quae non ope humana gignuntur, silvestres ac ferae, sui cuiusque⁵ ingenu poma vel semina gerunt, at quibus labor adhibetur, magis aptae sunt frugibus

De eo igitur prius genere dicendum⁶ est quod nobis alimenta praebet Idque tripartito⁷ dividitur Nam ex surculo vel arbor procedit, ut olea, vel frutex ut palma campestris, vel tertium⁸ quiddam⁹ quod nec arborem nec fruticem proprie dixerimus,

¹ isdem *SA* hisdem *c*

² aut spicari *A*

³ principio *Ursinus, Schn* principia *SAacM, Ald, Gesn*

⁴ multa *Ac* et deinde sata *vett edd*

⁵ cuique *SAac*

⁶ discendum *SA*

⁷ tripartito *SAA* tripartito *cM, et vulgo*

⁸ tertius *SAac* tertius *M* ⁹ quiddam *aM*

BOOK III

I "Thus far of the tillage of the land," as says that most excellent poet^a For, Publius Silvius, as we are about to speak on the same topics, there is nothing to keep us from beginning under good omens with the opening words of that most renowned poem There follows the management of trees, which is a most important part of rural husbandry They are diverse in kind, and of many shapes, for trees of various sorts, as the same author relates,

of their own will come forth,
By mortals not constrained,^b

and many, too, grow from seed planted by our own hand^c But those that are propagated without 2 human aid, the wild and untamed, bear fruits or seeds according to their several natures, while those on which labour is spent are fitted for a greater yield

I must speak first, then, of that kind which supplies us with food And of this there is a threefold division for from a small shoot there comes forth either a tree, as the olive, or a shrub, as the palm of the plains, or a third something which we can properly call neither tree nor shrub, as is the vine

^a Vergil, *Georg* II 1

^b *Georg* II 10-11

^c Cf *Georg* II 14, *Pars autem posito surgunt de semine*

LUCIUS JUNIUS MODERATUS COLUMELLA

- 3 ut est vitis Hanc nos ceteris stirpibus iure praeponimus, non tantum fructus dulcedine, sed etiam facilitate per quam omni paene regione et omni declinatione mundi, nisi tamen glaciali vel praefervida curiae mortalium respondet, tamque felix campis quam collibus provenit, et in densa non minus quam in resoluta, saepe etiam gracili, atque pingui
4 et macra,¹ siccaque et uliginosa Tum sola maxime utramque² patitur intemperiem caeli vel sub aëre frigido, vel aestuoso procellosoque Refert tamen cuius generis aut quo habitu vitem pro regionis statu colere censeas Neque enim omni caelo solove cultus idem, neque est unum stupis eius genus quodque praecipuum est ex omnibus non facile dictu³ est, cum suum cuique regioni magis aut minus
5 aptum esse⁴ doceat usus Exploratum tamen habebit prudens agricola genus vitis habile campo, quod nebulas pruinaeque sine noxa perfert, colli, quod siccitatem ventosque patitur Pingui et uberi dabit agro gracilem vitem, nec natura nimis fecundam, macro feracem, terrae densae vehementem, multaque materia frondentem, resoluta et laeto solo, rari sarmenti Humido loco sciet non recte mandari fructus⁵ teneri et amphoris acini,⁶ sed callosi⁷ et angusti frequentisque vinacei,⁸ sicco recte contribui diversae quoque⁹ naturae semina
6 Sed et post haec non ignorabit dominus loci, plus

¹ et macra *Schn* macria (et *om*) *S* matria (et *om*) *A*
materia *ac* (et *om*) *M* terra (et *om*) *vulgo*

² utramque *edd ante Schn* utrumque *a* utrunque *M*
utrumque *SAc, Schn* ³ dictum *ScM, veti edd*

⁴ aptum esse *edd* apud se *SAacM*

⁵ fructum *SAac, veti edd*

⁶ acinis *SA*

⁷ calli *S* galli *AacM*

⁸ vinaceis *ac*

⁹ quoque *om SAac*

BOOK III 1 3-6

This last we rightly set above all other woody-plants, 3
 not only for the sweetness of its fruits, but also be-
 cause of the readiness with which in nearly every
 country and every climate, except, however, the icy
 cold or burning hot, it responds to human care, it
 thrives on plain as well as hillside, in compact soil
 no less than in loose, often also in thin land, in fat
 ground and lean in dry ground and wet, and it 4
 alone has the greatest endurance of both sorts of
 intemperate weather—either under a cold sky or
 one that is hot and stormy. Nevertheless an im-
 portant consideration is the variety and the habit
 of the vine which you propose to cultivate, in
 relation to the conditions of the region. For its
 cultivation is not the same in every climate and in
 every soil, nor is there only one variety of that
 plant, and which kind is best of all is not easy to
 say since experience teaches that to every region
 its own variety is more or less suited. Still the wise 5
 farmer will have discovered by test that the kind of
 vine proper for level country is one which endures
 mists and frosts without injury, for a hillside,
 one which withstands drought and wind. He will
 assign to fat and fertile land a vine that is slender
 and not too productive by nature, to lean land, a
 prolific vine, to heavy soil, a vigorous vine that puts
 forth much wood and foliage, to loose and rich soil,
 one that has few canes. He will know that it is
 not proper to commit to a moist place a vine with
 thin-skinned fruit and unusually large grapes, but
 one whose fruit is tough-skinned, small, and full of
 seeds, and that plants of a different nature are
 properly entrusted to a dry site. But in addition 6
 to this the proprietor of the place will not be un-

LUCIUS JUNIUS MODERATUS COLUMELLA

posse quantitatem caeli frigidam vel calidam, siccam
vel roscidam, grandinosam ventosamque vel placidam
7 dam serenam vel nebulosam ¹ frigidaeque aut
nebulosae duorum generum vites aptabit seu
praecoques, quarum maturitas frugum praecurrit
hiemem, seu firmi durique acini, quarum inter
caligines uvae deflorescunt et mox gelicidius ac
pruinis, ut aliarum ² caloribus, mitescunt Ventoso
quoque et tumultuoso statu caeli fidenter easdem
tenaces ac dum acini committet Rursus calido
teneriores uberioresque concredet Sicco destinabit
eis quae pluvius aut continuus roribus putrescunt,
roscido, quae siccitatibus laborant, grandinoso quae
foliis duris latisque sunt, quo melius protegant
fructum Nam placida et serena regio nullam non
recipit, commodissime tamen eam, cuius vel uvae
vel acini celeriter decidunt

- 8 At ³ si voto est eligendus vineis locus et status caeli,
sicut censet verissime Celsus, optimum est solum nec
densum nimis nec resolutum, soluto tamen propius,
nec exile nec laetissimum, proximum tamen uberi,
nec campestre nec praereps, simile tamen edito
campo, nec siccum nec uliginosum, modice tamen
roscidum, quod fontibus non in summo non in pro-
fundo terrae scaturiat, sed ut vicinum radicibus
9 umorem sumministret—eumque nec amarum nec
salsum, ne saporem vini corrumpat, et incrementa

¹ nubilosam *M*

² alie *M* aliae *Ald*, *Gesn*

³ ac *SAAM*

BOOK III 1 6-9

aware that the nature of the climate—cold or warm, dry or moist, subject to hail and wind or calm, clear or foggy—is a more potent influence. To cold or foggy conditions he will adapt two varieties of vine, either the early ripe, whose fruits mature before cold weather, or those with firm and hard berries, whose clusters drop their blossoms during the foggy season and are presently ripened by freezing weather and frosts, as those of other grapes are ripened by warmth. To a windy and unsettled climate also he will boldly commit the same hardy vines and those of the hard-berried variety. On the other hand, he will entrust to a warm climate the more delicate and heavier-bearing sorts. For a dry climate he will select such as are rotted by rains or continual dews, for a dewy one, those that suffer in dry weather, for one subject to hailstorms, those that have tough and broad leaves for the better protection of the fruit. A calm and clear-skied region does not refuse to admit any kind of vine, though most suitably one whose clusters or berries fall quickly.

But if your own wishes are to be considered in the selection of site and climate for your vineyards, the best soil, as Celsus very rightly believes, is neither too compact nor loose, but closer to the loose type, neither poor nor excessively rich, but nearest to the fertile kind, neither flat nor steep, but like plain-land with a rise, neither dry nor wet, but moderately moist, one which does not abound in springs, either on the surface or in the depths of the earth, but which supplies the roots with moisture close at hand—and that neither bitter nor brackish, lest it spoil the flavour of the wine

IULIUS JUNIUS MODICATUS COLUMELLA

virentium veluti quadam scabra rubigine¹ coerceat,
si modo credimus Vergilio dicenti,

Salsa autem tellus, et quae perhibetur² amara,
Frugibus infelix, ea nec mansuescit arando,
Nec Baccho genus aut pomis sua nomina servat

10 Caerum porio neque nivale³ vinea, sicut praedixi,
nec rursus aestivosum⁴ desiderat, calido tamen
potius quam frigido laetitur, imbribus magis quam
serenitatibus offenditur, et solo sicco quam nimis
pluvioso⁵ est amior, perflatu modico lenique⁶
gaudet procelus obnoxia est. Atque haec maxime
probabilis est caeli et soli qualitas

II Vitis autem vel ad escam vel ad defusionem⁷
deponitur. Ad escam non expedit instituire vineta,
nisi cum tam suburbanus est ager, ut ratio postulet
inconditum fructum mercantibus velut pomum ven-
dere. Quae cum talis est conditio, maxime praeco-
ques et duracinae, tum denique Purpureae et Bumasti,
Dactylidae et Rhodiae, Libycae quoque et Cerauniae,

¹ tubi me a

² prohibetur a.M

³ nivale Sa, vett edd in valle c nequē vale A hyemale M
glaciale vulgo

⁴ aestivosum A, vett edd estivosum ac

⁵ pluvioso SA, vett edd pluvio ac.M, Ald, Gesn, Schn

⁶ per flatum odii colonique A

⁷ sic S4 Schn ad effusionem ac.M, et vulgo

^a Georg II 238-240

^b Duracinae Pliny suggests (N H XIV 14) that the name was derived from the toughness of the skin

^c So called from the round and swelling appearance of their clusters (cf μαστος, breast, and βου indicating largeness) Varro, R R II 5 4, refers to this grape as bumamma (cow's udder), cf Pliny, A H XIV 15, tument vero mammarum

BOOK III I 9-II I

and check the growth of the vines' greenery with a kind of scaly rust, if only we believe Vergil when he says,

Unkind to crops is salty ground, and what is bitter called,

It is not tamed by ploughman's toil, nor does it keep unstained

The good repute of Bacchus' child and other fruits' fair name ^a

Furthermore, as I have said before, a vineyard does 10 not want an icy climate nor, on the other hand, one that is burning hot, though it thrives better in warm weather than in cold. It is harmed more by rain than by clear weather, and is more kindly disposed to a dry soil than to one that is subject to too much rain. It delights in moderate and gentle breezes, but is liable to injury from squalls. And this is the character of climate and soil that is most commendable.

II Further, the grape is planted either for eating or for the pouring forth of its juice. It is not profitable to establish vineyards for food unless the plot is so close to a city that conditions warrant the selling of the raw grapes to marketeers, as we do other fruit. When this is the case, the early ripe and hard-berried ^b varieties are especially to be planted, and then the Purple and the Bumast (full-breasted), ^c the Dactyl (date-shaped) ^d and the Rhodian, and the Libyan and the Cerau-

modo Bumasti, and *ibid* 40, *Purpureae*, cognomine *Bumam*
mae

^d Cf Pliny, *N H* XIV 15, *praelongis Dactylis porriguntur acinis*

LUCIUS JUNIUS MODERATUS COLUMELLA

- 2 nec solum quae iucunditate saporis, verum etiam quae specie commendari possint,¹ conseri debent, ut Stephanitae, ut Tipedanae, ut Unciariae, ut Cydonitae, item quarum uvae temporibus hiemis durabiles vasis conduntur, ut Venuculae, ut nuper in hos usus
- 3 exploratae Numisianae At ubi vino consulimus, vitis eligitur, quae et in fructu valet et in materia, quod alterum ad reditus coloni, alterum ad diuturni-
- 4 tatem stirpis plurimum confert Sed ea tum praecipua est, si nec nimis² celeriter frondet, et primo quoque tempore deflorescit, nec nimis³ tarde mitescit, quin etiam prunas et caliginem et carbunculum facile propulsat, eademque nec imbris
- 5 putrescit,⁴ nec siccitatibus abolescit Talis nobis eligatur vel mediocriter fecunda, si modo is locus habetur, in quo gustus nobilis pretiosusque fluit, nam si sordidus aut vilis est, feracissimam quamque serere conducit, ut multiplicatione frugum reditus
- 6 augeatur Fere autem omni statu locorum campestrina largius vinum sed iucundius adferunt collina, quae tamen ipsa modico statu caeli magis exuberant Aquiloni prona, sed⁵ sunt generosiora sub Austro

¹ possunt *S* ² minus *SAC*, *vett edd* ³ minus *c*
⁴ haerescit *SA* ⁵ pronas et *SAA*

^a Isidore (*Orig* XVII 5 17) says that they were so named because of their fiery red colour (cf *κεραυνός*, lightning)

^b From *στέφανος*, crown So called, says Pliny (*N H* XIV 42), because the leaves run between the berries, to resemble a coronet

^c The name is derived from the size of the vine Pliny, *N H* XIV 41

^d Called *Unciales* by Pliny (*loc cit*), from the weight of their grapes

^e From their quince like flavour, or from Cydonia in Crete

LUCIUS JUNIUS MODERATUS COLUMELLA

7 Nec dubium, quin sit ea nonnullarum vitium natura,
 ut pro locorum situ bonitate vini modo vincant modo
 superentur¹ Solae traduntur Amineae excepto
 caeli statu nimis frigido ubicumque sint, etiam si
 degenerent, sibi comparatae, magis aut minus probi
 gustus vina praebere, et ceteras omnis sapore
 8 praecedere Eae² cum sint unius nominis, non
 unam speciem gerunt Duas germanas cognovimus,
 quarum minor ocus et melius deflorescit, habilis
 arbori nec non iugo illic pinguem terram, hic
 mediocrem desiderat, longeque praecedit maiorem,
 9 quia et imbes et ventos fortius patitur Nam maior
 celeriter in flore corrumpitur, et magis in iugis
 quam in arboribus Ideoque non est³ vineis apta,
 vix etiam arbusto, nisi praepingui et vivida⁴ terra,
 nam nec mediocri valet, multoque minus in exili
 Prolixarum frequentia materiarum foliorumque et
 uvarum et acinorum⁵ magnitudine dignoscitur,
 internodus quoque rarior Largis fructibus a minore
 superatur, gustu non vincitur Et hae quidem utrae-

¹ sic *vett edd*, *Schn* vinceat (vincant a) modo superetur
SAacM, *Ald*, *Gesn*

² Ea *SAacM*

³ est in *Aac*, *vett edd*

⁴ vivida *SAacM*, *Schn in not*, *Sobel* uivida vel humida
plerique

⁵ et acinorum om *SA*

^a Highly praised by all authorities, but see especially
 Chap 9, below, and Pliny, *N H* XIV 21-22 Isidore (*Orig*
 XVII 5 18) says that it is called Aminean *quasi sine mmeo*,
id est sine rubore, producing a white wine

And there is no doubt that the nature of some 7 vines is such that in the quality of their wine they sometimes excel, sometimes are excelled, according to their situation. The Aminean varieties ^a alone, wherever they are compared, except where the climate is exceedingly cold, and even if they decline in quality, are said to provide wines of more or less true taste and to surpass all other varieties in flavour. Though they bear one name, they are not of the same 8 appearance. We know of two "sister" vines, of which the smaller is earlier and better in casting its blossoms and may be trained to tree and trellis ^b alike. On the tree it requires rich ground, on the trellis, ordinary soil. And it far surpasses the larger variety by reason of its sturdier endurance of rain and wind. For the larger sort is quickly spoiled in 9 the blossom, and more so on trellises than on trees, and on this account it is not suitable for vineyards, and hardly fit for an arbustum ^c except in ground that is very rich and vigorous, for it does not thrive in ordinary ground, and much less so in lean ground. It is distinguished by its great amount of rank woody growth and the large size of its leaves, clusters, and berries, it is also longer from joint to joint. In quantity of fruit it is surpassed by the smaller variety, it is not outdone in flavour. And both

^b Lit "yoke" (*yugum*), defined by Varro (*R R* I 8 1) as the support fastened cross wise to the upright props (*pedamenta*), thus forming a frame or trellis.

^c *Vinea* denotes the vineyard proper, in which the vines were either allowed to trail along the ground or were supported by frames or trained to stand upright beside props, *De Arb* 4 1. The *arbustum* was a plantation of lopped off trees (preferably poplar, elm, and ash), upon which the vines were trained and festooned from tree to tree, see V 6, *De Arb* 16.

LUCIUS JUNIUS MODERATUS COLUMELLA

- 10 que Amineae Verum et aliae duae geminae ab eo quod duplices uvas exigunt, cognomen trahunt¹ austerioris² vini, sed aequae perennis Duarum³ minor vulgo notissima, quippe Campaniae celeberrimos Vesuvii colles Surrentinosque vestit Hilaris inter aestivos Favonii flatus Austris affligitur
- 11 Ceteris itaque partibus Italiae non tam vineis quam arbusto est idonea, cum praedictis regionibus commodissime iugum sustineat Materiam fructumque, nisi quod duplicem, non absimilem minori germanae gerit, sicut maior gemina maiori⁴ germanae, quae tamen minor hoc melior est, quod fecundior etiam mediocri solo, nam illam nisi praepingui non respondere iam dictum est Lanatam quoque Amineam quidam maxime probant, quae hoc vocabulum non ideo usurpat, quod sola ex omnibus Amineis, verum quod praecipue canescit lanugine Sane boni vini, sed lenioris⁵ quam superiores, crebram quoque materiam fundit, atque ideo propter pampini densitatem saepe parum⁶ recte deflorescit, eademque maturo fructu celeiter putrescit Super hunc numerum, quem rettulimus, singularis habetur Aminea maiori geminae⁷ non dissimilis, prima specie
- 12
- 13

¹ cognomen trahunt *SA* gemelle vocantur *aM* exigunt gemelle vocantur cognomen trahunt *c* geminae, quae a e q d u exigunt, gemellae vocantur, austerioris etc *Ald*, *Gesn*

² austeris *SA*, *Sobel*

³ duarum *SAacM* earum *edd* quarum *Sobel*

⁴ maiori defenderunt *Gesn* et *Schn* minori *SAacM*, *cett* *edd*

⁵ levioris *Ald*, *Gesn*

⁶ parum saepe *SAacM*

⁷ gemine *M*, *edd* germane *Sc* germanae *a* germinae *A*

^a Modern Sorrento

^b *I e* is trained to the trellis (*iugum*)

of these, to be sure, are Aminean vines. But there 10
 are two other vines, called "twins," which derive
 their name from their producing of double clusters,
 they yield a harsher wine, but keep equally well.
 The smaller of the two is everywhere very well
 known, because it covers those most famous slopes
 of Vesuvius and of Surrentum^a in Campania. It
 is sprightly amid the western breezes of summer,
 but downcast in southern winds, and so in other 11
 sections of Italy it is suitable, not so much for vine-
 yards, as for the arbustum, although in the regions
 above mentioned it bears the yoke^b very well. It
 produces wood and fruit—except for its double
 clusters—not unlike the smaller "sister" vine,
 just as the larger "twin" is like the larger "sister",
 but the smaller vine is the better in that it is more
 fruitful even in ordinary soil, for I have already
 said that the other does not yield except in very
 rich ground. Some also approve very highly the 12
 "woolly" Aminean, which acquires this epithet
 not from the fact that it alone, of all the Aminean
 varieties, is hoary with down, but because it is
 especially so. A producer of exceedingly good wine,
 though mellower than those above mentioned, it
 also makes a rank growth, and for this reason,
 because of the compactness of its foliage, it often does
 not cast its blossoms perfectly, and it also rots quickly
 after the fruit has matured. In addition to the 13
 number that we have mentioned, there is included
 a "single"^c Aminean not unlike the larger "twin"—

^a Seemingly a vine with single clusters, in contrast to the double clustered "twin" (sec 10, above). But *singularis habetur* may mean "there is held to be of outstanding merit."

LUCIUS JUNIUS MODERATUS COLUMELLA

pampini et trunci, sed vini saporis aliquanto inferior, quamvis generosissimis sit proxima,¹ praeferenda etiam propriis virtutibus. Nam et feracior² et flore melius exuitur, spissasque et albidas uvas ac tumidioris acini gerit, gracili arvo non desciscit, atque
 14 ideo inter uberimas vites numeratur. Nomentanae vini nobilitate subsequuntur Amineas, fecunditate vero etiam praeveniunt, quippe cum se frequenter impleant et id, quod ediderunt, optime tueantur³. Sed earum quoque feracior est minor, cuius et folium parcius scinditur, et materia non ita rubet ut maioris, a quo colore rubellanae⁴ nuncupantur. Eaedemque faecinae, quod plus quam ceterae faecis adferunt
 15 Id tamen incommodum repensant uvarum multitudine, quas et in iugo sed et in arbore melius exhibent. Ventos et imbres valenter sufferunt, celeriter deflorescunt, et ideo citius⁵ mutescunt, omnis incommodi patientes praeter caloris. Nam quia minuti acini et durae cutis uvas habent, aestibus contrahuntur. Pinguique⁶ arvo maxime gaudent, quod ubertatem aliquam natura gracilibus⁷ et exilibus uvis praebere
 16 valet. Frigidum ac roscidum solum et caelum⁸ commodissime sustinent. Eugeniae, dum sunt in Albano colle, nam mutato loco vii nomini suo

¹ proximo *SA* proxime *Ald* proximae *Gesn*

² feracior est *edd* est *om codd*

³ tueantur *M* tuentur *SAac*

⁴ rubellanae *SAA* rubellane *c* rubellanae *M*, et vulgo

⁵ cito *SAA*

⁶ Pinguique *SAacM* Pingui *edd*

⁷ gracilibus *om S* gracili et *A*

⁸ et caelum *om SAA*

a vine of first rank in the appearance of leafy shoots and stock, but somewhat inferior in the flavour of its wine, though even so it ranks next to the most outstanding varieties and is even to be preferred for qualities of its own. For it is more fruitful, it is better in casting its flowers, it bears compact light-coloured clusters of plumper grapes, it does not degenerate in poor land, and consequently it is counted among the most profitable vines. The 14
 Nomentan vines^a follow close after the Amineans in excellence of wine, but in productivity they even take the lead, and naturally so, since they are often loaded full and keep exceedingly well what they have produced. But of these, too, the smaller is the more prolific, its leaf is not so deeply cleft, and its wood is not so red as that of the larger variety—from which colour the vines are called *rubellanae*. These vines are also called *faecinae* from the fact that they make more dregs (*faeces*) 15
 than other varieties. Still they make up for this disadvantage in the greater number of their clusters, which they produce even on a trellis but better on a tree. They endure winds and rains valiantly, drop their flowers early, and therefore ripen sooner. They bear up under every adversity except that of heat, for, having small-berried and tough-skinned clusters, they shrivel in high temperatures. They delight most of all in rich land, which can add some fullness to clusters that are naturally scanty and small. The Eugeniens endure a cold, dewy ground 16
 and climate very well as long as they remain on the Alban hills, for in a changed situation they hardly

^a From Nomentum, an ancient Sabine town, now Mentana, cf Pliny, *NH* XIV 23

LUCIUS JUNIUS MODERATUS COLUMELLA

- respondent, nec minus Allobrogicae, quarum vini
 17 iucunditas cum regione mutatur Magis etiam
 dotibus tres Apianae¹ commendantur, omnes feraces
 iugoque et arboribus satis idoneae, generosior tamen
 una, quae nudis foliis est Nam duae lanatae quam-
 vis frondibus et palmitum pari facie fluxurae qualitate
 sunt dispariles, cum tardius altera recipiat² cariem
 18 vetustatis Pingui solo feracissimae, mediocri quo-
 que fecundae, praecoquis fructus, ideoque frigidis
 locis aptissimae, vini dulcis, sed capiti nervisque,
 venisque³ non aptae⁴ Nisi mature lectae pluvius
 ventisque et apibus adferunt praedam, quarum
 vocabulo propter hanc populationem cognominantur
 Atque hae pretiosi gustus celeberrimae
 19 Possunt tamen etiam secundae notae vites pro-
 ventu et ubertate commendari, qualis est Bitunica,
 qualis basilica,⁵ quarum minorem coccolobin⁶ vocant
 Hispani, longe omnium primis utraeque proximae
 Nam et vetustatem vinum earum patitur, et ad
 20 bonitatem aliquam per annos venit Iam vero ipsae
 fecunditate praestant omnibus, quas ante rettuli,
 tum etiam patientia, quippe turbines imbresque
 fortissime sustinent, et commode fluunt, nec deficiunt
 macro solo Frigora melius quam umores sustinent,
 umores commodius quam siccitates, nec caloribus

¹ appianae SA appiane acM

² recipiat M recipiet SA recipit ac

³ venisque om SA

⁴ apti Ursinus

⁵ balisca S basilisca Aa

⁶ coccolobin Sobel coccolovin S coccoloum Aa cocco-
 lubem c coccolleum M cocolubem edd

^a εὐγενής, "well born", cf Pliny, *N H* XIV 25

^b *Ibid* 26

answer to their own name ^a The same is true of the Allobrogian ^b vines the agreeableness of their wines is affected by a change of region The three Apian ^c also are recommended for their great qualities, all of them fruitful and quite suitable for the trellis and for trees, though the one with bare leaves is superior For the two lanate varieties, though of like appearance as to leaves and branches, differ in the quality of their juice, as one of them is slower in acquiring flatness of taste from long keeping They are very prolific in rich ground, and fruitful also in average soil, their fruit ripens early, and for that reason they are very well suited for cold localities, they yield a sweet wine, but are not good for the head, nerves, and veins If they are not gathered at the proper time they become the prey of rains, winds, and bees, and it is because of this plundering that they are surnamed from the word meaning "bees" (*apes*) And these are the vines most renowned for their precious flavours

There are, nevertheless, vines of second quality which can be commended for their growth and fruitfulness, such as the Bituric ^a and the Basilic, the smaller of which the Spaniards call *coccolobis*,^c —both of them by far the closest to the very best, for their wine stands long keeping and attains some degree of excellence with age And in fact they surpass in productiveness all that I have mentioned above, and also in hardiness, for they withstand storms and rain with the greatest fortitude, they have a good amount of juice, and do not fail in lean ground They endure cold better than wetness, and wetness better than dryness, and yet they are

LUCIUS JUNIUS MODERATUS COLUMELLA

- 21 tamen contristantur Visula¹ deinde ab his et minor Argitis ternae mediocritate laetantur, nam in pingui nimis viribus luxuriant, in macra tenues et vacuae fluctu veniunt, amicioies iugo quam arboribus, sed Argitis etiam in sublimibus fertilis
22 vastis materis et uvis exuberat Humillimis tabulatis aptior Visula brevem materiam, durum folium et latum exigit, cuius amplitudine² fluctus suos optime adversus grandinem tuetur, qui tamen nisi primo quoque tempore maturi legantur, ad terram decidunt, humoribus etiam priusquam defluant,
23 putrescunt Sunt et Helvolae, quas non nulli varias appellant, neque purpureae neque nigrae, ab helvo,³ nisi fallor, colore vocitatae Melior est nigrior abundantia vini, sed haec sapore pretiosior Color acinorum in neutra conspicitur aequalis Utraque⁴ candidi musti alterna vice annorum plus aut minus adferunt⁵ Melius arborem, sed et iugum commode vestiunt Mediocri quoque solo fecundae, sicut Pretiae minor et maior Sed eae⁶ generositate vini magis commendantur, et frequentibus materis
24 fiondent et cito maturescunt Albueis⁷ utilior, ut ait Celsus, in colle quam in campo, in arbore quam in iugo, in summa arbore quam in ima,⁸

¹ vis ulla ac visullae SA Vissule M Visulae edd ante Gesn

² altitudinem Aac altitudine M

³ ab helvo om a ab herbo c ab albo AM

⁴ aequalis atque utraque AacM

⁵ auferunt SA

⁶ eae edd haec, et deinde commendatur SA sed et ac sed et haec M

⁷ aldi uelis SA alius uel his (bis a) ac alia est his M

⁸ in minima ac in anima A

not bothered by heat Next after these are the 21
 Visula^a and the smaller Argitis,^b which thrive in
 ground of middling quality, for they make a rank
 growth in rich ground because of their excessive
 vigour, while in lean ground they grow spindling
 and are devoid of fruit They have a greater fond-
 ness for the trellis than for trees, though the Argitis
 is productive even on high supports and makes a
 luxuriant growth of wood and grape clusters The 22
 Visula, better suited to very low frames, makes little
 wood but tough and broad leaves, whose size affords
 the fruit very good protection against hail, but if
 this is not gathered as soon as it is ripe, it falls to
 the ground, and in wet weather it rots even before
 it falls off There are also the Helvolans,^c which 23
 some call *variae* (variegated), they are neither purple
 nor black, and get their name, if I mistake not, from
 their dun (*helvus*) shade The one which is more
 nearly black is the better as to quantity of wine,
 while the other is more highly prized in the matter
 of flavour In neither of them does the colour of
 the berries appear to be uniform Both yield white
 must in greater or smaller quantity every year
 They make a better covering on a tree, though doing
 well on a trellis They are productive also in mediocre
 soil, as are the smaller and larger Piccians^c But
 the latter are commended more highly for the
 quality of their wine, and they put forth much wood
 and foliage and ripen quickly The Albuehs,^d as 24
 Celsus says, is more profitable on a hill than on a
 plain, on a tree than on a trellis, and at the top

^b Vergil, *Georg* II 99-100 *Argitisque minor, cui non certa
 vert ulla | Aut tantum fluere aut totidem durare per annos*

^c Pliny, *N H* XIV 29

^d *Ibid* 31

LUCIUS JUNIUS MODERATUS COLUMELLA

ferax et materiae frequentis et uvae Nam quae Graeculae vites sunt, ut Maieoticae, Thasiae, Psithiae, Sophortiae, sicut habent probabilem gustum, ita nostris regionibus et raritate uvarum et acinorum exiguitate minus fluunt Inerticula tamen nigra, quam quidam Graeci amethyston¹ appellant, potest in secunda quasi tribu esse, quod et boni vini est et innoxia,² unde etiam nomen traxit, quod iners habetur in tentandis nervis, quamvis gustu non sit hebes³

- 25 Tertium gradum facit earum Celsus, quae fecunditate sola commendantur ut tres Helvenacae,⁴ quarum duae maiores nequaquam minori bonitate et abundantia musti pares habentur Earum altera, quam Galliarum incolae marcum⁵ vocant, mediocris vini, et altera quam longam appellant, eandemque canam,⁶ sordidi vini nec tam largi quam ex numero
- 26 uvarum prima specie promittit Minima et optima e tribus facillime folio dinoscitur, nam rotundissimum omnium id gerit, atque est laudabilis, quod siccitates maxime perfert, quod frigora sustinet, dum tamen

¹ amethyston omnes post Beroaldum amarcion SA
amaricion c amarition M, vet edd amarcion a

² quod et innoxia om SA

³ habilis SAaM

⁴ helvenace M hennacae (e a)SAa henirace c Helvenaciae vulgo

⁵ marcum SAaM, Schn in not, Sobel emarcum cett
Deinde mediocris vineis (SAa) defendit Sobel

⁶ canam Sobel cauam SAa canaram M avaram edd

^a ἀμεθυρος, "not drunken" Cf the amethyst as a supposed remedy against drunkenness On the name and quality of the vine, cf Pliny, N H XIV 31 and Isidore, Orig XVII 5 24

of the tree than at the lower part. It produces much wood and many clusters. For those Greekling vines—such as the Maecotic, the Thasian, the Psithian, and the Sophontian—though they have an agreeable taste, still in our localities they yield little juice because of the looseness of the bunches and the small size of the berries. Nevertheless the black Inerticulan, which certain Greeks call *amethystos*,^a may be placed in the second tribe, so to speak, because it makes good wine and is harmless, from this fact, too, it takes its name, because it is considered inactive (*iners*) in its effect on the nerves, although not dull in taste.

Celsus makes a third class of those vines which 25 are commended for fruitfulness alone, such as the three Helvenacans,^b of which the two larger are considered by no means equal to the smaller in the quality and quantity of their must. One of them, which people who live in Gaul call *marcus*,^c produces ordinary wine, and the other, which they designate as the “long vine” and also the “white vine,” yields a wine of low grade and of no such quantity as the number of its clusters promises at first glance. The 26 smallest and best of the three is very readily recognized by its leaf, for it bears the roundest leaf of all of them, and it is praiseworthy because it endures drought best of all, because it bears cold

^b Cf. Pliny, *N H* XIV 32-33

^c Sobel (*Stud. Colum.*, 47-48) points out the long standing error of editors and lexicographers in reading *emarcum*, without MS authority, as a “Gallic” word. Rejecting also Schneider’s interpretation of the word as *Fr. marc*, Sobel, comparing modern “Alexander” apples, “Victoria” plums, “Williams” pears, etc., proposes the familiar Roman praenomen to produce “Marcus” grapes.

LUCIUS JUNIUS MODERATUS COLUMELLA

sine imbribus sit, quod non nullis locis etiam vinum eius in vetustatem diffunditur, quod praecipue soli macerimum quoque solum fertilitate sua com-
 27 mendat Ut Spionia¹ dapsilis musto sed² amplitudine magis uvarum quam numero fertilis, ut Horconia,³ ut Muigentina eademque Pompeiana, ut Numisiana, ut Venucula eademque Scirpula⁴ atque Sticula,⁵ ut nigra Fregellana, ut Merica,⁶ ut Rhaetica, ut omnium quas cognovimus copiosissima Arcelaca
 28 maior, a multis Argitis⁷ falso existimata Nam has nuper mihi cognitae, Pergulanam⁸ dico et Irtiolam Fereolamque, non facile adseverem quo gradu habendae sint, quod etsi satis fecundas scio, nondum tamen de bonitate vini, quod adferunt, iudicare potui Unam etiam praecoquem vitem nobis ante hoc tempus incognitam Graeca consuetudine Dracontion vocitari comperimus, quae fecunditate iucunditateve Arcelacae Basilicaeque et Bituricae comparari possit,
 29 generositate vini Amineae Multa praeterea genera sunt vitium, quarum nec numerum nec appellationes

¹ scipionia *SM* scipioni ad apsilis *A* scipioni adapsilis *a* spioni allapsilis *c* At spionia *plerique edd ante Schn*

² musto sed *c, vet edd* mustos sed *SAa* musto et *M*, et *vulgo*

³ horconia *Sobel* holconia *S* holcani aut *A* holcoma *a* holcama *cM* holgonia aut *vet edd* oleagina *vulgo*

⁴ scuritula *a* sartula *c* fertula *M* scircitula *Pontedera* Pompeiana scirpula *om SA*

⁵ rabucula *SAa* rubicula *cM*

⁶ mettica *SAaM* atthica *c*

if only it is free from rain, because in some regions its wine is racked off for long keeping, and especially because it alone gives a good name to even the poorest of soil by reason of its own fertility [Celsus 27 includes also] such as the Spionian, rich in must but fruitful in the size rather than the number of its clusters, such as the Horcoman,^a the Muigentine,^a which is the same as the Pompeian, the Numisian, the Venuculan, also called Scirpulan and Sticulan,^b such as the black Fragellan, the Mexican, the Rhaetian, and that most prolific of all vines within our acquaintance, the greater Arcelacan,^c wrongly considered by many to be the Argitis For as to 28 those that have recently come to my knowledge—I mean the Pergulan, the Iltiolan, and the Fereolan—I could not easily declare with certainty in what class they are to be considered, for, though I know that they are passably fruitful, I have not been able as yet to pass judgment on the quality of the wine that they produce We have discovered also that there is an early-ripe vine, hitherto unknown to us and called *Dracontion* after the Greek fashion, which may be compared in fruitfulness and agreeableness to the Arcelacan, the Basilic, and the Bituric vines, and in its high quality to the Aminean There are, 29 besides, many sorts of vines of which we can relate

^a Cf Pliny, *N H* XIV 35

^b Pliny, *N H* XIV 34

^c Not mentioned as such by other writers

⁷ argillis SA

⁸ nuper gulanam (mihi cognitas per om) SA

LUCIUS JUNIUS MODERATUS COLUMELLA

cum certa fide referre possumus Neque enim,¹ ut ait poeta,

numero comprehendere² refert,

Quem qui scire velit, Libyci velit aequoris idem
Discere³ quam multae Zephyro turbentur⁴
harenae

- 30 quippe universae regiones regionumque paene singulae partes habent propria vitium genera, quae consuetudine sua denominant,⁵ quaedam etiam stirpes cum locis vocabula mutaverunt, quaedam propter mutationem locorum, sicut supra diximus, etiam qualitate sua decesserunt, ita ut dinosci non possint. Ideoque in hac ipsa Italia, ne dicam in tam diffuso terrarum orbe, vicinae⁶ nationes nominibus earum
- 31 discrepant, variantque vocabula. Quare prudentis magistri est eius modi nomenclationis aucupio, quo potiri nequeat,⁷ studiosos non demorari, sed illud in totum praecipere, quod et Celsus ait et ante eum Marcus Cato, nullum genus vitium conserendum esse nisi fama, nullum diutius conservandum nisi experimento,⁸ probatum. Atque ubi multa invitabunt regionis commoda, ut nobilem vitem conseramus, generosam requiremus, inquit Iulius Graecinus, ubi nihil erit aut non multum quod⁹ proritet, feracitatem potius sequemur, quae non eadem portione

¹ enim om SA, Sobel

² numero comprehendere M, Verg edd numero comprehendere a, edd numerum comprehendere (comprehendere refert S, comprehendere fert A) SAc, Sobel

³ dicere SAacM

⁴ turbentur Sobel, Verg edd turbent' S turbem A versentur acM, edd

⁵ denominant SAacM nominant edd

⁶ etiam post vicinae add vulgo om SAacM, veti edd

⁷ nequeat SAacM, veti edd nequeant vulgo

⁸ experiendo SA

⁹ quo SA

neither the number nor the names with assurance
And, indeed, as the poet says,^a

to know then number is of no concern
One who would know of this might also wish to
learn

How many grains of Libyan sand by western
breeze are stirred

For all countries and almost all separate districts of those countries have their peculiar types of vines, which they designate according to their own fashion, some vine-stocks also have changed their names along with the places where they are grown, and some, as I said above, have so far departed from their peculiar character, through a change of place, as to be unrecognizable. And so in our own Italy, not to speak of the whole far-flung world, neighbouring peoples disagree in the names of vines, and their designations vary. Therefore it is a mark of the wise teacher not to retard his students with quibbling over a list of names of a sort which it is impossible to master, but in general to lay down as a precept what Celsus says, and Marcus Cato before him—that no kind of vine should be planted except that approved by common report, and that none should be kept for any length of time unless proved by test. And where the many advantages of a particular region invite us to plant a superior vine, we shall search out one of good origin, says Julius Gaiacinus, where there is nothing at all or not much to encourage us, we shall look rather for fruitfulness, which is not excelled in worth to the same degree that it excels

^a Vergil, *Georg* II 104-106

32 vincitur pretio quam vincit abundantia Sed de hac sententia, quamquam et ipse paulo ante idem censueim, quid tamen alicuius iudicem, suo loco mox dicam Propositum est enim docere qua ratione vineae pariter feraces et pretiosae fluxurae possint constitui

III Nunc prius quam de satiatione vitium disseram, non alienum puto velut quoddam fundamentum iacere disputationi futurae, ut ante perpensum et exploratum habeamus an locupletet patrem familiae vinearum cultus Est enim paene adhuc super-vacuum de his conserendis praecipere, dum quod prius est, nondum concedatur an omnino sint habendae Idque adeo plurimi dubitent, ut multi refugiant et reformident talem positionem ruris, atque optabiliorem pratorum possessionem pas-
 2 orumque vel silvae caeduae iudicent, nam de arbusto etiam inter auctores non exigua pugna fuit, abnuente Saserna genus id ruris, Tremelio maxime probante Sed et hanc sententiam suo loco aestimabimus¹ Interim studiosi agricolationis hoc primum docendi sunt, uberimum esse redditum vinearum Atque ut omittam veterem illam felicitatem avorum,² quibus et ante iam Cato Marcus, et mox Varro Terentius, prodidit singula iugera vinearum sescenas urnas vini praeuisse—id enim maxime adseverat in primo libro rerum rusticarum Varro—nec una regione

¹ estimavimus *S* extimabimus ac existimabimus *M*

² arborum *SA*¹

^a *I e* the lower quality of the prolific vine is more than offset by the quantity of its yield ^b *I e* the *arbustum*

^c Varro, *RR* I 2 7, quoting Cato, *Origines*

^d 1 urna = $\frac{1}{2}$ amphora = about 3.42 US (2.85 Brit) gallons

in abundance of yield^a But as for this opinion, 32 though I myself was of the same mind not long ago, I shall soon tell in the proper place what my more private judgment is For it is my purpose to teach the method by which vineyards may be managed so as to be at the same time fruitful and productive of a wine that will bring a good price

III Now, before discoursing on the planting of vines, I think it not out of place to lay down, as a sort of foundation for the coming discussion, the principle that we should have carefully weighed and investigated in advance whether viticulture will enrich the proprietor, for it is well-nigh purposeless as yet to give directions for planting vines, as long as the prior question is not yet affirmatively answered—whether vines should be kept at all And most people would be doubtful on this point, to such an extent that many would avoid and dread such an ordering of their land, and would consider it preferable to own meadows and pastures, or woodland for cutting, for in the matter of ground planted 2 with trees for the support of vines^b there has been no little dispute even among authorities, Saseina being unfavourable to this kind of land, and Tremelius approving it most highly But we shall make an appraisal of this opinion in its proper place Meanwhile those devoted to the study of agriculture must be informed of one thing first of all—that the return from vineyards is a very rich one And to pass over the old-time fertility of the land, of which Marcus Cato long ago, and Terentius Varro^c more recently, recorded that each *ugerum* of vineyard yielded six hundred *urnae*^d of wine—for Varro so declares most emphatically in the first book of his *Res Rusticae*—

LUCIUS JUNIUS MODERATUS COLUMELLA

provenire solitum, verum et in Faventino¹ agro
 3 et in Gallico, qui nunc Piceno contribuitur, his certe
 temporibus Nomentana regio celeberrima fama est
 inlustris, et praecipue quam possidet Seneca, vi
 excellentis ingenui atque doctrinae, cuius in praediis
 vinearum iugera singula culleos octonos reddidisse
 plerumque, compertum est Nam illa videntur
 prodigialiter in nostris Ceretanis accidisse, ut aliqua
 vitis apud te, excederet uvaium numerum duorum
 milium et apud me octingenae² stupes insitae intra
 biennium septenos culleos peraequarent, ut primae
 vineae centenas amphoras iugeratim praeberent, cum
 prata et pascua et silvae, si centenos sesterlios in
 singula iugera efficiant, optime domino consulere
 4 videantur Nam frumenta maiore³ quidem parte⁴
 Italiae quando cum quaito responderint, vix memi-
 nisse possumus⁵ Cur ergo res infamis est? Non
 quidem suo sed hominum inquit vitio Graecinus
 primum, quod in explorandis seminibus nemo adhibet
 diligentiam, et ideo pessimi generis plerique vineta
 conserunt, deinde sata non ita nutriunt, ut ante

¹ florentino *Sa* flor expunct et faventino in marg *A*

² octingenae *SACM* ottingene *a* octogenae vulgo

³ maiorem *SAA* *Sobel*

⁴ partem *SA*, *Sobel*

⁵ possumus *S* (in possumus corr) *A*, *Sobel*

^a Mod Faenza

^b A strip of land running along the Adriatic coast of Italy

^c Lucius Annaeus Seneca, the philosopher

^d 1 *culleus* = 20 *amphorae* = about 137 US (114 Brit) gallons

^e See Introd, p xi

^f Perhaps the two *iugera* of grafted vines mentioned in III 9 6 For the varying number of vines planted to the *iugerum*, see V 3

and that this was the customary yield not in one district alone but also in the country around Faventia^a and in the Ager Gallicus,^b which is now annexed to Picenum, in our own times, at any rate, the neighbourhood of Nomentum is illumined by a most distinguished reputation, and especially that part owned by Seneca,^c a man of outstanding genius and erudition, on whose estates it is learned that every *ugerum* of vineyard has yielded commonly eight *culler*^d. For the things that happened in our Ceretanum^e seem to have been in the nature of a prodigy, in that a certain vine on your place exceeded the number of two thousand clusters, and with me, that eight hundred grafted stocks of less than two years^f yielded seven *culler*, or that first-class vineyards produced a hundred amphorae^g to the *ugerum*, when meadows, pastures, and woodland seem to do very well by the owner if they bring in a hundred *sesterces*^h for every *ugerum*. For we⁴ can hardly recall a time when grain crops, throughout at least the greater part of Italy, returned a yield of four for oneⁱ. Why, then, is viticulture in disrepute? Not, indeed, through its own fault, but because of human failings, says Graecinus, in the first place because no one takes pains in searching after cuttings, and for that reason most people plant vineyards of the worst sort, and then they do not nourish their vines, once planted, in such a way as

^a 1 *amphora* = about 6.84 U.S. (5.70 Brit.) gallons

^b 1 *sestertius* = about 4 cents

^c Varro, in the preceding century, speaks (*R.R. I* 44 1-2) of grain yields of 10 for 1 (*cum decimo*) in some parts of Italy, of 15 for 1 (*cum quinto decimo*) at some places in Etruria, and of reported yields of a hundredfold (*cum centesimo*) around Sybaris in Italy and at certain places in Syria and Africa

LUCIUS JUNIUS MODERATUS COLUMELLA

convalescant ac prosiliant, quam retrorescant, sed
 5 et si forte adoleverint, neglegenter colunt. Iam
 illud a principio nihil refert consent, quem locum
 conserant, immo etiam seligunt¹ deterimam partem
 agrorum, tamquam sola sit huic stupi maxime terra
 idonea, quae nihil aliud ferre possit. Sed ne ponendi
 quidem rationem aut perspiciunt, aut perspectam
 exsequuntur. Tum etiam dotem, id est instru-
 mentum, raro vineis praeparant, cum ea res, si
 omissa sit, plurimas operas nec minus alicam patris
 6 familiae semper exhaustat. Fructum vero plerique
 quam uberrimum praesentem consecantur, nec
 provident futuro tempori, sed quasi plane in diem
 vivant, sic imperant vitibus, et eas ita multis palmi-
 tibus onerant, ut posteritati non consulant. Haec
 omnia vel certe plurima ex his cum commiserunt,
 quidvis malunt quam suam culpam confiteri, que-
 runturque non respondere sibi vineta, quae vel per
 avaritiam vel inscientiam² vel per negligentiam
 7 perdididerunt. At si qui³ cum scientia sociaverint⁴
 diligentiam, non, ut ego existimo, quadragenas
 vel certe tricenarum⁵ sed ut Graecinus, minimum
 computans licet, inquit, amphoras vicensas percipient⁶

¹ sedeligunt *S*, *Sobel*

² inscientiam *cM*, *vett edd* inscientia *a* inscientia quae
 perdididerunt *SA*¹ inscitia *vulgo*

³ quis *SAac om M*

⁴ sociaverit *SACM*, *vett edd*

⁵ sic *Gesn*, *Schn* tricenarum vel quadragenarum certe ante
Gesn tricenarum *v c* ducenas *SA* tricenarum vel ducenas
 (decenas *cM*) certe *acM*

⁶ percipiant *SA*¹ percipiunt *a* percipiet *M*

to let them gain strength and shoot out before they wither, and if they do happen to grow, they are careless in the matter of cultivation. Even at the very start they think that it makes no difference what kind of ground they plant, or rather they pick out the very worst section of their lands, as though such ground alone were particularly fit for this plant because incapable of producing anything else. Either they do not understand even the method of setting them or else they fail to put it into practice when they do understand it. Then too, they seldom have the dowry ^a—that is, the equipment—in readiness for their vineyards, though this, if neglected, uses up many days of toil and puts a constant drain on the coffers of the proprietor. Most people, in fact, strive for the richest possible yield at the earliest moment, they make no provision for the time to come, but, as if living merely from day to day, they put such demands upon their vines and load them so heavily with young shoots as to show no regard for succeeding generations. After committing all these acts, or at any rate most of them, they would rather do anything at all than admit their own guilt, and they complain that their vineyards do not yield them a return—vineyards which they themselves have ruined through greed, or ignorance, or neglect. But if any who combine painstaking care with scientific knowledge receive, not forty, or at least thirty according to my reckoning, but, as Graecinus says, though setting the lowest estimate, twenty *amphorae* from every *iugerum*,

^a An expression borrowed from the marriage custom of providing a portion for the bride, for the vine was proverbially “wedded” to its supporting tree

LUCIUS JUNIUS MODERATUS COLUMELLA

ex singulis iugeribus, omnis istos, qui faenum suum et holera amplexantur, incremento patrimonii facile superabunt Nec in hoc eriat, quippe ut diligens ratioцинator¹ calculo posito videt id² genus agııco-
8 lationis maxime rei familiari conducere Nam ut amplissimas impensas vineae poscant, non tamen excedunt septem iugera unius operam vinitoris, quem vulgus quidem parvi aeris, vel de lapide noxium posse comparari putat, sed ego plurimorum opinioni dissentiens pretiosum vinitorem in primis esse censeo Isque licet sit³ emptus sex, vel potius sestertius octo milibus, cum ipsum solum septem⁴ iugerum totidem milibus nummorum partum, vineasque cum sua dote, id est cum pedamentis et viminibus, binis milibus in singula iugera positas ducı, fit tamen⁵ in assem consummatum pretium sestertiorum viginti
9 novem milium Huc accedunt semisses usurarum sestertia tria milia et quadringenti octoginta nummi biennii temporis, quo velut infantia vinearum cessat a fructu Fit in assem summa sortis et usurarum triginta duorum milium quadringentorum octoginta nummorum Quod quasi nomen si ut faenerator cum debitore ita rusticus cum vineis suis fecerit, eius summae ut in perpetuum praedictam usuram semissium dominus constituat, percipere⁶ debet in annos singulos mille nongentos⁷ quinquaginta sestertios nummos, qua computatione vincit tamen redditus septem iugerum, secundum opinionem Graecini, usuram triginta duorum milium quadringentorum

¹ diligenter ratioцинator *SA*¹ diligenter ratioцинatio *Sobel*

² videre et id *SA*¹ videt et id *c*

³ sit licet *SAa*

⁴ septem *edd* octo *SAacM*, *vett edd*

⁵ tamen *SAacM*, *vett edd* tum *vulgo*

⁶ praecipere *c*

⁷ noningentos *ac*

they will easily outdo in the increase of their ancestral estates all those who hold fast to their hay and pot-herbs. And he is not mistaken in this, for, like a careful accountant, he sees, when his calculations are made, that this kind of husbandry is of the greatest advantage to his estate. For, admitting 8 that vineyards demand a very generous outlay, still seven *iugera* require the labour of not more than one vinedresser, upon whom people in general set a low value, thinking that even some malefactor may be acquired from the auction-block,^a but I, disagreeing with the opinion of the majority, consider a high-priced vinedresser of first importance. And supposing his purchase price to be 6000 or, better, 8000 *sesterces*, when I estimate the seven *iugera* of ground as acquired for just as many thousands of *sesterces*,^b and that the vineyards with their dowry—that is, with stakes and withes—are set out for 2000 *sesterces* per *iugerum*, still the total cost, reckoned to the last farthing, amounts to 29,000 *sesterces*. Added to this is interest at six per cent per annum, 9 amounting to 3480 *sesterces* for the two-year period when the vineyards, in their infancy as it were, are delayed in bearing. The sum total of principal and interest comes to 32,480 *sesterces*. And if the husbandman would enter this amount as a debt against his vineyards just as a moneylender does with a debtor, so that the owner may realize the aforementioned six per cent interest on that total as a perpetual annuity, he should take in 1950 *sesterces* every year. By this reckoning the return from seven *iugera*, even according to the estimate of Graecinus, exceeds the

^a Lit the stone, or stone platform, at which slave auctions were held

^b I e 7000

LUCIUS JUNIUS MODERATUS COLUMELLA

- 10 octoginta nummorum Quippe ut deterium generis
sint vineae, tamen si cultae, singulos utique culleos
vini singula eorum iugera peraequabunt, utque
trecentis nummis quadriagenae uinae veneant,¹ quod
minimum pretium est annonae, consummant tamen
septem cullei sestertia duo milia et centum nummos
- 11 ea porro summa excedit usuram semissium Atque
hic calculus quem posuimus, Graecini rationem
continet Sed nos extirpanda vineta censemus,
quorum singula iugera minus quam ternos culleos
praebent Et adhuc tamen sic computavimus, quasi
nullae sint vivuadices, quae de pastinato eximantur,
cum sola ea res omnem impensam terreni pretio
suo liberet, si modo non provincialis sed Italicus ager
- 12 est Neque id cuiquam² dubium esse debet, cum
et nostram et Iuli Attici rationem dispexerit³ Nos
iam⁴ enim vicena milia malleorum per vineae iugerum
inter ordines pangimus Ille minus quattuor milibus
deponit cuius ut vincat ratio, nullus tamen vel
iniquissimus locus non maiorem quaestum reddet
- 13 quam acceperit impensam, siquidem, ut cultoris
neglegentia sex milia seminum inteant,⁵ reliqua ta-
men decem milia tribus milibus nummorum libenter
et cum lucro redemptorum erunt⁶ Quae summa
tertia parte superat duo milia sestertiorum, quanti
constare iugerum vinearum praediximus, quamquam
nostra cura in tantum iam processit, ut non inviti

¹ teneant c

² cuiquam om SA, sed add in marg A

³ dispexerit SAacM, et plerique dispunxerit Schn

⁴ iam om SA¹ ⁵ ingerunt acM, et in marg A

⁶ redemptorum erunt SA¹, Schn redemptor emerit
A²acM, et plerique

^a Rooted cuttings

^b See Chap 6, sec 3, below

interest on 32,480 *sesterces* For, assuming that the
 vineyards are of the very worst sort, still, if taken
 care of, they will yield certainly one *culleus* of wine
 to the *ugerum*, and even though every forty urns
 are sold for 300 *sesterces*, which is the lowest market
 price, nevertheless seven *culler* make a total of 2100
sesterces—a sum far in excess of the interest at six
 per cent And these figures, as we have given 10
 them, take account of the calculations of Graecinus
 But our own opinion is that vineyards which yield
 less than three *culler* to the *ugerum* should be rooted
 out And, even so, we have made our calculations
 up to this point as if there were no quicksets^a to be
 taken from the trenched ground, though this item
 alone, at a favourable price, would clear the entire
 cost of the land, if only the land belongs, not to the
 provinces, but to Italy And no one should be 12
 skeptical of this statement when he distinguishes
 between my method and that of Julius Atticus,
 for I am now planting between the rows 20,000
 mallet-shoots^b to every *ugerum* of vineyard, while
 he sets out four thousand fewer^c Assuming that
 his way is the better one, still no ground, even
 the most unfavourable, will fail to yield a return
 exceeding the expense incurred, since, even though 13
 6000 of the plants die through the carelessness of
 the vinedresser, still the remaining 10,000 will be
 purchased by contract-vineyardists, cheerfully and
 at a profit, for 3000 *sesterces* This sum exceeds
 by one third the 2000 *sesterces* which we have
 named above as the cost of planting one *ugerum*
 of vines, and yet our own management has now
 progressed to the point where husbandmen are not

^a Cf Chap 16, sec 3, below

LUCIUS JUNIUS MODERATUS COLUMELLA

sestertius sescenis¹ nummis singula² milia vivira-
 14 dicis a me iustici mercentur Sed vix istud alius
 praestiterit Nam nec quisquam nobis facile credi-
 derit tantam in agellis esse nostriis abundantiam
 vini quantam tu, Silvine, novisti Mediocre itaque
 vulgatumque pretium vivradicis posui, quo celerius
 nullo dissentiente perducī possent in nostriam senten-
 tiam, qui propter ignorantiam genus hoc agricola-
 15 tionis reformidant Sive ergo pastinationis reditus
 seu futurarum spes vindemiarum cohortari nos debet
 ad positionem vinearum Quas quoniam docuimus
 rationis esse consereie, nunc institutionis earum
 praecepta dabimus

IV Cui vineta facere cordi est, praecipue caveat
 ne alienae potius curae quam suae credere velit,
 neve mercetur vivradicem Sed genus surculi³
 probatissimum domi conserat, faciatque vitiarum
 ex quo possit agrum vineis vestire Nam quae
 peregrina⁴ ex diversa regione semina transferuntur,
 minus sunt familiaria nostro solo quam vernacula,
 eoque velut alienigena reformidant mutatam caeli
 2 locique positionem Sed nec certam generositatis
 fidem pollicentur, cum sit incertum, an is, qui con-
 seruerit ea, diligenter exploratum probatumque
 genus surculi deposuerit Quamobrem biennii spa-
 tium longum esse minime existimandum est, intra

¹ sescenis *S* sexcenis *Aac* sexenis *M* sexcentis *vulgo*

² singulis *SAa*, *vett edd* singuli *c*

³ surculis *S* (*alt s expunct*) *A*

averse to purchasing quicksets from me at a price of six hundred *sesterces* a thousand. But anyone else will hardly go beyond the above-named figure, for no one will readily take our word for it that there is such a quantity of wine upon our small pieces of ground as you, Silvinus, know to be the case. For that reason I have quoted the average and customary price of quicksets, so that those who, through want of knowledge, avoid this branch of husbandry, may be brought over more quickly to my opinion with no dissenting vote. Therefore either the revenue from ground prepared for planting or the hope of vintages to come should encourage us in the planting of vines. And now that we have shown that it is consistent with good business to plant them, we shall offer directions for putting them in order.

IV One who has it at heart to make plantations of vines should guard especially against the willingness to entrust them to another's care in preference to his own, and he should not buy quicksets. But he should plant at home shoots of the sort most approved, and should make a nursery of vines from which he may clothe his land with vineyards. For foreign cuttings, transplanted from a different locality, are less at home in our soil than are the native varieties, and for that reason, being strangers, so to speak, they dread a change of climate and situation, and also they offer no definite assurance of quality, seeing that it is uncertain whether the one who has planted them has set out shoots of a carefully tested and approved variety. Therefore a period of two years must be considered the mini-

⁴ *perenna* (*peregryna in marg.* A) SA

quod utique tempestivitas seminum respondet, cum semper, ut dixi, pluvium iettulerit exquisiti
 3 generis stirpem deposuisse Post haec deinde meminerit accurate locum vineis eligere, de quo cum iudicaverit, maximam diligentiam sciat adhibendam pastinationi Quam cum peregerit, non minore cura vitem conserat, et cum posuerit ¹ summa sedulitate culturae serviat, id enim quasi caput et columen est impensarum, quoniam in eo consistit, melius an sequius terrae mandaverit paterfamilias pecuniam quam ² in otio tractare Igitur unum quodque eorum quae ³ proposui, suo iam persequar ordine

V Vitianum neque ieiuna terra neque uliginosa faciendum est, sucosa tamen ac mediocri potius quam pingui, tametsi fere omnes auctores huic rei laetissimum locum destinaverunt Quod ego minime reor esse pro agricola, nam depositae stirpes ⁴ valido solo, quamvis celeriter comprehendant atque prosiliant, tamen cum sunt viviradices factae, si in peius ⁵ transferantur, retorescunt nec adolescere
 2 queunt Prudentis autem coloni est ex deteriori terra potius in meliorem, quam ex meliore in deteriore transferre Propter quod mediocritas in electione loci maxime probatur, quoniam in confinio boni malique posita est Sive enim postmodum necessitas postulaverit ⁶ tempestiva semina ieiuno

¹ seruerit *acM*, et in *marg A*

² quam *om SAacM*, *vett edd*

³ quod *S*

⁴ spinae *SA*¹

⁵ si in peius] si impetus *SA* sint priusquam *c*, *edd ante Gesn* et fractae sunt priusquam in *marg A* et fractae priusquam *M*

⁶ postulat *SA*¹ postula. + *A'a*

mum time within which the quality of the cuttings can certainly show itself, though, as I have said, it has always been of the greatest importance to set out stock of carefully selected origin. Next after this 3 he should remember to make a careful choice of a site for his vineyards, and when he has come to a decision on this point he should know that the greatest pains must be employed in trenching the ground. After he has finished the trenching he should use no less care in the planting of the vine, and after the planting he should attend with greatest diligence to the matter of cultivation, for this is, so to speak, the chief and crowning point of the investment, since on it rests the decision as to whether it has been better or worse for the proprietor to commit his money to the soil rather than to employ it in idleness. Therefore I shall discuss in their proper order each of those matters which I have proposed.

V A vine-nursery should be established in ground that is neither hungry nor wet, but moist and of medium quality rather than fat, though nearly all authorities have designated a very fertile soil for this purpose. This I consider as not at all to the advantage of the husbandman, for even though the cuttings quickly take root and shoot up when planted in strong soil, yet if transferred to poorer soil when they become quicksets, they wither and cannot grow to maturity. Moreover, it is the mark 2 of a wise husbandman to transplant from poorer ground to better rather than from better to poorer. For this reason an intermediate quality is most approved in the choice of a site, because it stands on the border line between good and bad. For if necessity afterwards demands the setting of the

LUCIUS JUNIUS MODERATUS COLUMELLA

solo committere, non magnam sentient¹ differentiam, cum ex mediocri materia² in exilem translata sunt, sive laetior ager conserendus est, longe celerius in
 3 ubertate coalescunt Rursus tenuissimo solo vitiarium facere minime rationis est, quoniam malleolorum pars maior deperit, et quae superest, tarde fit idonea translationi Ergo mediocris et modice siccus ager vitario³ est aptissimus, isque bipalio prius subigi debet, quae est altitudo pastinationis,⁴ cum in duos pedes et semissem convertitur humus, ac deinde tripedaneis relictis spatius, per quae semina excolantur, in singulis ordinibus, qui ducenos quadragenos pedes obtinent,⁵ sexcenti⁶ malleoli pangendi
 4 sunt Is numerus consummat per totum iugerum seminum milia quattuor et viginti⁷ Verum hanc curam praevenit inquisitio et electio malleolorum Nam ut saepe iam rettuli, quasi fundamentum est praedictae rei, probatissimum genus stirpis deponere
 VI Sed electio dupliciter facienda est, non enim solum fecundam esse matrem satis est, ex qua semina petuntur, sed adhibenda ratio est subtilior, ut ex his partibus trunci sumantur, quae et genitales sunt et
 2 maxime fertiles Vitis autem fecunda, cuius pro-

¹ sentiunt *SAac, veti edd*

² materia *SAacM, veti edd* terra vulgo

³ seminari *SA, sed vitario in marg A*

⁴ pastionis *S*

⁵ optime (optinent in marg *A*) *SAa*

⁶ sexcenti *ac, et in marg A* sexeni *M* septeni *SA* sexcenteni *plerique edd* octogeni *Schn*

⁷ milia quattuor (quatuor *ac*) et viginti *SAacM, plerique edd* millia tria et ducenta *Schn*

^a The *bipalium* had a cross bar fitted to the handle at some distance above the blade, which allowed the spade to be pushed

young plants at the proper time in lean ground, they will be conscious of no great change when transferred from mediocre to poor soil, or if a more fertile field is to be planted, they gain strength far more quickly in the rich ground. On the other hand, 3 it is not at all consistent with reason to make a nursery of vines in the very poorest ground, since the majority of the slips die, and such as do survive are slow in becoming fit for transplanting. A piece of average and moderately dry ground, then, is best suited for the nursery, and it should first be worked with the trenching-spade,^a which equals the depth of the trenching when the ground is turned up to two and one-half feet. Then, leaving three-foot spaces for the cultivation of the plants, 600 cuttings are to be set in each of the rows which measure 240 feet. This number makes a total of 24,000 plants to the 4 *iugerum*^b. But the examination and choice of shoots takes precedence of this care. For, as I have often said before, the planting of the most approved kind of stock is the foundation, so to speak, of the aforesaid matter.

VI But the choice must be made with two considerations in mind, for it is not enough merely that the mother vine from which the cuttings are sought should be prolific, but a more discriminating method must be employed, that they may be taken from those parts of her body which are both generative and especially fruitful. Moreover, the prolific vine 2

by the foot two spits deep—twice the depth of the ordinary spade (*pala*)

^b The *iugerum* would thus measure 240 × 120 feet (V 2 3), and the cuttings would be set about five inches apart in the row

LUCIUS JUNIUS MODERATUS COLUMELLA

geniem studemus summittere, non tantum debet eo aestimari, quod uvas compluris exigit, potest enim trunci vastitate id accidere et frequentia ¹ palmitum, nec tamen eam feracem dixerim, cuius singulae uvae ² in singulis sarmentis conspiciuntur Sed si per unumquemque pampinum maior numerus uvarum dependet, si ex singulis gemmis compluribus materis cum fructu germinat, si denique etiam e duro virgam ³ aliquibus ⁴ racemis citat, si etiam nepotum fructu ⁵ gravis est, ea sine dubitatione ferax ³ destinari debet legendo malleolo Malleolus autem novellus est palme innatus prioris anni flagello, cognominatusque ad similitudinem, ⁶ quod in ea parte, qua ⁷ deciditur ex vetere sarmento, prominens utrumque mallei speciem praebet Hunc ex fecundissima stirpe ⁸ legendum censemus omni tempore quo vineae putantur, ac super terram gemmis tribus vel quattuor extantibus diligenter obruendum loco modice umido non uliginoso, dum tamen antiquissimum sit considerare ne vitis, ex qua is sumitur, ancipitem floris habeat eventum, ne difficulter acinus ⁹ ingrandescat, ne aut praecoquem ¹⁰ aut serae maturitatis fructum adferat Nam illa volucris,

¹ accidere frequentis SA¹

² vite c

³ etiam me dura virgo SA etiam in dura virga a

⁴ aliquis SA

⁵ nec totum fructum SA

⁶ a similitudine rei acM, et vulgo ante Schn

⁷ qua S, Schn quae A, et vulgo que acM

⁸ statione SA ⁹ acinis SAc

¹⁰ praecoquis SAc percoquis a

whose offspring we wish to rear should not be valued merely because it puts forth grape clusters in great quantity, for this may be due to the large size of the stock and the great number of fruiting canes,^a though I should not call that a fruitful vine where only one cluster is seen to each cane. But if a larger number of clusters hang upon every young shoot, if from every eye on its many mature branches it sprouts out with fruit, if, finally, it also puts out from its firm wood a green shoot with some clusters, if, too, it is heavy with the fruit of its secondary shoots,^b such a vine, fruitful beyond doubt, should be marked out for the gathering of maltet-shoots. The maltet-shoot, moreover, is a young shoot grow- 3
ing out of a cane of the year before, it is named according to its resemblance, because, projecting on both sides in that part where it is cut from the old branch, it has the appearance of a maltet. Our opinion is that this should be taken from the most prolific stock every time that the vines are pruned, and carefully planted, with three or four eyes showing above ground, in soil that is moderately moist but not wet, if only it be our first consideration that the vine from which the shoot is taken be not uncertain in its flowering, that its berries have no difficulty in growing big, and that it bear fruit which is neither early nor too late in ripening. For the former is damaged by buds, and the latter by

^a Cf V 6 29, Festus, 246 L, "*palmutes*" *vitum sarmenta appellantur, quod in modum palmarum humanarum virgulas quasi digitos edunt*, Isidore, *Orig* XVII 5 9

^b *Nepotes*, laterals or secondary shoots, lit "grand children" of the *flagellum* or cane in the order *flagellum pampinus nepos*, springing from the axil of the *pampinus* or leaf stalk

LUCIUS JUNIUS MODERATUS COLUMELLA

4 haec etiam tempestatibus hiemis infestatur Tale porro genus non una ¹ comprobatur vindemia, potest enim vel anni proventu vel aliis de causis etiam naturaliter infecunda vitis semel exuberare Sed ubi pluvium ² velut emeritis annorum stipendus fides surculo constitit, nihil dubitandum est de fecunditate Nec tamen ultia quadriennium talis extenditur inquisitio, id enim tempus fere videntium generositatem declarat,³ quo sol in eandem partem signiferi per eosdem ⁴ numeros redit, per quos cursus sui principium ceperat ⁵ Quem circuitum meatus dierum integrorum mille quadringentorum sexaginta unius ἀποκατάστασις ⁶ vocant studiosi rerum caelestium

VII Sed certum habeo, P Silvine, iamdudum te tacitum requirere cuius generis sit ista fecunda vitis, quam nos tam accurate describimus, anne ⁷ de his aliqua significetur, quae vulgo nunc ⁸ habentur feracissimae Plurimi namque Bituricam, multi Spioniam, quidam Basilicam, non nulli Arcelacam ² laudibus efferunt Nos quoque ⁹ haec genera testimonio nostro non fraudamus,¹⁰ sunt enim largissimi vini, sed proposuimus docere vineas eius modi conserere, quae nec minus uberes fructus praedictis generibus adferant, et sint pretiosi saporis, velut

¹ non una] naturae SA

² pluvium Ald, Schn plurimis SAA, Gesn pluribus cM

³ desiderat a

⁴ signiferi per eosdem] signifer eosdem SA signi per eosdem acM

⁵ coeperat A, et vulgo ante Schn

⁶ graec om spat relict acM, deinde id est (in abbr) reversionem vocant a

⁷ ac ne A, Ald, Gesn ne a ⁸ non cM, Ald, Gesn

⁹ efferunt Nos quoque om SA

wintry storms as well. Moreover, such a kind of vine is not proved by one vintage, for even a vine that is naturally unfruitful may produce an abundant yield a single time, either because of the bountifulness of the year or for other reasons. But when confidence in the slip has been established by the completion of several years of campaigning, as it were, there can be no doubt as to its fruitfulness. Yet such an examination is not carried beyond a period of four years, for the quality of plants usually becomes manifest in that period of time during which the sun returns to the same division of the zodiac through the same signs by which it began its circuit—a periodical course of fourteen hundred and sixty-one entire days, which students of celestial matters call ἀποκατάστασις ^a

VII But I am sure, Publius Silvinus, that you have long been inquiring in your own mind as to what variety that fruitful vine belongs which we are at such pains to describe—whether one of those which are commonly regarded as most prolific nowadays is meant. For very many people are high in their praise of the Bituric, many of the Spionian, some of the Basilic, and several of the Arcelacan. We, too, ² do not deprive these varieties of our approbation, for they yield a very great quantity of wine, but we have resolved to teach the planting of vines of a sort that will produce fruit in no less abundance than the above-mentioned varieties, and that have

^a *apocatastasis*, meaning the “restoration” of a previous condition

¹⁰ *sic acM* non fraudamus om SA non fraudamus testimonio nostro *vulgo*

LUCIUS JUNIUS MODERATUS COLUMELLA

Aminei, vel certe non procul ab eo gustu Cui nostrae sententiae scio paene omnium agricolarum diversam esse opinionem, quae de Amineis inventa longo iam tempore convaluit, tamquam 3 natali¹ et ingenta sterilitate laborantibus quo magis nobis ex alto repetita compluribus exemplis firmanda ratio est, quae desidia nec minus imprudentia colonorum damnata, et velut ignorantiae tenebris occaecata luce veritatis caruit Quae non intempestivum est nos ad ea praeverti, quae videntur hunc publicum errorem corrigere posse²

VIII Igitur si rerum naturam, Publi Silvini, velut acrioribus mentis oculis intueri velimus, reperiemus³ parem legem fecunditatis eam⁴ dixisse virentibus, atque hominibus ceterisque animalibus, nec sic aliis nationibus regionibusve proprias tribuisse dotes ut aliis in totum similia munera denegaret Quibusdam gentibus numerosam progenerandi⁵ sobolem dedit, ut Aegyptus et Afris, quibus gemini partus familiares ac paene sollemnes sunt, sed et Italici generis esse voluit eximiae fecunditatis Albanas 2 Curiatiae⁶ familiae trigeminorum matres Ger-

¹ naturali c

² quae spectandae sint qualitas in eo solo quod vineis destinaveris post posse inserunt SAC, et in rubr M

³ reperiamus S repperiamus A

⁴ eadem A

⁵ generandi SA, vet edd

⁶ Curiatiae edd aequitiae SA equitiae acM

^a Pliny (NH VII 33) mentions several cases of multiple births, including the famous sets of triplets, the Roman Horatii and the Alban Curii (Livy, I 24-26) A woman in the Peloponnesus, he says four times gave birth to quintu

LUCIUS JUNIUS MODERATUS COLUMELLA

maniam decoravit altissimorum hominum exercitibus, sed et alias gentes non in totum fraudavit praecipuae staturae viis. Nam et Cicero ¹ testis est Romanum fuisse civem Naevium Pollionem pede ² longiorem quam quemquam longissimum, et nuper ipsi videre potuimus in apparatu pompae Circensium ludorum Iudaeae gentis hominem proceriorem celsissimo
 3 Germano Transeo ad pecudes Armentis sublimibus insignis Mevania est, Liguria paavis, sed et Mevaniae bos humilis et Liguria non numquam taurus eminentis ³ statuae conspicitur. India perhibetur molibus ferarum mirabilis, pares tamen in hac terra vastitate beluas progenerari quis neget, cum intra moenia nostra natos animadvertamus
 4 elephantos ⁴. Sed ad genera frugum redeo. Mysiam Libyamque largis aiunt abundare frumentis, nec tamen Apulos Campanosque agros optimis ⁴ defici segetibus, Tmolon et Corycon flore croceo, ⁵ Iudaeam et Arabiam pretiosis odoribus inlustrem haberi, sed nec nostram civitatem praedictis egere stirpibus, quippe compluribus locis urbis iam casiam frondentem conspicimus, iam tuream plantam, florentisque ⁶
 5 hortos myrrha et croco. His tamen exemplis nimirum

¹ M. Tullius Cicero *vulgo* M. Tullius *deest codd., vet. edd.*

² pedem *SACM*

³ eminenti *SA*

⁴ optimis *SA, vet. edd.*

⁵ flore croceo *Aac, vet. edd., Gesn.* flore roceo *S.* florere croco *Schn. et alii*

⁶ tam maturae (e a) ampliatae frontisque (florentesque a) *SAA*

She has adorned Germany with armies of exceedingly 2
 tall men, but she has not wholly deprived other
 nations of men of exceptional stature. For Cicero
 bears witness that there was once a Roman citizen,
 Naevius Pollio,^a who was a foot taller than the tallest
 of other men, and recently we ourselves might have
 seen, among the exhibits of the procession at the
 games in the Circus, a man of the Jewish race who was
 of greater stature than the tallest German. I pass 3
 to cattle. Mevania^b is famous for its herds of tall
 cattle, Liguria for small, but an ox of low stature
 is seen now and then in Mevania, and a bull of
 towering proportions in Liguria. India is said to
 excite astonishment for the hugeness of its wild
 animals, yet who will deny that beasts of equally
 vast size are bred in this land, when we consider that
 elephants are brought forth within our own walls?
 But I return to various kinds of crops. They say 4
 that Mysia and Libya produce enormous quantities
 of grain, but that the fields of Apulia and Campania
 are not wanting in rich crops, that Tmolus and
 Corycus^c are considered famous for the saffron-
 flower, and Judea and Arabia for their precious
 scents, but that our own community is not destitute
 of the aforesaid plants, for in many sections of the
 city we see at one time cassia putting forth its leaves,
 again the frankincense plant, and gardens blooming
 with myrrh and saffron. Surely these examples 5

^a Cf. Pliny, *N H* VII 74. It has been conjectured that the source of the story is a lost work of Cicero, *De Admirandis*, mentioned by Pliny, *N H* XXXI 12.

^b Modern Bevagna in Umbria, a region long famous for its huge white cattle.

^c Tmolus a mountain in Phrygia, cf. Vergil, *Georg* I 56. Corycus, a town and promontory in Cilicia.

LUCIUS JUNIUS MODERATUS COLUMELLA

rum admonemur, curae mortalium obsequentissimam esse Italiam, quae paene totius orbis fruges adhibito studio colonorum ferre didicerit, quo minus addubitemus¹ de eo fructu, qui velut² indigena peculiarisque et vernaculus est huius soli Neque³ enim dubium est⁴ Massici Surrentinique et Albani, atque Caecubi agri vites omnium, quas terra sustinet, nobilitate⁵ vini principes esse

IX Fecunditas ab his forsitan desideretur, sed et haec adiuvari potest cultoris industria Nam si, ut⁶ paulo ante rettuli, benignissima rerum omnium parens natura quasque gentis atque terras ita muneribus propriis ditavit, ut tamen ceteras non in universum similibus dotibus fraudaret, cur eam dubitemus etiam in vitibus praedictam legem servasse? Ut quamvis earum genus aliquod praecipue fecundum esse voluerit, tamquam Bituicum aut Basilicum,⁷ non tamen sic Amineum sterile reddiderit ut ex multis milibus eius ne paucissimae quidem vites fecundae, tamquam in Italicis hominibus Albanae² illae sorores, reperiri possint Id⁸ autem cum sit verisimile,⁹ tum etiam verum esse nos docuit experimentum, cum et in Ardeatino agro, quem multis temporibus ipsi ante possedimus, et in Carseolano itemque in¹⁰ Albano generis Aminei vites notatas¹¹

¹ addubitemus *acM*, *Brusch* *Sobel* adubitemus *A* (*a in ras*) *S* dubitemus *Schn* addubitamus *Ald*, *Gesn*

² velut *acM*, *edd* vel *SA*, *Sobel*

³ Neque *om* *SAA* ⁴ est *om* *SAA**M*

⁵ nobilitate *M* quia (non *c*) nobilitate *ac* non vilitate *S* non utilitate *A* in nobilitate *edd*

⁶ sic vulgo nam sicut *acM* nisi aut *SA*

⁷ valiscum *SAac* ⁸ ita *SA*

⁹ sint avari simile *SA*

¹⁰ in *om* *SA*, *Sobel*

remind us that Italy is most responsive to care bestowed by mankind, in that she has learned to produce the fruits of almost the entire world when her husbandmen have applied themselves to the task. Therefore our doubts should be lessened as to that fruit which is a native, as it were, belonging to and born of our soil. For there is no doubt that, of all the vines that the earth sustains, those of the Massic, Surrentine, Alban, and Caecuban lands hold first place in the excellence of their wine.

IX The fruitfulness of these vines may leave something to be desired, but even this may be aided by diligence on the part of the vine-dresser. For, as I said a little before, if nature, that most bounteous parent of all things, has endowed every people and land with their own peculiar gifts, though in such a way as not to deprive others entirely of like endowments, why should we doubt that she has observed the aforesaid rule also in the case of vines? So that, although she has willed that some varieties be especially prolific, such as the Bituric and Basilic, yet she has not made the Aminean variety so barren that, of many thousands of them, there may not be found at least a very few fruitful vines, just as those Alban sisters among the humankind of Italy. Not only would this be highly probable, but what is more, experience has taught us the truthfulness of it, for on my place at Ardea, which I owned many years ago, and also on my estates at Carseoli and Alba,^a I had marked vines of the Aminean variety,

^a Ardea, Carseoli, and Alba were ancient towns of Latium

¹¹ notatas *Sa*, *Sobel*, *quam lectionem probavit Schn* notatis
A notas *cM* huiusmodi notae *vulgo*

LUCIUS JUNIUS MODERATUS COLUMELLA

- habuerimus, numero quidem perperucas, verum ita fertiles ut in iugo singulae ternas urnas praeberent, in pergulis autem singulae denas amphoras perae-
- 3 quarent Nec incredibilis debet in Amineis haec videri fecunditas¹ Nam quemadmodum Terentius Varro, et ante eum Marcus Cato posset² adfirmare, sescenas³ urnas priscis cultoribus singula vinearum iugera fudisse, si fecunditas Amineis defuisset, quas plerumque solas antiqui noverant⁴ Nisi si putamus ea quae nuper ac modo plane⁴ longinquis regionibus arcessita⁵ notitiae nostrae sunt tradita, Biturici generis aut Basilici vineta eos coluisse, cum vetustissimas quasque vineas adhuc existimemus Amineas
- 4 Si quis ergo tales, quales paulo ante possedisse me rettuli, Amineas pluribus vindemus exploratas notet, ut ex his malleolos feracissimos eligat, possit is pariter generosas vineas et uberes efficere Nihil enim dubium est quin ipsa natura subolem matri similem esse voluerit Unde etiam pastor ille in Bucolicis ait,

Sic canibus catulos similes, sic matribus haedos
Noram⁶

- 5 Unde sacrorum certaminum studiosi perniciosissimarum quadrigarum⁷ semina diligenti observatione custodiunt, et spem futurarum victoriarum concipiunt propagata subole generosi armenti Nos quoque

¹ videri fecunditas *SAacM* fecunditas videri *vulgo*

² posset *SAac* possent *vulgo*

³ sescenas *scripsi* (cf III 3 2) sexenas *M* sexcentenas *a, edd* septenas *SAc*

⁴ plane *edd* palaeae *S* paleae (e ac) *AacM*

⁵ accersita *SAacM*

⁶ Noram *om SAac, vet edd*

⁷ quadrigenarum *SA om c*

very few in number, to be sure, but so fruitful that on a tiellis each of them yielded three *urnae*, while on pergolas they produced ten *amphorae* to each vine. And this fruitfulness in Aminean vines ³ should not seem beyond belief. For how could Terentius Vario, and Marcus Cato before him, maintain that every *iugerum* of vineyard yielded the old-time husbandmen six hundred *urnae* of wine,^a if fruitfulness was wanting in the Amineans—the only vines, for the most part, with which the ancients were acquainted? Unless, despite our belief up to this time that our most ancient vines are the Amineans, we are to suppose that they cultivated vineyards of the Bituric or Basilic varieties, vines which, being but recently and clearly imported from far distant countries, have just come to our notice. Therefore if anyone would, for several vintages, ⁴ search out and mark such Aminean vines as I have said were in my possession not long ago, so as to take from them the most fertile cuttings, he could produce vineyards of equal excellence and productiveness. For there is no doubt that nature herself has decreed that the offspring shall resemble the mother. Hence it is, too, that the shepherd in the *Bucolics* says,

So whelps like dogs, so kids, I knew,
Were like unto their dams ^b

And hence those who contend in the sacred games ⁵ protect with watchful care the progeny of their swiftest race-horses, and upon the multiplying of offspring of noble stock they base their hope of future victories. We too, for a reason like theirs

^a Cf. Chap 3, sec 2, above

^b Vergil, *Ecl* I 23

LUCIUS JUNIUS MODERATUS COLUMELLA

pari ratione velut Olympionalium equarum, ita feracissimarum Aminearum seminibus electis largae vindemiae spem capiamus. Neque est quod temporis tarditas quemquam ¹ deterreat, nam quidquid
6 moiae est, in exploratione surculi absumitur. Ceterum cum fecunditas vitis comprobata est, celerrime insitionibus ad maximam numerum perducitur. Eius rei testimonium tu praecipue, Silvine,² perhibere nobis potes, cum pulchre memineis, a me duo iugera vinearum intra tempus biennii ex una praecoque vite, quam in Ceretano³ tuo possides, insitione
7 facta consummata. Quemnam igitur existimas vitium numerum intra tantundem temporis interseri posse duorum iugerum malleolis, cum sint ipsa duo iugera unius vitis progenies? Quare si, ut dixi, laborem et curam velimus adhibere, facile praedicta ratione tam feraces Aminei generis vineas constituemus, quam Biturici aut Basilici tantum rettulerit,⁴ ut in transferendis seminibus similem statum caeli locique et ipsius vitis habitum observemus, quoniam⁵ plerumque degenerat surculus, si aut situs agri aut aeris qualitas repugnat, aut etiam si ex arbore in
8 iugum defertur. Itaque de frigidis in frigida, de calidis in similia, de vineis⁶ in vineas transferemus. Magis tamen ex frigido statu stirps⁷ Aminea potest calidum sustinere, quam ex calido frigidum, quoniam cum omne vitis genus tum maxime praedictum

¹ tarditas quam quemquam c

² Silvine *SAacM* Publ Silvine *edd*

³ cereno (ta *suprascr* A) *SA* ceretano *ac*,

⁴ rettulit *A* ⁵ cum *acM*, *vitt* *edd*

⁶ vinetis *SAacM* ⁷ stirpis *ac* status stirpis *SA*

^a By grafting scions of the proved vine on a large number of unproved stocks

in selecting the progeny of victorious Olympic mares, should base our hope of a bountiful vintage upon the selection of progeny of the most fruitful Amineans. And there is no reason why the tediousness of the time required should discourage anyone, for any delay that occurs is taken up in the testing of the shoot. But when the fruitfulness of the 6 vine has been proved, it is very quickly raised to a very large number by ingrafting^a. You especially, Silvius, can bear me out in this, since you will readily recall that I completed the planting of two *ugera* of vineyard within two years time by making grafts from one early ripe vine belonging to you on your place at Caere^b. What number 7 of vines, then, do you think could be grafted within the same length of time with shoots taken from two *ugera*, when these two *ugera* are themselves the offspring of one vine? Therefore, as I have said, if we will exercise industry and care we shall easily, by the aforesaid method, establish vineyards of Aminean vines as fruitful as those of the Bituric or Basilic varieties. Only it will be of importance, in transplanting the sets, to give heed to like conditions of climate and situation and to the habit of the vine itself, since a cutting is usually impaired in quality if the situation of the ground or climatic conditions are distasteful to it, or even if it is transferred from tree to trellis. Accordingly, we shall 8 transplant from cold places to cold, from warm to the like, and from open vineyards to open vineyards. Yet Aminean stock can better endure the change from a cold to a warm situation than from a warm to a cold, because every kind of vine, and especially that

^a See Chap. 3, sec. 3, above

LUCIUS JUNIUS MODERATUS COLUMELLA

9 naturaliter laetatur tepore potius quam frigore
Sed et qualitas soli plurimum iuvat, ut ex macro aut
mediocri transducatur in melius Nam quod adsue-
tum est pingui, nullo modo maciem teriae patitur,
nisi saepius stercores Atque haec de cura eligendi
malleoli praecepimus, nunc illud proprie specialiter,¹
ut non solum fecundissima² vite, sed et vitis³ parte
feracissima semina elegantur

X Feracissima autem semina sunt, non ut veteres
auctores crediderunt,⁴ extrema pars eius,⁵ quod caput
vitis appellant, id est, ultimum et productissimum
flagellum, nam in eo quoque falluntur agricolae
Sed erroris est causa prima species, et numerus
uvarum, qui plerumque conspiciuntur⁶ in⁷ productissimo
sarmento Quae res nos decipere non⁸ debet, id
enim accidit non palmitis ingenta fertilitate, sed
loci opportunitate, quia reliquas trunci partes umori
omnis et alimentum quod a solo ministratur, transcur-
2 rit, dum ad ultimum perveniat Naturali enim
spiritu omne alimentum virentis quasi quaedam anima
per medullam trunci veluti siphonem,⁹ quam diabeten
vocant mechanici, trahitur in summum, quo cum
pervenerit,¹⁰ ibi consistit, atque consumitur Unde
etiam materiae vehementissimae reperiuntur aut

¹ specialiter *inclusit Gesn veluti glossam* spectabitur
Ursinus

² ex ante fecundissima *acM*, et *vulgo*, om *SA*, *Sobel*

³ sed et vitis *SAac*, *vett edd*, *Sobel* sed e vitis *M* sed
etiam e vitis *vulgo*

⁴ crediderunt *SAac*, *Brusch* tradiderunt *M*, *plerique cett*
edd

⁵ est *SAA* om *cM* ⁶ conficitur *S*

⁷ in om *SA*, deinde prudentissimo *A* ⁸ non om *SAC*

⁹ per (om *SAacM*, *vett edd*) siphonem *vulgo* si fons *SA*,
ad si fontem *corr A*

¹⁰ pervenit *SA*¹

just mentioned, has a natural fondness for warmth rather than cold. But the quality of the soil, too, is of very great assistance, so that the transfer should be made from lean or ordinary ground to a better sort, for a vine which has been accustomed to rich soil can in no way endure lean ground unless you manure it rather frequently. And these precepts we have given, in general, as to care in the choice of cuttings, next it is proper to advise in particular that slips be selected, not only from the most prolific vine, but also from the most fruitful part of that vine.

X Now, the most fruitful cuttings are not, as ancient authorities supposed, the extreme part of the vine—what they call its head, that is, the outermost and most extended shoot, for in this also husbandmen are mistaken. But the reason for this misapprehension lies in the first-rate appearance of the shoot and in the number of clusters very often seen on the longest branch. But we should not be deceived in this matter, for it comes about, not through the natural fertility of that branch, but through favourableness of location, because all the moisture and nourishment that is supplied by the soil courses through the other portions of the stem until it arrives at the tip. For by its native energy all the nourishment of a green plant is drawn, as a sort of vital breath, into the highest point, passing through the pith of the stem as though through a siphon, which mechanics call *diabetes*,^a and when it arrives at that point, it halts there and is consumed. Hence it is that the most vigorous growth is found either in

^a So called, perhaps, because the liquid passes through (*δια* + *βαίνω*) the outstretched legs of the siphon, cf. *διαβήτης*, “a pair of compasses” from *διαβαίνω*, “straddle.”

LUCIUS JUNIUS MODERATUS COLUMELLA

- 3 in capite vitis aut in crure vicino radicibus Sed et hae steriles,¹ quae e duro citantur,² ac duplici ex causa robustae³ sunt, quod a fetu vacant, quodque ex proximo terrae integro atque inlibato suco aluntur, et illae fertiles ac firmae, quia e tenero proeipunt, et quidquid, ut supra dixi, ad eas alimentum pervenit, individuum est. Mediae sunt macerimae, quia transcurrit hinc parte aliqua interceptus, 4 illinc ad⁴ se tractus umor. Non debet igitur ultimum flagellum quasi fecundum observari, etiam si plurimum adferat, siquidem loci ubertate in fructum cogitur, sed id sarmentum quod media vite situm, nec importuna quidem parte deficit, ac numeroso fetu benignitatem suam ostendit. Hic surculus translatus rarius degenerat, quoniam ex deteriore statu meliorem sortitur, sive enim pastinato deponitur, sive tunco inseritur, largioribus saturatur⁵ 5 alimentis quam prius, cum esset in egeno. Itaque custodiemus ut e⁶ praedictis locis, quos umeros rustici vocant, semina legamus, ea tamen quae attulisse⁷ fructum antea⁸ animadverterimus⁹. Nam si fetu vacua sint, quamvis laudabilem partem vitis nihil censemus ad feracitatem conferre malleolo. Quare vitiosissima est eorum agricolarum opinio, qui

¹ stirpes cM, edd ante Schn

² duro utantur (e om) SA

³ probate acM probatae edd ante Schn

⁴ a c, edd ante Schn in lineas etractus a

⁵ largioribus saturatur om SA

⁶ e SA a acM, All, Gesn ex Schn

⁷ ea quae tamen tulisse (utilisse A) SA ea om cM, edd ante Schn tamen om a

⁸ antea om SAaM

⁹ animadverteremus SA

BOOK III x 2-5

the head of the vine or in the main stem ^a close to the roots More than that, the latter shoots, those that 3 spring from the hard wood, are sterile, and yet they have a two-fold reason for their vigour, in that they do not bear fruit, and because they derive their nourishment from the full and undiminished flow of sap next to the ground, and the former are fruitful and strong because they sprout from young wood, and because, as I stated above, any nourishment that comes to them is not shared with others The intermediate shoots are the leanest because the sap hastens past them, being partially cut off below and drawn to itself above Therefore the leading shoot 4 should not be regarded as fruitful even though it may bear much fruit, since it is forced into bearing by the fertility of its situation, but that branch should be considered fruitful which, situated in the middle of the vine, does not fail in even that unfavourable place but displays its bounteousness through numerous offspring Such a shoot, when transplanted, seldom degenerates, since it passes from a worse to a better lot, for whether set out in trenched ground, or grafted on a stock, it is fed fat with nourishment in greater abundance than before, when it was on scant rations Accordingly, we shall take pains 5 to select propagating shoots from the places just mentioned, which country people call *umeri*,^b but such canes as we shall have previously observed to have borne fruit For if they are destitute of fruit, our opinion is that this part of the vine, much as it is to be commended, contributes nothing to the fruitfulness of the cutting It is, therefore, a very mistaken notion that is held by those farmers who believe that

^b *I e* "shoulders" Cf *De Arb* 3 1, 20 1

LUCIUS JUNIUS MODERATUS COLUMELLA

minimum referre credunt quot¹ uvas sarmentum habuerit, dum et² ex vite fertilis legatur et non ex duro trunco enatum, quod pampinarium vocant

- 6 Haec autem opinio, quae orta est ex inscientia³ seminum eligendorum, primum parum fecundas vineas, deinde etiam nimis steriles reddit Quis enim omnino iam per tam longam seriem annorum agricolae malleolum legenti⁴ praecepit ea, quae paulo ante rettulimus? Immo quis non imprudentissimum quemque, et eum qui nihil aliud operis facere valeat, huic negotio delegat? Itaque ex hac consuetudine veniunt imprudentissimi ad rem maxime necessariam, deinde etiam infirmissimi, nam inutilissimus⁵ quisque, ut dixi, qui nullum alium laborem
7 ferre queat, huic officio applicatur Is porro etiam si quam scientiam eligendi malleoli habet, eam propter infirmitatem dissimulat, ac superponit, et ut numerum, quem vilicus imperavit, explere possit, nihil curiose nihil religiose administrat Unumque est ei propositum, peragere laboris sui pensum, cum tamen, ut et sciat, et quod sciat⁶ exsequatur, hoc solum praeceptum a magistris accipit,⁷ ne pampi-

¹ quod *SAac*

² et *SA, Sobel, om acM, edd*

³ inscientia *SAcM, vet edd* scientia a inscitia *vulgo*

⁴ agricolae in legenti *AcM, et vulgo* agricola in legentibus *Sa, Schn*

⁵ infirmissimi nam inutilissimus *ScM* infirmissimam inutilissimus a ad rem infirmissimi *om, deinde* nam inutilissimus *A* infirmissimi Nam et inutilissimus *Ald, Gesn* in firmissimam inutilissimus *vet edd* infirmissimus et inutilissimus *Schn*

⁶ sciat *SAacM* scit *vulgo*

⁷ accipit *SAac, vet edd* accepit *M, Ald, Gesn* acceperit *Ursinus, Schn*

BOOK III x 5-7

it makes very little difference how many clusters a branch may have borne, if only it is taken from a fruitful vine and is not one that sprouted from the hard wood of the stock,—what they call *pampinarum* ^a

This notion, however, arising from ignorance in the matter of selecting cuttings, causes vineyards to have, first, too little fruitfulness, and then too much barrenness. For who, indeed, over what is now a long span of years, has laid down for the farmer, as he was selecting his cuttings, these precepts which we have just now set forth? More than that, who does not assign to this occupation whoever is least intelligent, and one who is not strong enough to perform any other task? As a result of this practice the men who are most lacking in intelligence enter into an occupation that is especially indispensable, and also those most lacking in strength, for, as I have said, it is the least useful fellow, one who can do no other work, who is put to this task ^b. Such a person, moreover, even if he has some knowledge of the selection of shoots, conceals that knowledge and lays it aside because of his lack of strength, and that he may have the full number which the overseer has ordered, he does nothing carefully, nothing conscientiously. The one thing that he keeps before him is to get done with the task that is set, when, even though he may both know and carry out what he knows, he receives from his masters one precept

^a A leaf branch, or stock branch. Cf V 6 29, and Pliny, *N H XVII 181, Sic duo genera palmitum quod e duro exit materiamque in proximum annum promittit, pampinarum vocatur aut, ubi supra cicatricem est, fructuarium, alterum ex anniculo palmite semper fructuarium*

^b Cf I Praef 12, I 9 4-5

LUCIUS JUNIUS MODERATUS COLUMELLA

nauam uigam deplantet, cetera omnia ut seminibus
contribuat

- 8 Nos autem primo¹ rationem secuti, nunc etiam
longi temporis experimentum, non aliud semen
eligimus, nec frugiferum esse ducimus nisi quod
in parte genitali fructum attulerit Nam illud
quidem, quod loco sterili laetum robustumque sine
fetu² processit, fallacem fecunditatis imaginem
9 praefert,³ nec ullam generandi vim possidet Id
procul dubio verum esse ratio nos admonet, si modo,
ut in corporibus nostris propria sunt officia cuiusque
membri, sic et frugiferarum⁴ stirpium partibus
propria munia Videmus hominibus inspiratam velut
aurigam rectricemque membrorum animam, sensusque
infectos⁵ ad ea discernenda, quae tactu,
quaeque naribus auribusque et oculis indagantur,⁶
pedes ad gressum compositos, brachia ad complexum
Ac ne per omnes vices ministeriorum vagetur inso-
lenter oratio, nihil aures agere valent quod est
oculorum, nihil oculi quod⁷ aurium, nec generandi
10 quidem data est facultas manibus aut plantis Sed
quod hominibus ignotum voluit esse genitor uni-
uersi,⁸ ventre protegit, ut divina praedita ratione
rerum aeterna⁹ opifex, quasi quibusdam secretis
corporis in arcano atque operto sacra illa spiritus

¹ primo *SAacM* primum *vulgo*

² fructu *ac*

³ praebet *a, vett edd* prebet *M*

⁴ membris propria sunt officia et frugiferarum *S* officia
Et frugiferarum (cuiusq membri sic propria sunt officia
supraser) *A*

⁵ sensus in lectos *SAa*

⁶ indignantur *a*

⁷ oculorum, nihil oculi quod *om SA*

⁸ uniuersis *S, Sobel*

alone—not to break off the stock-branch but to add everything else to the supply of cuttings

But we, having at first taken reason as a guide, 8
and now a long period of experimentation as well,
choose no shoot, and consider none to be fruitful,
except one that has borne fruit in the generative
part of the vine. For one that has come forth in
a barren place, luxuriant and strong but destitute
of offspring, offers a deceptive appearance of fruit-
fulness but possesses no generative power. Common 9
sense teaches us that this is undoubtedly true, if only,
as in our own bodies every member has its peculiar
functions, so too the parts of fruit-bearing stocks
have their proper duties. We know that human
beings have a soul breathed into them as a charioteer
and guide of their members, and that senses were
implanted in them for the perception of those im-
pressions which are discovered by touch, by smell, by
hearing, and by seeing, that feet were devised for
walking and arms for embracing. And that my
discourse may not wander without restraint over all
the relations of sensory functions, the ears can effect
nothing that belongs to the eyes, and the eyes nothing
that belongs to the ears, nor, indeed, is the power of
procreation bestowed upon the hands or the feet. 10
But the father of the universe concealed in the belly
that which he willed should be unknown to mankind,
in order that the eternal creatress^a of things, en-
dowed with divine understanding, might mingle in
certain hidden parts of the body, as it were, in mystery

^a *I e Nature, cf I Praef 2, Pliny, N H XXXI 1*

⁹ *aeterna S 1, veti edd, Sobel eterna acM aeternus
vulgo*

LUCIUS JUNIUS MODERATUS COLUMELLA

- elementa cum terrenis primordiis¹ misceret, atque hanc² animantis machinae³ speciem effingeret
- 11 Hac lege pecudes ac vinctula progeniuit, hac vitium genera figuravit, quibus eadem ipsa mater ac parens primum radices velut quaedam fundamenta iecit, ut is quasi pedibus insisterent,⁴ Tuncum deinde superposuit velut quandam staturam corporis et habitus, mox ramis diffudit quasi brachius, tum caules et⁵ pampinos elicit velut palmas, eorumque alios fructu donavit, alios fionde sola vestivit ad protegendos tutandosque partus
- 12 Ex his igitur, ut supra diximus, si non ipsa membra genitalia conceptu atque fetu gravida sed tamquam tegmina et umbracula eorum, quae fructibus vidua sunt, legerimus, umbrae scilicet non vindemiae
- 13 laboraverimus⁶ Quid ergo est? Cur quamvis non sit e duro pampinus sed e tenero natus, si tamen orbus est, etiam in futurum quasi sterilis damnatur a nobis? Modo enim disputatio nostra colligebat unicuique corporis parti proprium esse attributum officium, quod scilicet ei convenit, ut malleolo quoque, qui opportuno loco natus est, fecunditatis
- 14 vis adsit, etiam si interim cesset a partu Nec ego abnuerim hoc me instituisse argumentari, sed et illud maxime profiteor, palmitem quamvis frugifera parte enatum, si fructum non attulerit, ne vim quidem

¹ primordii *S*, *Sobel*

² hanc *edd* hoc *codd*, *Sobel*

³ machine *A* imagine, et deinde specie *S* imagine (specie) *Sobel*

⁴ insisteret *SAacM*

⁵ caules et *om SAa* et *om cM*

⁶ laboravimus *Aa*

and concealment, those sacred elements of the soul with terrestrial principles,^a and fashion this sort of living machine By this law she produced cattle and 11 trees, by this she fashioned the various kinds of vines, for which this same mother and parent first laid, as it were, certain foundations of roots upon which they might stand, as upon feet Then upon these she placed the trunk, corresponding in a way to the upright carriage and appearance of a body, in the next place she caused it to spread out with branches as if with arms, and then she drew forth stems and shoots corresponding to hands, of which she endowed some with fruit and clothed others with leaves alone for the protection and safe-keeping of then progeny

If, then, from these vines, as I have said above, we 12 select, not those parts which are capable of conception and heavy with young, but their coverings and sunshades, so to speak, which are destitute of fruit, our toil will certainly have been spent for shade and not for a harvest of grapes What, then, is my point? 13 Why, if a shoot is destitute of offspring, even though it be sprung, not from hard wood, but from young, do we condemn it as sure to be barren also in time to come? Just now, indeed, our reasoning inferred that every part of the body has assigned to it a peculiar function which is manifestly appropriate to that part, so that a vine shoot, too, if sprung from a favourable place, may have in it the power of fruitfulness even though it be remiss in bearing for a time I would not deny that I have taken it 14 upon myself to prove this point, but I declare most emphatically that a rod, even though sprung from a fruit-bearing part of the vine, does not even possess

LUCIUS JUNIUS MODERATUS COLUMELLA

fecunditatis habere Nec hoc illi sententiae repugnat¹ Nam et homines quosdam non posse generare, quamvis omni² membrorum numero constante, manifestum est, ne sit incredibile, si genitali loco virga nata fructu careat, caritunam quoque³ fetu

- 15 Itaque ut ad consuetudinem agricolarum revertar, eiusmodi surculos, qui nihil attulerint,⁴ spadones appellant, quod non facerent, nisi suspicarentur inhabiles frugibus Quae et ipsa appellatio rationem mihi subiecit non eligendi malleolos quamvis probabili parte vitis enatos, si fructum non tulissent, quamquam et hos ipsos⁵ sciam non in totum sterilitate affectos Nam confiteor pampinarios quoque, cum e duro processerint,⁶ tempore anni sequentis adquirere fecunditatem, et ideo in resecem summitti,
- 16 ut progenerare possit Verum eiusmodi partum comperimus non tam ipsius resecis quam materni esse muneris Nam quia inhaeret stirpi suae, quae est natura ferax, mixtus adhuc parentis elementis,⁷ et fecundis⁸ partus⁹ seminibus ac velut altricis uberibus eductus, paulatim fructum ferre condiscit At quae citra naturae quandam pubertatem immatura

¹ repugnant *Aa* repugnet *c*

² omni *SAa* omnium *cM*, *edd*

³ sic *codd*, *vett edd* quoque esse fetu *vulgo*

⁴ tulerint *SA*

⁵ ipsos *om AacM*

⁶ processerint *acM*, *vett edd* (cf *IV* 21 3) e duroto cesserint (ceserint *S*) *SA* prorepserint *vulgo*

⁷ elementis *SacM*, *vett edd* Sobel elementis *A* alimentis *vulgo*

⁸ fecundis (foecundis *vett edd*) *SAa*, Sobel foecundi *cM*, et *vulgo*

⁹ partus *SaM*, et *vulgo* pastus *Ac*, *vett edd*, Sobel

the power of productiveness if it has not itself borne fruit And this statement is not at variance with the former opinion For it is evident that some men are incapable of procreation even though they have the full number of members, so that it should not be beyond belief that a cane sprung from a generative place, if devoid of fruit at present, will be devoid of progeny in the future also

And so, to return to the usage of the farmers, they 15 give the name *spadones* or eunuchs ^a to that sort of shoots which have produced nothing, which they would not do if they did not suppose them to be incapable of bearing It is this very appellation that suggested to me a reason for not choosing mallet-shoots,^b even though they were sprung from an approved part of the vine, if they had not borne fruit, although I understand that even these are not entirely affected with barrenness For I admit that stock-shoots^c too, though they have come out of the hard wood, acquire fruitfulness the following season, and for that reason they are reduced to a single spur,^d so that it may have strength for bearing fruit But we find that offspring of this sort owes 16 not so much to the spur itself as to the munificence of the mother vine For because it clings to its own stock, which is naturally fruitful, still mingling with the elements of its parent,^e born of prolific seed and reared, so to speak, at the breasts of a nurse, it learns little by little to produce fruit But when a slip is torn from the stock prematurely and unseasonably,

^a Cf Isidore, *Orig* XVII 5 6, *Spadones sunt surculi fruge carentes, ex ipsa appellatione, quod sint inhabiles fructu et sterilitate affecti*, Pliny, *N H* XIII 38

^b See III 6 3

^c See III 10 5

^d Cf IV 21 3

^e Cf Chap 10, sec 10, above

LUCIUS JUNIUS MODERATUS COLUMELLA

atque intempestiva planta direpta trunco vel terrae vel etiam stirpi recisae inseiuntur, quasi pucillis aetas ne ad coitum quidem nedum ad conceptum habilis, vim generandi vel in totum perdit, vel certe minuit

- 17 Quare magnopere censeo in eligendis seminibus adhibere curam, ut e¹ fructuosa parte² vitis palmites legamus eos qui futuram fecunditatem iam dato³ fructu promittunt, nec tamen contenti simus singulis uvis, maximeque probemus eos⁴ qui numerosissimis fetibus conspiciuntur An non⁵ opilionem laudabimus ex ea matre subolem propagantem, quae geminos enixa sit, et caprarum summittentem fetus earum pecudum, quae trigemino partu commendantur⁷ Videlicet quia sperat⁶ parentum fecunditati responsuram Et nos sequemur in vitibus hanc ipsam rationem, tanto quidem magis quod compertum habemus naturali quadam malignitate desciscere interdum quamvis diligenter probata semina, idque nobis poeta velut surdis veritatis inculcet dicendo,⁷

Vidi lecta diu, et⁸ multo spectata labore
 Degenerare tamen, ni vis humana quotannis
 Maxima quaeque manu legeret Sic omnia fati
 In peius ruere, ac retro sublapsa referri

¹ uti *acM*, et vulgo ante *Schn* ² curam parte *om S*

³ toto *cM*, et vulgo ante *Schn* ⁴ eos *om SAacM*

⁵ non *om SAac, vet edd*

⁶ sic *Pontedera, Schn* speret *SA* speret et *a* semper et
c semper *M* quasi semper sit *cett edd*

⁷ incolcet diligendo *SA* indulget dicendo *c*

⁸ Vidi lecta diu, et] videlicet adiuvet *A*

^a Here a general term including any propagative portion of a plant, true seeds, cuttings, quicksets, layers, etc (except buddings and grafts)

without regard to a certain maturity required by nature, and is either planted in the ground or even grafted on a shortened stock, just as the age of childhood is capable not even of coition and much less of conception, so it either suffers complete loss of its generative power or at any rate has less of it. Therefore I think that we should take especial care, 17 in the choice of cuttings, to select from a fruitful part of the vine those shoots which, by having already produced fruit, give promise of future productiveness, and yet we should not be satisfied with single clusters, but should especially approve those shoots which are conspicuous for the greatest number of offspring. Or shall we not commend the shepherd who multiplies the progeny of a dam that has borne twins, and the goatherd who breeds the young of those animals which are noted for bearing three at one birth? For he hopes, of course, that the offspring will match the productiveness of their parents. In the matter of 18 vines we also shall follow this very method, and the more so because we have found out that seeds,^a even though carefully tested, sometimes degenerate through some natural malignity, and thus the poet would impress upon us, as if we were deaf to the truth, in saying,

Some seeds I've seen, though chosen with time
and care,
Degenerate still, unless with human hand
The largest were selected every year
But so it is, it is the will of fate
That all things backward turn, all things de-
teriorate ^b

^b Vergil, *Georg* I 197-200

- Quod non tantum de seminibus leguminum, sed in
 tota agricolationis ratione ¹ dictum esse intellegendum
 19 est Si modo longi temporis observatione comperi-
 mus, quod certe comperimus, eum malleolum, qui
 quattuor uvas tulerit, deputatum et in teriam de-
 positum, a fecunditate materna sic degenerare ut
 interdum singulis, non numquam etiam binis uvis
 20 minus adferat, in quantum autem censemus de-
 fecturos ² eos, qui binos aut fere singulos fetus in
 matre tulerint, cum etiam feracissimi translationem
 saepe reformident ³ Itaue huius rationis demon-
 strationem magis esse me quam inventorem, libenter
 profiteor, ne quis existimet fraudari maiores nostros
 laude merita Nam id ipsum sensisse ⁴ eos non
 dubium est, quamvis nullo alio scripto proditum,
 exceptis quos rettulimus numeros ⁵ Vergili, et sic ⁶
 tamen ut de seminibus leguminum praecipitur
 21 Cur enim aut e duro natam virgam, aut etiam ex
 fecundo malleolo, quem ipsi probassent, decisam
 sagittam repudiabant, si nihil interesse ducebant
 ex quo loco semina legerentur? Num ⁷ quia vim
 fecunditatis certis quasi membris inesse non dubi-
 tabant, idcirco pampinarium et sagittam velut
 inutiles ad deponendum prudentissime damna-
 verunt? Quod si ita est, nihil dubium est multo

¹ agricolatione spatione *SA* in totam agricolationis
 rationem *M*, et vulgo ante *Schn* in tota agricolationis
 satione *Sobel*

² despecturos *SAC*, *vett edd*

³ formident *SAA*, *vett edd*

⁴ censuisse *M*, *Ald*, *Gesn*

⁵ numeros *S*, *Schn* numeris *A* metris *acM* quae r
 metris *plerique edd*

⁶ hic *ac*, *edd ante Schn*

⁷ Nunc *SACM*, *Ald*, *Gesn*

It is to be understood that this was said, not merely of the seeds of legumes, but of the whole matter of agriculture. If only we have discovered by a long period of observation, as we certainly have discovered, that a shoot which has borne four clusters, when it is cut off and put into the ground, degenerates so far from the fruitfulness of the parent stock as to produce sometimes one, occasionally even two clusters fewer than before, to what extent do we think that they will fall short which have produced two clusters or usually one on the parent stock, when even the most fruitful shoots often dread transplanting? And so I gladly profess myself a demonstrator of this method, rather than its inventor, lest anyone should think that our ancestors are unjustly deprived of the praise that is their due. For there is no doubt that they knew of it, even though it has been handed down in no writing except those lines of Vergil which we have quoted, and yet in such a way as to give directions for the seed of legumes ^a. For why did they reject the rod sprung from the hard wood, or even the "arrow" ^b cut from the fruitful mallet-shoot which they had approved, if they considered that it made no difference from what place the cuttings were gathered? Was it because they had no doubt that the power of fruitfulness was present in certain members, so to speak, that they very wisely condemned the stock shoot and the arrow as useless for planting? If this is the case, there is no doubt that

^a Columella seems to refer to his previous quotation of Vergil (*Georg* I 197-200) in II 9 12

^b The arrow is defined in Chap 17, sec 2, of this book, cf Isidore, *Orig* XVII 5 7, *Sagittam rustici vocant novissimam partem surculi sive qui longius recessit a matre et quasi prosili vit, seu quia acuminis tenuitate telis speciem praefert*

LUCIUS JUNIUS MODERATUS COLUMELLA

magis ab his improbatum esse etiam illum palmitem,
 22 qui frugifero loco natus fructum non attulisset Nam
 si sagittam, id est superiorem partem malleoli,
 vituperandam censebant, cum esset eadem pars
 surculi frugiferi, quanto magis vel ex optima ¹ vitis
 parte natum flagellum, si est sterile, improbatum ab
 his ratio ipsa declarat² Nisi tamen, quod est ab-
 surdum, crediderunt eum ² translatum et abscissum
 a sua stirpe, destitutumque materno alimento, frugi-
 ferum, qui in ³ ipsa matre nequam fuisset ⁴ Atque
 haec et forsitan pluribus dicta sint ⁵ quam exigebat
 ratio veritatis, minus tamen multis quam postulabat
 prave detorta et inveterata opinio rusticorum

XI Nunc ad reliquum ordinem propositae disputa-
 tionis redeo Sequitur hanc eligendi malleoli curam
 pastinationis officium, si tamen ante de qualitate
 soli constiterit Nam eam quoque plurimum et
 bonitati et largitati frugum conferre, nihil dubium
 est. Ac prius quam ipsum solum ⁶ perspiciamus, illud
 antiquissimum censemus, rudem potius eligendum
 agrum, si sit facultas, quam ubi fuerit seges aut
 2 arbustum Nam de vinetis quae longo situ exole-
 verunt, inter omnes auctores constitit pessima esse si

¹ opima *cM*

² eum *aM*, *Sobel* cum *c*, *vett edd* eam *SA* id *vulgo*

³ qui in *scripsi* quia in *Sobel* frugifero quin *SAac*, *vett edd* frugiferoq, in *M* frugiferum, quod in *vulgo*

⁴ fuisse *SAacM*, *Sobel*

⁵ sint *SA* sunt *acM*, et *vulgo*

⁶ solum *om Aac*, et omnes ante *Schn*

^a This special preparation of the ground, called *pastinatio*, consisted of deep digging or trenching Ground so prepared was called *pastinatum*, *pastinatio* or *pastinum* Palladius (II 10 1), like Columella below (Chap 13), speaks of three kinds of trenching complete trenching of the ground,

they disapproved far more of that cane which, though sprung from a bearing part, had borne no fruit. For if they thought that the arrow—that is, the 22 uppermost part of a mallet-cutting—was deserving of censure even though it was a part of a bearing shoot, how much more does mere common sense show that they would have disapproved of a slip, if it is sterile, even though it be sprung from the best part of the vine? Unless—and this is absurd—they believed that one which had been worthless on the mother vine would be fruitful when transplanted and cut off from its stock and deprived of its maternal sustenance. It may be that this has been told at greater length than a statement of the truth required, but even so, in fewer words than were demanded by the badly distorted and deep-rooted notion of country people.

XI I now return to what remains of the topics proposed for systematic discussion. The business of preparing the ground^a comes next, after this attention to the choice of cuttings, provided, however, that agreement has been reached beforehand as to the quality of the soil. For there is no doubt that this, too, contributes in very great measure to the goodness and abundance of the fruit. And before considering the soil itself, we think it a matter of very first importance that land hitherto untilled, if we have such, should be chosen in preference to that upon which there has been a crop of grain or a plantation of trees and vines. As to vineyards 2 which have become worthless through long neglect, it is agreed by all authorities that they are worst of

trenching in long strips or furrows (*sulci*), and trenching in short strips or planting holes (*scrobes*)

LUCIUS JUNIUS MODERATUS COLUMELLA

- reserere velimus, quod et inferius solum plurimis¹ radicibus sit impeditum ac velut irietitum, et adhuc non amiserit virus et carnem illam vetustatis, quibus hebetata quasi aliquibus venenis humus torpeat²
- 3 Quam ob causam silvestris ager praecipue est eligendus, qui etiam si frutectis aut arboribus obsessus est, facile extirpatur, quod suapte natura quaecumque gignuntur, non penitus nec in profundum radices agunt, sed per summam³ terrae dispeigunt atque deducunt, quibus ferro recisis atque exstirpatis, parum⁴ quod superest inferioris soli rastiis licet effodere et in fermentum congerere atque componere. Si tamen rudis terra non sit, proximum⁵ est vacuum arboribus arvom Si nec hoc est, rarissimum arbustum vel olivetum, melius tamen vetus olivetum⁶
- 4 quod non fuerit maritum, vineis destinatur. Ultima est, ut dixi, conditio restibilis vineae. Nam si necessitas facere cogit, prius quidquid est residuae vitis exstirpari debet, deinde totum solum sicco⁷ fimo, aut si id non sit, alterius generis quam recentissimo stercoreari, atque ita converti, et diligentissime refossae⁸ omnes radices in summum regeri atque comburi, tum⁹ rursus vel stercore vetusto, quia non gignit herbas, vel de vepribus egesta humo pastinum⁵ natum large contegi. At ubi pura novalia et ab

¹ plurimis *SAc* pluribus *aM*, *edd*

² torreat *SA*

³ summam *Aac*, *vett edd* summa *SM* summum *vulgo*

⁴ parum *M*, *edd vulgo* purum *SAac*, *Schn*

⁵ componere si tamen rudis terra non sit proximum *Schn*

⁶ melius olivetum (*in marg M*) *om a*, *Ald*, *Gesn*

⁷ sicco *om SAa*

⁸ refossae *Schn* refossas *SAacM*, et *vulgo*

⁹ tum *acM*, *vett edd* tunc *vulgo* comburitur (*tum om*)

all if we wish to replant them, because the lower soil is imprisoned in a tangle of many roots, as if caught in a net, and has not yet lost that infection and rottenness of old age by which the earth is deadened and numbed as if by some poison or other ^a For this reason a piece of wild land is an especially good choice, and even if occupied with bushes or trees it is easily cleared, because all things that spring up naturally do not push their roots far nor to a great depth, but spread and extend them through the surface soil, and when they are cut off with the axe and are rooted out, the little that remains in the lower soil may be dug up with mattocks and brought together and heaped up for fermentation. But if you should have no unbroken ground, the next choice is ploughed land that is free of trees. Failing this, there is allotted to vineyards a plantation of trees and vines standing very far apart, or an olive grove—but preferably old olive trees which have not been wedded to vines. Last of all, as I have said, is the renewing of a worn-out vineyard. Now if circumstances make this necessary, all remaining parts of the vines should first be rooted out, then all the ground should be fertilized with dry dung or, if this is not available, with the freshest manure of another sort, and so it should be turned over, and all the unearthed roots must be very carefully brought to the surface and burned, and then again the dug ground should be covered generously either with old manure, because that does not produce weeds, or with earth brought from the bramble thickets. But where

^a In *De Arb* 3 5, Columella advises against the replanting of old vineyard ground until after it has rested ten years

arboribus sunt libera, considerandum est ante quam
 pastinemus, si cularis necne sit terra, idque facillime
 exploratum per stirpes, quae sua sponte proveniunt
 Neque enim est ullum tam viduum solum virgultis
 ut non aliquos suculos progere, tamquam prius
 silvestres et prius, vel iuvos certe, nam haec
 quamvis genera spinarum sint, solent tamen fortia
 6 et laeta et grava fructu consurgere Igitur si
 non retorrida nec scabra, sed levia et nitida, et
 prolixa fecundaque videmus, eam intellegemus¹
 esse terram surcularem

Sed hoc in totum ad² illud, quod vineis praecipue
 est idoneum, proprie considerandum, ut prius rettuli,
 si facilis est humus et modice resoluta, quam dixi-
 mus³ pullam vocitari, nec quia sola ea, sed quia sit
 7 habilis maxime vineis Quis enim vel mediocris
 agricola nesciat etiam durissimum tofum vel car-
 bunculum, simulatque sit confractus⁴ et in summo
 regestus,⁵ tempestatibus et gelu nec minus aestivis
 putrescere caloribus ac resolvi, eumque⁶ pulcherrime
 radices vitium per aestatem refrigerare, sucumque
 retinere, quae res alendo surculo sunt accommo-
 datissimae⁷ Simili quoque de causa probari solutam
 glaream calculosumque agrum et mobilem lapidem⁸
 si tamen haec pingui glebae permixta sunt, nam
 8 eadem ieiuna maxime culpantur Est autem, ut

¹ intelligemus *M*, et vulgo intellegimus *SA* intelligimus
ac

² totum ad illud *SAacM*, et vulgo totum at illud *Schn*

³ dicimus *SAac*, *vett edd*

⁴ simulatque sit confractus *scripsi* simulatque situm
 confractum *SA* simul atque si sint confracti *ac*, *vett edd*
 simulatque sunt confracti *M*, *Ald*, *Gesn*, *Schn*

⁵ summus regestus *SA* summo regesti *acM*, et vulgo

there is clean fallow, free from trees, we must consider before working it whether or not the land is suitable for young vine-shoots, and this is most easily discovered through the sprouts that come up of their own accord. For there is no soil so destitute of shrubs as not to produce some shoots, such as wild pears and plums or at least briars, for even though these are varieties of thorns, still it is their common habit to grow up strong and thrifty and heavy with fruit. Therefore, if we observe that they are not shrivelled and scaly, but smooth and bright, tall and prolific, then we shall know that the ground is suitable for young shoots.

But in the matter of what is especially suited to vines, this point in general deserves special consideration, as I have stated before, if the soil is easily worked and moderately loose in texture—what we have said is called *pulla*, not because such soil alone is proper for vineyards, but because it is especially so. For who, though he be but an ordinary farmer, does not know that even the hardest tufa or toph-stone, once it is broken in pieces and thrown up on the surface, is softened and loosened by storms and cold no less than by summer's heat, and that during hot weather it is very effective in cooling the roots of the vines and in holding moisture—conditions most suitable for the nourishing of the young shoot? And that for a like reason free gravel, pebbly ground, and loose stones are approved? on condition, however, that they are mixed with fat soil, for they meet with the greatest disapproval in lean ground. Moreover, the flint-stone also, in my

⁶ eumque *SAacM*, *vett edd* eosque *Ald*, *Gesn*, *Schn*

LUCIUS JUNIUS MODERATUS COLUMELLA

mea quoque fert opinio, vineis amicus etiam silex, cui¹ superpositum est modicum terrenum, quia frigidus et tenax umoris per otum caniculae non patitur² sitire radices Hyginus quidem secutus Tremelium praecipue montium ima, quae a verticibus defluentem humum receperint,³ vel etiam valles quae fluminum alluviē et inundationibus concreverint, aptas esse vineis adseverat, me non
 9 dissentiente Cretosa humus utilis habetur viti nam per se ipsa creta, qua utuntur figuli, quamque nonnulli argillam vocant, inimicissima est, nec minus ieiunus sabulo, et quidquid, ut ait Iulius Atticus, retorridum surculum facit, id autem solum vel uliginosum est vel salsum, amarum⁴ etiam, vel siticulosum et peraridum Nigrum tamen et rutilum sabulonem, qui sit vividae⁵ terrae permixtus, probaverunt antiqui, nam carbunculosum agium, nisi stercore adiuves, macres vineas efficere dixerunt
 10 Gravis est rubrica, ut idem Atticus ait, et ad comprehendendum radicibus iniqua Sed alit eadem vitem, cum tenuit, verum est in opere difficilior, quod neque umentem fodere possis, quod sit glutinosissima, nec nimium siccam, qua ultra modum praedura

XII Sed ne nunc per infinitas terreni species evagemur, non intempestive commemorabimus⁶ Iuli Graecini conscriptam velut formulam, ad quam posita est aestimatio terrae⁷ vinealis Idem enim

¹ cum *SAacM*

² patiatur *SAA*, *vett edd*

³ reciperent *SAacM*

⁴ vel salsum vel amarum *acM*, *Gesn*, deinde etiam *om c*

⁵ vividae *SA*, *Schn* humide *acM*, et humidae *vulgo*

⁶ commemoravimus *SAA* connumeravimus *c*

⁷ aestimatio terrae *scripsi* estimatio (*pr est om*) referre terrae *S* imitatio referre (*referre A*) terre *Aac* mutatio fere terre *M* limitatio terrae *Ald*, *Gesn*, et *Schn*, qui ad quam

opinion, is friendly to vineyards when it is moderately well covered with earth, because, being cold and retentive of moisture, it does not allow the roots to thirst during the rising of the Dog-star Hyginus indeed, following Tremelius, asserts that the bases of mountains, which have received the soil that washes down from their summits, or even valley lands that have been formed by the soil deposits of rivers and floods, are especially suited for vineyards, and I do not disagree. Clayey soil is considered serviceable 9 for the vine but, by itself, the clay which potters use, and which some call *argilla*,^a is most unfriendly, and no less so is hungry gravel and, as Julus Atticus says, everything that makes a shrivelled shoot—that being soil which is either wet or salty, or sour too, or thirsty and extremely dry Still the ancients approved black and reddish sand when mixed with vigorous earth, for they said that ground containing red toph-stone, unless aided with manure, produced puny vines Ruddle, as the same Atticus says, is 10 heavy and does not offer roots an easy hold But the same soil is nourishing to the vine when once it has obtained a hold, though it is more difficult to work, since you cannot dig it when wet because it is very sticky, nor when too dry because it is hard beyond measure

XII But that we may not now wander through the endless varieties of soil, it will be not out of place to call to mind a standard rule, as it were, of Julus Graecinus to which has been applied the appraisal of land suitable for vineyards For that same

^a Cf *ἄργιλλος*, from *αργής*, white

LUCIUS JUNIUS MODERATUS COLUMELLA

Graecinus sic ait Esse aliquam terram calidam vel frigidam, umidam vel siccam, raram vel densam, levem aut gravem, pinguem aut macram, sed neque nimium calidum solum posse tolerare vitem, quia inurat, neque praegelidum, quoniam velut stupentes et congelatas radices nimio frigore moveri non sinat, quae tum demum se promunt, cum modico tepore¹

2 evocantur umorem terrae iusto maiorem putrefacere deposita semina, rursus nimiam siccitatem destituere plantas naturali alimento, aut in totum necare, aut scabras et retorridas facere perdensam humum caelestis aquas non sorbere, nec facile perficari, facillime periumpi, et praebere umas, quibus sol ad radices stupium penetret, eandemque² velut conclausa et coartata semina comprimere atque

3 strangulare raram supra modum velut per infundibulum transmittere imbres, et sole ac vento penitus siccare atque exarescere³ gravem terram vix ulla cultura vinci, levem vix ulla sustineri pinguiissimam et laetissimam luxuria, maciam ac tenuem ieiunio laborare Opus est, inquit, inter has tam diversas inaequalitates magno temperamento, quod in corporibus quoque nostris desideratur, quorum bona valetudo calidi et frigidi, umidi et aridi, densi et rari certo et

4 quasi examinato⁴ modo continetur⁵ Nec tamen hoc temperamentum in terra, quae vineis destinetur, pari momento libratum esse debere ait, sed in alteram

¹ tēpore *S* tempore *Aac*

² eandemque *M*, *Ursinus*, *Schn* eademque *SAac*, et plerique

³ exarescere *SAacM* exolescere *vett edd et Schn*, qui hanc lectionem defendit

⁴ examinati *SA* continuato *a*

⁵ contineatur *SAA*

Graecinus speaks as follows That any land is hot or cold, damp or dry, loose or compact, light or heavy, fat or lean, but that soil which is excessively hot cannot support the vine, because it burns it, nor can the very cold soil, because it allows no action of the roots when they are benumbed and chilled, as it were, by excessive cold,—for they extend themselves only when they are drawn out by moderate warmth that soil of more than the proper moisture 2 causes rotting of the plants that are set, while, on the other hand, excessive dryness deprives the plants of their natural sustenance and either kills them entirely or makes them scaly and shrivelled that very compact ground does not absorb the rains, does not readily allow the circulation of air, is very easily broken through, and affords cracks through which the sun penetrates to the roots of the plants, and the same binds and chokes the plants, which are, so to speak, imprisoned and confined that soil 3 which is immoderately loose allows rains to pass through it as through a funnel, and is then completely dried out and parched by sun and wind that heavy ground can hardly be subdued by any cultivation, while light ground can hardly be kept up by any that the fattest and most fertile soil suffers from rankness of growth, the lean and poor soil from barrenness There is need, he says, of much intermixture among these so different extremes, as is requisite also in our own bodies, whose well-being depends on a fixed and, so to speak, balanced proportion of the hot and the cold, the moist and the dry, the compact and the loose And yet, in the case 4 of land which is designed for vineyards, he says that this proportion should not be placed in equipoise but

LUCIUS JUNIUS MODERATUS COLUMELLA

partem propensius, ut calidior terra sit quam frigidior, siccior quam umidior, rarior quam densior, et si qua sunt his similia, ad quae contemplationem
 5 suam dirigat, qui vineas instituet Quae cuncta, sicut ego reor, magis prosunt, cum suffragatur etiam status caeli cuius quam regionem¹ spectare debeant vineae, vetus est dissensio, Saserna maxime probante solis ortum, mox deinde meridiem, tum occasum, Tremelio Scrofa praecipuam positionem meridianam censente, Veigilio de industria occasum sic repudiante,²

Neve tibi ad solem veigant vineta cadentem,

Democrito et Magone laudantibus caeli plagam septentrionalem, quia existiment ei subiectas feracissimas fieri vineas, quae tamen bonitate vini
 6 superentur Nobis in universum praecipere optimum visum est ut in locis frigidis meridiano vineta subiciantur, tepidis orienti advertantur, si tamen non infestabuntur Austris Eurisque,³ velut orae maritimae in Baetica Sin autem regiones praedictis ventis⁴ fuerint obnoxiae, melius Aquiloni vel Favonio committentur, nam ferventibus provinciis, ut Aegypto et Numidia, uni septentrioni rectius opponentur Quibus omnibus diligenter exploratis, tum demum pastinationem suscipiemus

¹ regionem quam *SAacM*

² repudiantem *SAac*

³ aeris quae (que *a*) *SAa*

⁴ praedicti sunt is (his *A*) *SA*

should incline more in one direction or the other, so that the land may be rather warm than cold, rather dry than wet, rather loose than compact, and so on in any like matters to which one who plants vineyards should direct a careful gaze. All of this, in my 5 opinion, is of greater advantage when climatic conditions also are favourable and in this matter there is long-standing disagreement as to what quarter of the heavens the vineyards should face, Saserna favouring the east especially, and next to that the south, and then the west, Tremelius Scrofa thinking a southern exposure superior to all others, Vergil explicitly rejecting the west in the words,

Noli slope your vineyards toward the setting
sun,^a

and Democritus and Mago commending the northern quarter of the heavens, because they think that vineyards exposed to it become the most productive, even though they may be surpassed in the quality of their wine. To us it has seemed best to direct in 6 general that vineyards have, in cold regions, a southern exposure, and that in warm ones they face the east, on condition, however, that they are not harassed by the south and south-east winds, as are the maritime coasts of Baetica. If, however, your tracts are subject to the aforementioned winds, it will be better to entrust them to the north or the west wind, but in hot provinces, such as Egypt and Numidia, they will be exposed more properly to the north alone. And now that all these matters have been carefully examined, we shall take up at last the trenching of the ground.^b

^b See III 11 1, note

LUCIUS JUNIUS MODERATUS COLUMELLA

XIII Eius autem ratio cum Italici generis futuriis agricolis tum etiam provincialibus tradenda est, quoniam in longinquis et remotis fere regionibus istud genus vertendi et subigendi agri minime usurpatur, sed aut scrobibus aut sulcis plerumque vineae conseruntur¹ Quibus autem² mos est scrobibus deponere, fere per tres longitudinis, perque duos pedes in altitudinem cavato solo, quantum latitudo ferriamenti patitur, malleolos utrimque iuxta latera fossarum consternunt, et adversis scrobium³ frontibus curvatos erigunt, duabusque gemmis supra terram eminere passi⁴ reposita humo cetera coequant quae faciunt in eadem linea intermissis totidem pedum scamnis, dum peragant ordinem Tum deinde relicto spatio, prout cuique mos est vineas colenti⁵ vel aiatro vel bidente, sequentem ordinem instituunt Et si fossore tantum terra versetur, minimum est quinque pedum interordinum, septem maximum, sin bubus et aratro, minimum est septem pedum, satis amplum decem Nonnulli tamen omnem vitem per denos pedes in quincuncem disponunt, ut more novalium terra transversis adversisque sulcis proscindatur Id genus vineti non conducit agricolae, nisi ubi laetissimo solo vitis amplo incremento consurgit At qui pastinationis impensam reformidant, sed aliqua tamen

¹ *Post conseruntur omnes habent Scrobibus vineta sic ponuntur, quae ex lemmate orta Schneider inclusit*

² autem (aut A) SAacM, vet edd vitem Ald, Gesn, Schn

³ scrobium SAac

⁴ passim ac, vet edd

⁵ colenti SAacM, et plerique colendi a, Ursinus, Schn

LUCIUS JUNIUS MODERATUS COLUMELLA

- parte pastinationem imitari student, paribus alternis omissis spatius¹ senum pedum latitudinis sulcos dirigunt,² fodiuntque et exaltant in tres pedes, ac per latera fossarum vitem vel malleolum disponunt
- 5 Avarius quidam dupondio et dodrante altum sulcum, latum pedum quinque faciunt, deinde ter tanto amplius spatium crudum relinquunt, atque ita sequentem sulcum infindunt³ Quos cum per definitum vineis⁴ locum fecerunt, in lateribus sulcorum viviradices vel decisos quam recentissimos palmites novellos erigunt, consitis compluribus inter ordinaria semina malleolis, quos postea quam convalescerint crudo solo quod omissum est transversis scrobibus propagent, atque ordinent vineam paribus intervallis Sed eae, quas rettulimus, vinearum sationes, pro natura et benignitate cuiusque regionis aut usurpandae aut repudiandae sunt nobis
- 6 Nunc pastinandi agri propositum est rationem tradere Ac primum omnium ut⁵ sive arbustum sive silvestrem locum vineis destinaverimus, omnis frutex atque arbor erui et summoeri debet, ne postea fossorem moretur, neve iam pastinatum solum iacentibus molibus imprimatur et exportantium
- 7 ramos atque truncos ingressu proculcetur Neque enim parum refert suspensissimum esse pastinatum et, si fieri possit, vestigio quoque inviolatum, ut mota aequaliter humus novelli seminis radicibus,

¹ sic *SAacM*, et plerique spatius omissis *Schn*

² derigunt *SAc* derigant *a*

³ infindunt *SAaM*, *Sobel* infundunt *c*, *vett edd* infodiunt *Ald*, *Gesn Schn*

⁴ vineis *SAacM* vinetis *edd omnes*

⁵ sic *Schn* omnē ut *S* ut omnem *Aac*, *vett edd* ut omne *M* Ac primum ex omni sive arbustivo, sive silvestri loco, quem vineis *Ald*, *Gesn*

imitate that trenching in some measure, run straight furrows to a width of six feet, leaving alternate strips of equal width, then they dig the furrows and deepen them to three feet, and place the vines or shoots along the sides of the hollows Some, ⁵ with greater saving of expense, make a furrow two and three-fourths feet deep and five feet wide, then, leaving three times as much unbroken ground, they cut the next furrow When they have done this throughout the whole plot set aside for vines, they set upright in the sides of the furrows either quicksets or young vine-branches as freshly cut as possible, putting in among the plants set in the regular rows a great number of cuttings which, after they have gained strength, they may propagate in cross-trenches in the ground which was left unbroken, and so arrange their vineyards in rows at equal distances But these methods of planting vineyards, as we have given them, are ours to employ or reject according to the nature and favourableness of each region

It is now my intention to hand down the method ⁶ of trenching a piece of ground And first of all, when we have marked out a site for vineyards, whether it be a plantation of trees or natural woodland, every bush and tree should be rooted out and removed, so as not to be a hindrance to the digger thereafter, and that the ground already trenched may not be pressed down by heavy masses lying upon it and trodden down by the coming and going of those who carry off the branches and tree trunks For it is of ⁷ no little importance that trenched ground be in a very loose state and, if possible, not violated even by a footprint, so that the earth, being evenly stured, may give way gently to the roots of the young plant in

LUCIUS JUNIUS MODERATUS COLUMELLA

quamcumque in partem piorepserint, molliter cedat, nec incrementa duitia sua ieverberet, sed tenero velut in nutritio sinu recipiat, et caelestes admittat imbres eosque alendis seminibus dispenset, ac suis omnibus partibus ad educandam prolem novam conspiret

- 8 Campestris locus alte duos pedes et semissem infodiendus est, acclivis regio tres, praeiuptior vero collis vel in quattuor pedes vertendus, quia cum a superiore parte in inferiorem detrahatur humus, vix iustum pastinationi praebet iegestum, nisi multo editiorem ripam quam in plano feceris Rursus depressis vallibus minus alte duobus pedibus deponi vineam non placet Nam praestat non consciere quam in summa terra suspendere, nisi si tamen scaturigo¹ palustris obvia sit,² sicut in agro Ravenate, plus quam sesquipedem prohibeat infodere
- 9 Primum autem praedicti operis exordium est, non ut huius temporis plerique faciunt agricolaе, sulcum paulatim exaltare et ita secundo vel tertio gradu pervenire ad destinatam pastinationis altitudinem, sed protinus aequaliter linea posita iectis³ lateribus perpetuam fossam educere et post tergum motam humum componere, atque in tantum deprimere,
- 10 donec altitudinis mensuram datam ceperit⁴ Tum per omne spatium gradus aequaliter movenda linea est, obtinendumque ut eadem latitudo in imo reddatur quae coepta est in summo Opus est autem perito ac vigilante exactore, qui ripam erigi

¹ nisi si (om ac) tamen scaturigo (scaturrigo SA) SAac, veti edd nisi tamen si scaturigo M, Ald, Gesn nisi si statim uligo Schn

² sit (fit A) codd, veti edd om vulgo

³ erectis acM

⁴ coeperit SA

whatever direction they creep out, not repelling their growth by its hardness, but taking them into its tender nourishing bosom, as it were, admitting the rains of heaven and dispensing them for the sustenance of the plants, and acting with all its members in harmony for the rearing of its new offspring

A level field should be dug two and one-half feet 8 deep, a sloping region three feet, but a steeper hill should be turned to a depth of four feet, because when earth is carried down from a higher to a lower place, the amount thrown back is barely sufficient for trenching unless you make the bank much higher than on level ground. On the other hand, in sunken valleys it is not proper to set the vine less than two feet deep. For it is better not to plant it at all than to leave it suspended on the surface of the earth, except, however, when marshy ground stands in the way, as in the district about Ravenna, and prevents digging deeper than a foot and a half. It 9 is, moreover, a first principle of the aforesaid operation not to deepen the furrow little by little, as is the practice of most farmers of our time, and so by a second or third gradation to arrive at the intended depth of trenching, but, running a line evenly forward, to extend a continuous trench with perpendicular sides and to pile the earth together behind you as it is removed, and to sink the trench down until it has reached the prescribed measure of depth. Then the line must be moved evenly over the 10 whole extent of the gradation, and you must see to it that the width is made the same at the bottom as it was started at the top. There is need, too, of an experienced and watchful overseer to give orders that the bank be made plumb and the furrow

LUCIUS JUNIUS MODERATUS COLUMELLA

iubeat, sulcumque vacuari, ac totum spatium crudi soli cum emota iam teria committi, sicut praecepi priore ¹ libro, cum arandi rationem traderem, monendo ² necubi scamna omittantur, et quod est durum

11 summis glaebis obtegatur Sed huic operi exigendo quasi quandam machinam commenti maiores nostri regulam fabricaverunt, in cuius latere virgula prominens ad eam altitudinem, qua deprimi sulcum oportet, contingit summam ripae partem Id genus mensurae ciconiam vocant iustici Sed ea quoque fraudem recipit, quoniam plurimum interest utrum eam pronam an rectam ponas Nos itaque huic machinae quasdam partes adiecimus, quae contententium litem disputationemque diuinent

12 Nam duas regulas eius latitudinis, qua ³ pastinator sulcum factururus est, in speciem Graecae litterae X ⁴ decussavimus,⁵ atque ita mediae parti, qua regulae committuntur, antiquam illam ciconiam infiximus, ut tamquam suppositae basi ad perpendicularum normata insisteret, deinde transversae, quae est in

¹ priore *codd*, superiore *edd*

² monendo *om SA, vet edd* movendo *ac*

³ qua *om SAac*

⁴ graecae chi littere (X *in marg*) S X *om AacM*

⁵ decussabimus *SAac* decussavimus *M*

^a II 2 25, 4 3

^b This unusual meaning of *latus* (side) is defended by Gesner and accepted generally by other commentators

^c This measuring device is not mentioned by other writers, though Isidore (*Orig* XX 15 3) says that the Spaniards gave the name *ciconia* to a well sweep (*tolleno*) because the motion of the sweep, in drawing water, resembled the actions of the stork Palladius (II 10 4) speaks of the use of the *virga* alone as a measure of the depth of trenched ground It appears that the ancient *ciconia* here mentioned was in the form of the letter T, standing like a stork, on one leg, though

cleared, and that all the ground not yet thrown up be added to the earth already moved, just as I directed in the preceding book,^a when I was handing down the methods of ploughing, in my warning that no ridges or skips should be left anywhere and that there should be no hard part covered over with surface clods. But our ancestors, devising a certain kind of instrument for the measuring of this work, have fashioned a straight bar and in the middle^b of it a small rod which, when reaching down to the depth to which the furrow should be sunk, touches the uppermost part of the bank. This sort of measuring device farmers call *ciconia* or stork^c. But this too is open to fraud, because it makes a very great difference whether you place it slantwise or in an upright position. For this reason we have added certain parts to this contrivance, to do away with quarrels and disputes of contending parties. For we have fastened^d two pieces crosswise in the form of the Greek letter X and of a spread equal to the width to which the trencher intends to make his ditch, and to the middle point, where the pieces are joined, we have fastened that old-fashioned *ciconia* in such a way as to stand at a right angle to it as upon a sub-base, then upon the transverse rod, which is in the middle,

commentators disagree as to whether, in use, it was placed upright, inverted, or on its side. Columella's improvement, by the addition of X shaped cross pieces (his *stella*), has also puzzled the commentators: some attach these pieces, at the point of intersection, to the base of the T and on the same plane, others think of the X as being in a horizontal position, *i. e.* lying flat on the ditch bottom, with the T standing at right angles to it. The latter explanation seems the more probable, if text and translation are correct.

^a *decussare* = to make a *decussis*, Roman numeral ten

LUCIUS JUNIUS MODERATUS COLUMELLA

latere, virgulae fabilem libellam superposuimus¹
Sic compositum organum cum in sulcum demissum
est, litem domini et conductoris sine iniuria diducit²

- 13 Nam stella, quam diximus Graecae litterae faciem
obtinere, pariter imae fossae solum metitur atque
perlibrat, quia sive pronum seu resupinum est,
positione machinae deprehenditur, quippe prae-
dictae virgulae superposita libella alterutrum ostendit
nec patitur exactorem operis decipi Sic permensum
et perlibratum opus in similitudinem vervacti semper
procedit, tantumque spatii linea promota occupatum
quantum effusus³ sulcus longitudinis ac latitudinis
obtinet Atque id genus praeparandi soli proba-
tissimum est

XIV Sequitur opus vineae conserendae, quae vel
vere vel autumno tempestive deponitur vere melius,
si aut pluvius aut frigidus status caeli est, aut ager
pinguis, aut campestris et uliginosa planities, rursus
autumno, si sicca, si calida est aeris qualitas, si exilis
atque aridus campus, si macer praeruptusve collis
Vernaeque positionis dies fere quadraginta sunt ab
Idibus Februarius usque in aequinoctium, rursus
autumnalis ab Idibus Octob in Kalendas Decembres

- 2 Sationis autem duo genera, malleoli vel viviradici,
quod utrumque ab agricolis usurpatur, et in pro-
vinciis magis malleoli, neque enim seminaris student

¹ supposuimus *ac*

² deducit *S¹AcM*, et omnes ante *Gesn*

³ et fusus *SAac* effusus *M*

^a The line and plummet, sometimes suspended from the apex
of a triangular frame, formed a simple level (*libella*)

^b *I e*, the new land, when so trenched in successive strips of
the same dimensions, comes gradually to resemble a field that
is kept in cultivation, though temporarily out of production

we have fastened a workman's plumb-line ^a When the instrument so contructed is let down into the trench, it settles all dispute between master and contractor without injury to either For the star, ¹³ which we have said has the appearance of the Greek letter, measures the ground at the bottom of the trench and at the same time tests its exact level, because, if there is any slope downward or upward, it is detected by the position of the instrument, for the plumb-line that is placed on the aforementioned rod shows the one or the other and does not allow the overseer of the work to be deceived The work so measured and levelled off progresses always towards a likeness to tilled fallow, and as the line is moved ahead, as much space is taken up as is occupied by the length and breadth of the trench that has been dug ^b And this method of preparing ground is most approved

XIV There follows the task of planting the vine, it is properly set out either in spring or in autumn, preferably in the spring if the weather is rainy or cold, or if the land is either fat or flat and wet plain, in autumn, on the other hand, if the atmosphere is dry or warm, if it is a poor and dry plain or a lean and steep hill There are about forty days of the spring planting, from the Ides of February ^c up to the equinox, and of the autumn planting, from the Ides of October to the Calends of December ^d Moreover, ² there are two kinds of planting, with cuttings or with quicksets, both of which are in use by farmers, and in the provinces more use is made of the cutting, for they do not concern themselves with nurseries

^c Feb 13^d Oct 15-Dec 1

nec usum habent faciendae vivradicis Hanc sationem cultores Italiae plerique iure improbaverunt, 3 quoniam plurimis dotibus praestat vivradix nam minus interit, cum et calorem et frigus, ceterasque tempestates propter firmitatem facilius sustineat, deinde adolescit maturius Ex quo¹ evenit ut celerius quoque sit tempestiva edendis fructibus, tum etiam nihil dubium est saepius² translatam³ Potest tamen malleolus protinus in vicem vivradicis conseri soluta et facili terra, ceterum densa et gravis utique vitem desiderat

XV Seritur ergo prius emundata inoccataque et aequata pastinatione, macro solo quinque pedibus inter ordines omissis, mediocri senis In pingui vero septenum pedum spatia danda sunt, quo largiora vacent intervalla per quae frequentes prolixaeque materiae diffundantur Haec in quincuncem vinearum metatio expeditissima ratione conficitur quippe linea per totidem pedes, quot destinaveris interiorum spatius, purpura vel quolibet alio conspicuo colore insuitur, eaque sic denotata per repastinatum⁴ intenditur, et iuxta purpuram calamus defigitur⁵ 2 Atque ita paribus spatius ordines diriguntur Quod deinde cum est factum, fossor insequitur, scrobemque alternis omissis in ordinem spatius a calamo ad proximum calamum non minus altum quam duo pedes et semissem planis locis refodit, acclivibus in

¹ ex quo *M, Ald, Gesn, Schn* quod *SAac, vet. edd*

² saepius *om a*

³ translatam *Ursinus* translatum *codd, et vulgo*

⁴ repastinationem *c* ⁵ deficitur *SA*

^a Because the quickset, having an established root system, is planted in a greater variety of soils than is the rootless cutting ^b Cf Palladius, III 9 10

and have no experience in the making of quicksets This kind of planting has been disapproved with good reason by most vinedressers of Italy, because the quickset is superior in very many particulars for it is less likely to die, since, because of its strength, 3 it has a readier endurance of heat and cold and other kinds of weather, and, in the next place, it reaches maturity earlier The result is that it also comes more quickly into condition to bear fruit, and besides, there is no doubt that it is more generally transplanted ^a Still, a cutting may be set immediately in loose and light ground, in place of a quickset, but ground that is compact and heavy certainly requires a rooted vine

XV The planting, then, is made preferably in prepared ground that is well cleaned and harrowed and levelled off, leaving five feet between the rows in lean ground, and six feet in medium soil But in fat soil intervals of seven feet must be allowed, so as to leave greater space of open ground over which the numerous and far-reaching branches of firm wood may spread themselves This laying-out of vineyards in quincunx arrangement is accomplished by a very quick method for a line is stitched with purple or some other striking colour at intervals of the same number of feet as you have determined upon for the distance between rows, and when so marked it is stretched along the trenched ground, and a reed is thrust in beside each bit of purple In this way the 2 rows are equally spaced ^b When this has been done, the digger follows and, leaving spaces by turns along the rows, he digs a trench from one reed to the next, not less than two and one-half feet deep on the level, two and three-fourths feet on sloping

LUCIUS JUNIUS MODERATUS COLUMELLA

dupondium¹ et dodrantem, praecipitibus etiam in tres pedes In hanc mensuram scrobibus depressis vivradices ita deponuntur ut a media scrobe singulae in diversum stentantur, et contrarius frontibus fossarum ad calamos erigantur Satoris autem officium est, primum quam recentissimam, et si fieri possit, eodem momento quo serere velit, de seminario transferre plantam diligenter exemptam et integram, deinde eam velut veteranam vitem totam exputare, et ad unam materiam firmissimam redigere, nodosque et cicatrices adlevare, si quae etiam radices, quod maxime cavendum est ne fiat in eximendo, laboraverint,² eas amputare, sic deinde curvatam deponere ne duarum vitium radices implicentur Id enim vitare facile est per unum solum iuxta diversa latera fossarum dispositis paucis lapidibus, qui singuli³ non excedant quinquelibræ pondus Hi videntur, ut Mago prodit, et aquas hiemis et vapores aestatis propulsare radicibus quem secutus Vergilius tutari semina et muniri⁴ sic praecipit

Aut lapidem bibulum aut squalentes infode conchas
et paulo post

Iamque reperti

Qui saxo super atque ingentis⁵ pondere testae
Urgerent⁶ hoc effusos munimen ad imbres,
Hoc ubi hulca siti findit canis aestifer aiva

¹ dupondium *c* dupondium *SA* tripundium *a*

² lavoverint *SA* levaverint *c*, *vett* *edd*

³ singulis *Aac* ⁴ munire *SAaM*

⁵ ingenti *S* repertis (reperiti *a*) qui super atque incensis (vincentis *c*, in gentis *a*) *Aac*

⁶ teste urgeret *M* testa urgetur *S* testa re urgetur *A*
testa reurgetur *ac*, deinde et fusos *SAac*

* Cf. *De Arb* 4 4 and Palladius, III 10 2-3

^b *Georg* II 348

^c *Ibid* 350-353

land, and even three feet in steep places. After the trenches are put down to this depth, the quicksets are set in such a way that they are laid flat, each by itself and in opposite directions from the middle of the trench, and raised upright alongside the reeds at opposite ends of the ditches. But the planter's ³ duty is, first, to transfer the plant from the nursery in as fresh condition as possible, and, if this can be done, at the very moment that he wishes to plant it—removing it carefully and without mutilation, then to prune it all over like an old vine, reducing it to one very strong cane of firm wood and smoothing off the knots and scabs, also, if any roots have been injured—and especial care must be taken that this does not happen in removing the vine—to cut them off, and then to set out the plant, bending it in such a way that the roots of two vines may not be intertwined. For this is easy to avoid by placing along the bottom, close to the opposite sides of the trenches, a few stones whose weight should not exceed five pounds each ^a. These ⁴ seem, as Mago records, to ward off the winter's wetness and the summer's heat from the vine roots. Vergil, agreeing with Mago, teaches the safeguarding and strengthening of young plants in these words

With them you bury scaly shells or moisture-
drinking stone ^b

and, a little later,

And some we found who cover them with rock
or heavy tile,

Thus offering shelter 'gainst the diving runs,
and shelter, too,

When sultry Dog-star splits the fields that lie
agape with thirst ^c

5 Idemque Poenus auctor probat vinacea peimixta
 stercori depositis seminibus in scrobe admovere,¹
 quod illa provocent et eliciant novas radículas
 hoc per hiemem frigentem et umidam² scrobibus
 inferre calorem tempestivum,³ ac per aestatem viren-
 tibus alimentum et umorem praebere⁴ Si vero
 solum cui vitis⁵ committitur, videtur exile, longius
 arcessitam pinguem humum scrobibus inferre censet
 quod an expediat, regionis annona operarumque ratio
 nos docebit

XVI Exigue umidum pastinatum sationi convenit,
 melius tamen vel arido quam luto semine com-
 mittitur Idque cum supra summam scrobem com-
 pluribus internodiis productum est, quod de cacu-
 mine superest, duabus gemmis tantum supra terram
 relictis amputatur, et ingesta humo scrobis com-
 pletur⁶ Coaequato deinceps⁷ pastinato malleolus
 ordinarius vitibus interserendus,⁸ eumque sat erit
 medio spatio, quod vacat inter vites, per unam lineam
 2 depangere⁹ Sic enim melius et ipse convalescet,¹⁰
 et ordinarius seminibus modice vacuum solum ad
 culturam praebebitur In eadem deinde linea, in
 qua viviradix obtinebit ordinem suum, praesidiu

¹ sic Schn in scrobem admovere M scrobe an movere
 S scrobeam (strobeam a) movere Aac scrobem vires movere
 Ald, Gesn

² et humidam M ut humidam vulgo ut (et ac) humum
 SAac, vet edd

³ tempestivum M, et vulgo tempestate SAac calorem
 tempestate ac, vet edd

⁴ praebeat (prebeat Sa) SAac, vet edd

⁵ civitatis SAac

⁶ completur Ald, Gesn completus codd, Schn

sic codd, Ald, Gesn coaequatur, deinceps Schn
 scrobibus completis coaequato Deinceps vet edd

⁸ est add vulgo, om codd

The same Carthaginian author approves an application of grape-husks mixed with dung when the plants are set in the trench, on the ground that they encourage and draw out new rootlets, saying that this gives a suitable warmth to the trenches during the cold and wet weather of winter, and supplies the growing plants with nourishment and moisture in summer. But if the ground to which the vine is committed seems to be lean, his advice is that rich soil be brought from some distance and put into the trenches. Whether this is profitable the annual yield of the region and an estimate of the labour involved will teach us.

XVI Trenched ground is suitable for planting when it is slightly moist, and yet it is better to commit the plant to it even when dry than when it is muddy. And when the plant extends several joints above the upper edge of the trench, that part of the top which projects above is cut off, leaving only two eyes above ground, and the trench is filled by throwing the earth into it. Then, after the trenched ground is levelled off, the mallet-cutting is to be planted between the rows of vines. It will be sufficient to set this in a single line in the centre of the space that lies vacant between the vines, for in ² this way the cutting itself will regain its strength the better, and the ground will be left moderately free for the cultivation of the plants in the rows. Then, in the same line in which the quickset is arrayed, five mallet-shoots are to be set for each

⁹ *depangere M, et vulgo depingere SAac, vett edd*

¹⁰ *convalescit codd*

LUCIUS JUNIUS MODERATUS COLUMELLA

causa, quorum ex numero propagari¹ possit in locum demortuae vitis, quinque malleoli pangendi sunt per spatium pedale, isque pes ita medio intermedio sumitur ut ab utraque vite² paribus intervallis distet³ Tali consationi Iulius Atticus abunde putat esse malleolorum sedecim milia Nos tamen plus quattuor milibus conserimus, quia negligentia cultorum magna pars deperit, et interitu seminum cetera, quae virent, iarescunt

XVII De positione sulculi non minima disputatio fuit inter auctores Quidam totum flagellum, sicut erat matris detractum, crediderunt sationi convenire,⁴ idque per gemmas quinas vel etiam senas partiti, complures taleolas terrae mandaverunt Quod ego minime probo, magisque assentior his auctoribus qui negaverunt esse idoneam frugibus superiorem partem materiae, solamque eam quae est iuncta cum vetere sarmento probaverunt Ceterum omnem sagittam repudiaverunt Sagittam rustici vocant novissimam partem surculi, sive quia longius recessit a matre, et quasi emicuit atque prosiluit, seu⁵ quia cacumine attenuata praedicti teli speciem gerit Hanc ergo prudentissimi agriculae negaverunt conseri debere, nec tamen sententiae suae rationem nobis prodiderunt, videlicet quia ipsis in re rustica multum callentibus prompta erat et ante oculos

¹ propagari *Gesn*, *Schn* propagare *codd*

² vite *S*, *Schn* parte *Ald*, *Gesn* om *AacM*, *vett edd*

³ distet *SAacM* distent *edd*

⁴ convenire *M* convenirent *SAac*

⁵ seu *SACM* sive *a*, et vulgo

^a Isidore (*Orig* XVII 5 7) defines *sagitta* in the same terms, but Pliny has a different explanation (*NH* XVII 156), *tertium genus adiectum etiamnum expeditus sine calce, quod*

foot of space, as reserves from whose number it may be possible to set a slip in place of a vine that has died, and this foot is taken from the middle space between the rows in such a way as to be equally distant from the vines on either side. Julius Atticus ³ considers 16,000 cuttings enough for this kind of planting. But we plant 4000 more, because a large number of them are lost through the carelessness of the vinedressers, while the rest, that do thrive, are thinned out by the deaths of the young plants.

XVII On the matter of setting the shoot there has been no little dispute among authorities. Some have held that the whole rod, just as it was pulled from the parent vine, is proper for planting, and dividing this into sections with five or even six eyes each, they committed the several slips to the earth. This I by no means approve, agreeing rather with those authorities who have said that the upper part of the branch is not suitable for bearing fruit, and who gave their approval rather to that part which is joined to the old branch. But they wholly rejected the "arrow." Farmers give the name "arrow" to ² the extreme portion of a shoot, either because it has withdrawn farther from its mother and has, so to speak, shot out and darted away from her, or because, being drawn out into a point, it bears a resemblance to the aforesaid missile ^a. Our wisest ³ husbandmen have said, then, that the arrow should not be planted, and yet they have failed to give us the reason for their opinion, obviously because to those men of much experience in agricultural affairs that reason was obvious and almost laid bare before

sagittae vocantur, cum intorti panguntur, idem cum recisi nec intorti, trigemmes

LUCIUS JUNIUS MODERATUS COLUMELLA

paene exposita Omnis enim fecundus pampinus intra quintam aut sextam gemmam fructu exuberat, reliqua parte quamvis longissima vel cessat vel peregignos ostendit racemos Quam ob causam sterilitas cacuminis iure ab antiquis incusata est Malleolus autem sic ab iisdem pangebatur ut novello
 4 sarmento pars aliqua veteris haerere Sed hanc positionem damnavit¹ usus Nam quicquid ex vetere materia relictum erat, depressum atque obrutum celeriter umore putrescebat, proximasque radices teneras et vixdum prorepentes² vitio suo enecabat,³ quod cum acciderat, superior pars seminis retorrescebat Mox Iulius Atticus et Cornelius Celsus, aetatis nostrae celeberrimi auctores, patrem atque filium Sasernam secuti, quicquid residui fuit ex vetere palma per ipsam commissuram, qua nascitur materia nova, raserunt,⁴ atque ita cum suo capitulo sarmentum depresserunt

XVIII Sed Iulius Atticus praetorto capite et recurvato, ne pastinum⁵ effugiat, praedictum semen demersit Pastinum autem vocant agricolae ferramentum bifurcum, quo semina panguntur Unde etiam repastinari dictae sunt vineae veteres quae refodiebantur, haec enim propria appellatio restibilis vineti erat, nunc antiquitatis imprudens consuetudo

¹ damnavit *Ac*

² prorepentes *edd* properentis *SA* proparentis *acM*

³ enecabat *M* enecarat *ac*, et corr ex enegarat *S*
 enacarat *A*

⁴ raserunt *SAac*, *vett edd* resecuerunt *vulgo*

⁵ pastinum *Ald*, *Gesn*, *Schn* pastinatum *SAacM*, *vett edd*

^a Here = the thick end or butt of the mallet cutting, like the "head" of a mallet

the eyes For every fruiting cane bears in abundance within the limits of the fifth or sixth bud, while in the remaining portion, however great its length, it is either entirely lacking in fruit or displays very small clusters For this reason the barrenness of the tip was justly censured by the ancients Moreover, the mallet-shoot was so planted by these same ancients that some part of the old branch remained fixed to the new But experience has condemned this kind 4 of planting For all that was left of the old wood quickly rotted with the moisture after it was set and covered with earth, and by the damage to itself it killed the tender roots lying next to it and scarcely creeping out as yet, and when this happened, the upper part of the plant would wither Afterwards Julius Atticus and Cornelius Celsus, the most distinguished authorities of our time, following the example of the Sasernas, father and son, smoothed off every remaining bit of the old branch at the very joint where the new wood begins, and so they set the slip, tip and all

XVIII But Julius Atticus pressed the aforesaid plant into the ground with its head^a twisted and bent so that it might not slip away from the trench-fork The name *pastinum* or trench-fork, by the way, is given by farmers to that two-pronged implement of iron with which the plants are set^b Hence even old vineyards which were turned by the spade for a second time were said to be "repastinated," this term belonging properly to a vineyard that was restored, but modern custom, ignorant of ancient usage, applies the term "repastinated" to

^b Cf Isidore, *Orig* XX 14 8

LUCIUS JUNIUS MODERATUS COLUMELLA

quicquid emoti soli vineis praeparatum, repastinatum vocat Sed redeamus ¹ ad propositum

- 2 Vitiosa est, ut mea fert opinio, Iuli Attici satio, quae contortis capitibus malleolum recipit, eiusque rei vitandae non una ratio ² est Primum quod nulla stirps ante quam deponatur vexata et infracta melius provenit quam quae integra et inviolata sine iniuria deposita est, deinde quicquid recurvum et sursum versus spectans ³ demersum est, cum tempestivum eximitur, in modum hami repugnat obluctanti fossori, et velut uncus infixus solo, ante quam extrahatur, prae-rumpitur Nam fragilis est ea parte materia, qua torta et recurvata, cum deponeretur, ceperat vitium, propter quod prae-fractam maiorem partem
- 3 radicum amittit Sed ut incommoda ista praeter-eam, certe illud, quod est inimicissimum, dissimulare nequeo, nam paulo ante, cum de summa parte sarmenti disputarem, quam sagittam dixeram vocitari, colligebam fere intra quantam vel sextam gemmam, quae sint proximae veteri sarmento,
- 4 fructum edi ⁴ Hanc ergo fecundam partem consumit, qui contorquet malleolum, quoniam et ea pars, quae duplicatur, tres gemmas vel quattuor obtinet, et reliqui duo vel tres fructuarii oculi penitus in terram deprimuntur, ⁵ mersique non materias sed radices creant Ita evenit ut ⁶ quod in sagitta non

¹ redeamus *M*, edd om *SAac*, et inclusit *Schn*

² ut narratio *Aac*

³ spectans *M*, et vulgo spectant *SA* spectat *ac*, vett edd

any ground that is stirred and prepared for vineyards
But let us return to the subject before us

Quite wrong, in my opinion, is the method of ²
planting employed by Julius Atticus, which allows
mallet-cuttings with bent and twisted heads, and
there is more than one reason for avoiding this
practice in the first place, because no stem which is
damaged and broken before it is put into the ground
thrives better than one that is planted whole without
suffering any injury, and in the second place, any-
thing that is curved back and tending upward
at the time of planting resists the efforts of the
digger, in the manner of a hook, when the time comes
for taking it up, and like a barb fixed in the ground
it is broken off before it can be pulled out For the
wood is brittle in that section where it received injury
when twisted and bent at the time of planting, and
for this reason it loses the majority of its roots, which
are broken off But, even though I pass over ³
these disadvantages, surely I cannot conceal a
point that is most hurtful, for a short time ago,
while speaking of the uppermost part of the shoot,
which I said was called the arrow, I observed that
fruit is generally put forth within the limits of
the fifth or sixth eye nearest to the old branch
Therefore one who bends the shoot destroys this ⁴
productive part, because that part which is doubled
over contains three or four eyes, and the remaining
two or three fruit-bearing eyes are pressed deep into
the earth, and when so buried they produce, not wood,
but roots Thus it comes about that, what we

⁴ fructum edī *Schn* ex connect *Gesn* fructu mediū *SAac*
fructus mediū *M*, edd ante *Schn*

⁵ deprimantur *SAacM* ⁶ ut edd sed *SAacM*

serenda¹ vitaverimus id sequamur in eiusmodi malleolo, quem necesse est longiorem facere² si volumus detortum depangere. Nec dubium quin gemmae cacumini proximae, quae sunt infecundae, in eo relinquuntur, ex quibus pampini pullulant³ vel steriles⁴ vel certe minus feraces, quos rustici vocant
 5 racemosos. Quid quod plurimum interest ut malleolus, qui deponitur, ea parte qua est a matre decisis, coalescat, et celeriter cicatricem ducat? Nam si id factum non est, velut per fistulam ita per apertam vitis medullam nimisumor trahitur, idemque tuncum cavat, unde formicis aliisque animalibus, quae putrefaciunt crura vitium, latebiae praebentur. Hoc autem evenit retortis seminibus, cum enim per exemptionem imae partes eorum prae fractae sunt, apertae medullae deponuntur, atque inrepentibus aquis praedictisque animalibus celeriter senescunt. Quare pangendi optima est ratio recti malleoli, cuius imum caput, cum consertum est bifurco pastini, angustis faucibus ferramenti facile continetur ac deprimitur, idque samentum sic demersum⁵ citius coalescit. Nam et radices e capite, qua recisum est, emittit, eaeque cum accreverunt cicatricem obducunt, et alioquin plaga ipsa deorsum spectans non tantum recipit umorem quantum illa quae reflexa et resupina more infundibuli per medullam transmittit quicquid aquarum caelestium superfluxit⁶

¹ sic Schn cum Pontedera in salictam conseranda (o A) SA in salictam (a) conserando ac in salicto conserendo M, et vulgo ante Schn

² sic codd facere longiorem edd

³ pampinus (panpinus SA) pullat (expullat c, expullulat M) codd

⁴ sterilis et deinde feracis (ferax M) SAacM

⁵ demersum SAacM depressum edd vulgo

have avoided in not planting the arrow, we comply with in the case of a mallet-cutting of this sort, which we must make longer if we wish to plant it twisted. Nor is there any doubt that the buds next to the tip, which are unfruitful, are left on it, from which sprout young shoots, either barren or at least less fruitful, which farmers call *racemaru*. And furthermore, it is of the greatest importance that a cutting which is set in the ground should heal over and quickly form a callus at the point where it is cut from the mother vine. For, if this does not happen, excessive moisture is drawn up through the open pith of the vine, as though through a tube, and makes the stock hollow, and the result is that hiding-places are provided for ants and other creatures that cause the lower part of the vine-stalk to rot. And this also happens when plants are bent back, for when their lower sections are broken in taking them up, they are planted with the pith exposed, and when water and the aforementioned animals creep into them, they soon waste away. Therefore the best method is to plant a straight cutting, whose butt end, when caught in the two prongs of the trenching-fork, is easily held in the narrow jaws of the implement and so thrust into the ground, and a cutting that is set in this way heals over sooner. For it puts out roots from the butt, where it was cut off, and these cover the callus as they grow, and, besides, the wound itself, looking downwards, does not admit as much moisture as the one which, being bent back and facing upwards, conveys through its pith, as though through a funnel, all the rains that fall upon it.

LUCIUS JUNIUS MODERATUS COLUMELLA

XIX Longitudo, quae debeat esse malleoli, parum certa est, quoniam sive crebrias gemmas habet, brevior faciendus est, seu raras, longior. Ac tamen¹ nec maior pede nec dodrantem minor esse debet hic ne per summam² terrae sitiatur aestatibus, ille ne depressus altius cum adoleverit, exemptionem difficilem praebeat. Sed haec in plano. Nam in clivosis, ubi terra decurrit, potest palmipedalis³ deponi. Vallis et uliginosi campi situs patitur³ etiam trigemmem, qui est paulo minor dodrante, longior utique semipede. Isque non ab eo trigemmis dictus est quod omnino trium oculorum est, cum fere circa plagam, qua matri abscisus est, plenus sit germinum,⁴ sed quod his exceptis quibus est frequens in ipso capite tres deinceps articulos totidemque gemmas habet. Super cetera illud quoque sive malleolum sive viviradicem serentem praemoneo, ne semina exarescant, immodicum ventum solemque vitare, qui uterque non incommode arcetur obiectu³ vestis aut cuuslibet densi teguminis⁵. Verumtamen praestat eligere sationi silentis vel certe placidi spiritus diem. Nam sol umbraculis facile depellitur. Sed illud etiam, quod nondum tradidimus, ante quam disputationi clausulam imponamus, dicendum est unusne⁶ an plurium generum vites habendae sint, eaeque⁷ separatae ac distinctae specialiter, an

¹ Ac tamen *SAac* Attamen *M*, *edd*

² summam *SAacM*, *vett edd* summa *Ald*, *Gesn*, *Schn*

³ situ sentitur *Aac* situs seritur *M* situ serimus *vulgo ante Schn*

⁴ germinum *SAacM* gemmarum *edd*

⁵ teguminis *SAacM* tegminis *c*, *et vulgo*

⁶ unusne *S*, *Schn* ne *Aa* ut *c* utrum *M* om cett *edd*

⁷ eaeque *M*, *et vulgo* aequae *SA*, *vett edd* quae *a* ut quare *c*

XIX The length that a cutting should have is not absolutely fixed, since it should be made shorter if its eyes are close together, or longer if they are far apart. Still, it should be not more than a foot nor less than nine inches in length lest in the latter case, being at the surface of the earth, it dry out in hot weather, while in the former case, if set too deep, it may make removal difficult after it has made some growth. But the above applies to planting in level ground. For on hillsides, where the land falls off rapidly, it may be set to a depth of a foot and a palm. A situation in a valley or a wet plain allows even a cutting of three buds, which is a little less than nine inches but in any case more than half a foot in length. And this cutting is called "three-budded," not from the fact that it consists of three eyes in all—since it is usually full of sprouts about the wound where it was cut from its mother—but because, apart from those buds with which it is crowded at the butt, it has three joints in succession and the same number of buds. In addition, I offer this advice also to one who is planting either the cutting or the rooted vine—to avoid excessive wind and sun, lest the plants dry out, and both of these are warded off without inconvenience by throwing a garment or any sort of thick covering around the plants. However, it is better to choose for the planting a day when the air is still or at least stirring but lightly. For the sun is easily kept off by canopies.

But, before putting an end to this discussion, we must speak of a matter which we have not yet touched upon—whether vines of one or several kinds are to be kept, and whether these are to be separated and kept apart, sort by sort, or jumbled

LUCIUS JUNIUS MODERATUS COLUMELLA

confusae et mixtae cateivatum Pius disseremus de eo quod primum proposuimus

XX Prudentis igitur agricolae est vitem, quam praecipue probaveit, nulla interveniente alterius notae¹ stirpe consereie, numerumque quam maximum eius semper augere Sed et² providentis est diversa quoque genera deponere Neque enim umquam sic mitis ac temperatus est annus, ut nullo incommodo vexet aliquod vitis genus sive³ siccus est, id quod umore proficit,⁴ contristatur, seu pluvius, quod siccitatibus gaudet, seu frigidus et pruinosus, quod non est patiens uedinis, seu fervens,⁵ quod vaporem non sustinet Ac ne nunc mille tempestatum iniurias persequar, semper est aliquid quod vineas offendat Igitur si unum genus severimus, cum id acciderit quod ei noxium est, tota vindemia privabimur, neque enim ullum erit subsidium, cui diversarum notarum stirpes non fuerint⁶

3 At⁷ si varii generis vineta fecerimus, aliquid ex his inviolatum erit quod fructum perferat Nec tamen ea causa nos debet compellere ad multas vitium varietates sed quod iudicaverimus eximium genus, id quantae possimus⁸ multitudinis efficiamus, quod deinde proximum a primo, tum quod est tertiae notae vel quartae quoque Eatenus velut athletarum⁹ quodam contenti simus tetradio,¹⁰ satis est

¹ nota SAac ² et S, Schn om reliqui

³ enim add vulgo deest codd

⁴ quod (h)umore proficit Ald, Gesn Schn om SAA, et umore proficit om cM

⁵ perurens S

⁶ diversarum fuerint om SAac, vett edd cui fuerint om M

⁷ Ad SA et c Quod Schn

⁸ possimus SAaM, Sobel possumus vulgo

together and intermingled, one with another We shall deal first with the question first proposed

XX It is, then, the part of a wise farmer to plant that vine which he especially approves, with no shoot of any other sort standing between, and always to increase the number of that vine as far as possible But it is also the part of a man of foresight to set out different kinds as well For there is never a year so mild and temperate as not to inflict some injury upon some variety of the vine if it is dry, that kind which thrives on moisture is damaged, if rainy, that which delights in dry weather, if cold and frosty, that which cannot endure blighting cold, or if hot, that which cannot bear heat And, not to run ² through, at this time, a thousand rigours of the weather, there is always something to work harm to vineyards Therefore, if we plant but one kind, when that thing happens which is hurtful to that kind, we shall be deprived of the whole vintage, for he who is without plants of different sorts will have no reserve supply But if we make plantings ³ of various kinds of vines, some of them will escape injury to produce a yield And yet this reason should not force us to many varieties of vines but what we have judged to be an extraordinary variety, that we should produce in as great numbers as possible, then that which is next to the first choice, and after that the kind which is of third or even fourth rank So far let us be content with a sort of quartet, so to speak, of champion vines, for it is quite enough to

⁹ *athletarum Schn letarum SacM laetarum A letarum vulgo*

¹⁰ *sic Gesn, Schn tetradeo veti edd tetartaeo Ald*
conten silus tetra deo S contempsimus tetradeo AacM

LUCIUS JUNIUS MODERATUS COLUMELLA

enim per quattuor vel summum quinque genera vindemiae fortunam opperiri

- 4 De altero, quod mox proposueram, nihil dubito quin per species digerendae vites disponendaeque sint in proprios hortos, semitis ac decumanis distinguendae non quod aut ipse potuerim¹ a meis familiaribus hoc obtinere, aut ante me quisquam eorum, qui² quam maxime id probaverit,³ effecerit. Est enim omnium rusticorum operum difficillimum, quia et summam diligentiam legendis desiderat seminibus, et in his⁴ discernendis maxima⁵ plerumque felicitate et prudentia opus est, sed interdum, quod ait divinus auctor Plato, rei nos pulchritudo trahit vel ea consecrandi, quae propter infirmitatem
- 5 commortalis⁶ naturae consequi nequeamus. Istud tamen, si aetas suppetat et scientia facultasque cum voluntate congruant, non aegerrime perficiemus,⁷ quamvis non minimo⁸ aetatis spatio perseverandum sit, ut magnus numerus per aliquot annos discernatur. Neque enim omne tempus permittit eius rei iudicium, nam vites, quae propter similitudinem coloris aut trunci flagellorumve uvae⁹ dinosci nequeunt, maturo fructu folisque declarantur. Quam tamen diligentiam nisi per ipsum patrem familiae exhiberi
- 6 posse non adfirmaverim, nam credidisse vilico vel

¹ potueram *codd*, et plerique ante *Schn*

² qui *om codd* ³ probabit *codd*, *vett edd*

⁴ in his *Schn* nihil *S* nihil *Aac* non nihil *M*, et *vulgo*

⁵ in quo maxima *M*, *Ald*, *Gesn*

⁶ commortales *SAa* ⁷ perficiamus *SAac*

⁸ sic *SAac*, *Schn* non (ron *M*) omnino minimo *M*, et *vulgo*

⁹ flagellorum uvae *Sobel* f vaenue *SA* f venue *ac* f hieme *M* flagellorumve *edd*

await the luck of the vintage with four varieties, or five at the most ^a

As for the other point, which I had next proposed, ⁴ I have no doubt that vines should be separated according to their species and set in their proper plots, and marked off by foot-paths and boundary lines,^b not that I myself have been able to obtain this of my household, or that any one of those before me accomplished it, however much he may have approved. For this is the most difficult of the farmer's tasks, because it requires the utmost care in the selection of plants, and in separating them there is need, for the most part, of the greatest good fortune combined with wisdom. But sometimes, as the divine author Plato says, the beauty of a thing attracts us to the pursuit even of those ends to which, because of the frailty of human nature, we cannot attain. And yet if our ⁵ years suffice, and if our knowledge and means are in accord with our desires, we shall accomplish the task without great difficulty, though we must persist for more than a brief portion of our lives, so that a large number may be classified over a period of several years. For not every period of time permits a decision in this matter, seeing that vines which cannot be distinguished because of their likeness in colour or stock or shoots or berry make themselves known by the ripening of their fruit and by their foliage. Nevertheless, I would not say that this care can be employed by anyone except the head of the family, for it is folly to intrust it to an overseer or vine- ⁶

^b Palladius (*loc cit*) speaks to the same effect. Pliny (*N H* XVII 169) gives directions as to the size of the various plots and the widths of intervening roads or paths. Cf also Columella, IV 18

LUCIUS JUNIUS MODERATUS COLUMELLA

etiam vinito¹,¹ socordia² est, cum, quod longe sit
facilius, adhuc perpaucissimis agricolis contiguit ut
nigri vini stirpe caeant, quamvis color uvae possit
vel ab imprudentissimo deprehendi

XXI Illa tamen una mihi ratio suppetit, cele³errime
quod propositum efficiendi, si sint veteranae vineae,
ut separatim surculis³ cuiusque generis singulos
hortos inseramus sic paucis annis multa nos milia
malleolorum⁴ ex insitis percepturos, atque ita
discreta semina per regiones consituros nihil dubito
2 Eius porro faciendae rei nos utilitas multis de causis
compellere potest et ut a levioribus incipiam,
primum, quod ad omnem rationem⁵ vitae non solum
agricolationis sed cuiusque disciplinae prudentem
delectant impensius ea, quae propriis generibus
distinguuntur, quam quae passim velut abiecta et
3 quodam acervo confusa sunt deinde quod vel
alienissimus rusticae vitae, si in agrum tempestive⁶
veniat, summa cum voluptate naturae benignitatem
miretur, cum istinc Bituricae fructibus opimis, hinc
paribus Helvolae respondeant,⁷ illinc Arcelaca cursus,⁸

¹ vilici (villici c) vel etiam vinitoris *SAac*, et (sc diligentiae) *Sobel*

² socordia *a* socordio *SA* secordi *c* secordis *M*, *Ald*,
Gesn socordis *Schn* socordiae *Sobel*

³ separatim surculis *Ursinus*, *Schn* separarum (separa
torum *a*, seporate *M*, seperare *c*) surculorum *SAacM*
separatorum surculorum *Ald*, *Gesn* separatos sulcorum
vett edd

⁴ malleolum *SA* malleorum insitis *acM*

⁵ ad omnem (omne *A*) rationem (ratione *Ac*) *SAacM*, et
vulgo in omni ratione *Schn*

diesser, since—what would be easier by far—it has been the lot of very few farmers as yet to be free from stock that produces black wine, though the colour of the grape may be detected even by the most inexperienced person

XXI Nevertheless, one method suggests itself to me of accomplishing⁶ very quickly what we have proposed that, if we have old vineyards, we should ingraft individual plots with slips of every sort, each kind by itself. Thus I have no doubt that within a few years we shall obtain many thousands of cuttings from the grafted vines, and that we shall set in separate blocks the plants so distinguished from one another. Moreover, the advantage of doing this² may urge us on for many reasons. In the first place, to begin with the less important, because in respect to every concern of life, not only in farming but in every branch of study, the wise man delights more in those things which are separated into their proper kinds than in those which are thrown helter-skelter, so to speak, and jumbled together into a common heap³ and in the second place, because even the man who is quite unversed in country life, if he should enter a field at the proper time, would marvel most pleasurably at the benevolence of nature, when on the one side the Bituric vines with their rich fruits correspond to the Helvolans, with like fruit, on the other side, when the Arcelacans turn his course to

⁶ tempestive *SAac*, *vett edd* tempestive consitum *M*, *et vulgo*

⁷ opimis (opimis *SA*) hic paribus heluo respondent *SAacM*
opimae hinc pares iis helvolae respondeant *vulgo*

⁸ arcelaca cursus *Sobel* arcela cursus *SAac* arcelane cursus *M* arcellae, rursus *Ald*, *Gesn* arcelacae, rursus *Schn*

LUCIUS JUNIUS MODERATUS COLUMELLA

illinc Spionae Basilicaeve convertant,¹ quibus alma tellus annua vice velut aeterno quodam puerperio laeta mortalibus² distenta musto demittit³ ubera Inter quae patre favente Libero fetis⁴ palmitibus vel generis albi vel flaventis ac rutili vel purpureo nitore micantis, undique versicoloribus pomis gravidus
4 collucet Autumnus Sed haec quamvis plurimum delectent,⁵ utilitas tamen vincit voluptatem Nam et pater familiae libentius ad spectaculum rei suae, quanto est ea luculentior, descendit, et, quod de sacro numine poeta dicit,

Et quocumque deus circum caput egit honestum, verum quocumque domini praesentia et oculi⁶ frequenter accessere, in ea parte maiorem in modum fructus exuberat Sed omitto illud, quod indescriptis etiam vitibus contingere potest, illa quae sunt maxime spectanda, persequar

5 Diversae notae stirpes nec pariter deflorescunt nec ad maturitatem simul perveniunt Quam ob causam, qui separata generibus vineta non habet, patiatur alterum incommodum necesse est, ut aut serum⁷ fructum cum praecoque elevet,⁸ quae res mox acorem facit, aut si maturitatem serotini expectet,⁹

¹ convertant *SAacM*, *vett edd*, *Sobel* convenient *vulgo*

² leta (laeta *edd*) mortalibus *M*, et *vulgo* laeta mortis *S* laetam ortibus (h *supra* o *scr*) *A* letam ortibus (hortibus *a*)
ac laeta in hortis *Sobel*

³ demit *S* distamusto demit *Aa* dicta musto demit *c*

⁴ foetis *vulgo* petis *SAacM*, *vett edd*

⁵ delectant *Aac*

⁶ praesentia et oculi *Sobel* presentis et oculi *SAac* prae
sente et oculos *M* praesentis oculi *edd*

⁷ serum *om SAac*, *vett edd*

⁸ preco quae lebat *SA* percoque elebat *a*

⁹ expectes *SAac*

the one side and the Spionians or Basilicans to the other side, whereby the fostering earth each year, as if delighting in never-ending parturition,^a extends to mortals her breasts distended with new wine. Meanwhile, as father Bacchus is propitious to the pregnant vine-branches, either of the white or yellow variety, and of the ruddy kind or that which gleams with purple sheen, on every hand Autumnus glows, laden with his fruits of changing hue. But though ⁴ all these give the greatest delight, still profit prevails over pleasure. For the head of the household comes down the more willingly to feast his eyes upon his wealth in proportion to its splendour, and, as the poet says of the sacred deity,

Wheresoever the god has turned his goodly head,^b truly, wherever the person and eyes of the master are frequent visitors, there the fruit abounds in greater measure.^c But, dismissing this statement, which is applicable also to vines not grouped according to their kinds, I shall proceed with those matters which are most deserving of notice.

Vine-plants of different kinds do not cast their ⁵ blossoms at the same time, nor do they reach the time of ripening together. For this reason, the man who does not have his vineyards divided according to their kinds must suffer one or the other of these disadvantages: either he must gather the late fruit along with the early ripe, which soon causes sourness, or, if he awaits the ripening of the late fruit, he may

^a Cf. X 145, 157

^b Vergil, *Georg.* II 392. The god is Bacchus.

^c Cf. IV 18 1, Palladius, I 6 1, *Praesentia domini proventus est agri*.

LUCIUS JUNIUS MODERATUS COLUMELLA

amittat vindemiam praecoquem, quae¹ plerumque
populationibus volucium pluvisque aut ventis laces-
6 sita dilabitur Si vero interiectionibus capere cuius-
que generis fructum aveat, primum necesse est ut
negligentiae vindemiatorum aleam² subeat, neque
enim singulis totidem antistitiores possit dare,³ qui
observent quique praecipiant ne acerbae uvae⁴
demetantur

Deinde etiam quarum vitium maturitas competit,
cum diversae notae sint, melioris gustus ab deteriore
corrumpitui confususque in unum multarum sapor
vetustatis impatiens fit Atque ideo necessitas cogit
agricolam musti annonam experiri,⁵ cum plurimum
pretio accedat si venditio vel in annum vel in aestatem
7 certe differri possit Iam illa generum separatio
summam commoditatem habet, quod vinitor cuique
facilius suam⁶ putationem reddet, cum scit cuius
notae sit hortus quem deputat⁷ idque in consemineis
vineis observari difficile est, quia maior pars puta-
tionis per id tempus administratur quo vitis neque
folium notabile geit Ac⁸ multum interest pluresne
an pauciores materias pro natura cuiusque stirpis
vinitor summittat, prolixisne flagellis incitet an

¹ quae om. *SAacM*

² interiectionibus aleam] sic vulgo, sed *Ald* et *Gesn*
interiectibus habent et negligentiae omittunt interiectionibus
fructum capere (carpare in carpere mut *S*) genus suerit
(genusuerit *A*, gensuerit in censuerit mut *S*, suerit om *a*)
primum negligentiae (negligentiae ac) vindemiatoris (vindem-
miatoris *a*) alaeam (aliam *a*, alacam *c*) *SAac* interiectibus
fructum capere genus vetuit primum negligentiam vindemia-
toris alaeam *M*

³ antistitiores possit dare *Sobel* antistiores possit dare
clare *a*) *SAacM* antistes dare potest vulgo

⁴ post uvae vulgo add cum maturis, in uncis *Schn* om
SAacM, *Sobel*

lose the early vintage, which, being assailed by the plundings of buds and by rains or winds, usually comes to ruin. But if he should wish to gather the fruit of each kind at intervals of time, he must first take the risk of carelessness on the part of the vintagers, for it would be impossible to assign the same number of overseers,⁶ one to each man, to watch over them and give orders that the sour grapes shall not be gathered.

Moreover, when vines of different kinds ripen at the same time, the taste of the better kind is spoiled by the worse, and the flavour of many, when blended into one, becomes intolerant of age. And so necessity forces the farmer to market his wine when it is new, though it would bring a better price if the selling could be put off for a year, or at least until summer. Now the separating of varieties,⁷ mentioned above, has a very great advantage, in that the vinedresser can more readily give each its proper pruning when he knows the particular sort in that plot which he is pruning, and this is a difficult practice to observe in vineyards that are planted with many sorts of vines, because the greater part of the pruning is done during the time when the vine is not even bearing distinctive foliage. And it makes a great difference, according to the nature of each stock, whether the vinedresser allows the growth of more or fewer canes, whether he is encouraging the growth of the vine by leaving long shoots or re-

⁵ expedire *Ald*, *Gesn*

⁶ sic *SAac*, *vett* *edd* suam cuique facilius *vulgo*

⁷ disputat a deputet *Ald*, *Gesn*

⁸ Ac *SAacM* At *vulgo*

LUCIUS JUNIUS MODERATUS COLUMELLA

- 8 angusta putatione vitem coerceat Quin etiam quam
caeli partem spectet genus quodque vini plurimum
refert Neque enim omne¹ calido statu, nec iursus
frigido laetatur, sed est proprietas in surculis, ut
alii meridiano axe conualescant, quia sint calori
aptiores,² alii septentrionem desiderent, quia contri-
stentur³ aestu, quidam temperamento laetentur
9 orientis vel occidentis Has differentias servat pro
situ et positione locorum, qui genera per hortos
separat Illam quoque non exiguam sequitur utili-
tatem, quod et laborem vindemiae minorem patitur
et sumptum Nam ut quaeque virescere⁴ incipiunt,
tempestive leguntur, et quae nondum maturitatem
10 ceperunt uvae, sine dispendio differuntur, nec
pariter vetus⁵ atque tempestivus fluctus praecipitat
vindemiam, cogitque pluri operas quantocumque
pretio conducere Iam et illud magnae dotis est,
posse gustum cuiusque generis non mixtum sed vere
merum condere, ac separatim reponere, sive est ille
Bituricus seu Basilicus seu Spionicus⁶ Quae genera
cum sic diffusa sunt, quia nihil intervenit diversae
naturae quod repugnet perpetuitati,⁷ nobilitantur,
neque enim post annos quindecim vel paulo plures

¹ omni *SAac*, *edd ante Gesn*

² sin<t> calori <apti>ores *conecit L A Post* sicalori
ores *S* in sicaliores *A* nisi calidiores *ac om M* sunt
calidiores *vett edd* rigore vitantur *Ald, Gesn, Schn* num
sint caloris avidiores?

³ contristentur *SAac, edd ante Schn* contristantur *Schn*
quia sint contristentur *om M*

⁴ *sic scripsi* ut quae quae virescere (*ex viresgere corr*) *S*
ut quae quiescere *A* ut quae vinescere *a* ut quae quiescere *c*
ut quaeque restire *M* ut quaeque maturescere *Schn* ut
quae maturescere *Ald, Gesn*

⁵ vetus *SAacM* vietus *Schn*

⁶ spinosus *SA* spinosus *acM*

tarding it by close pruning Moreover, it is of very 8
 great importance what quarter of the heavens every
 kind of vineyard faces For not every kind thrives
 in a hot situation nor, on the other hand, in a cold
 one, but it is a peculiarity inherent in young
 vines that some thrive under a southern sky because
 they are better adapted to warmth, while others
 want a northern exposure because they are damaged
 by heat, and certain kinds delight in the moderate
 temperature of an eastern or western exposure
 One who separates the various sorts by sections has 9
 regard to these differences as to situation and setting
 He also gains no small advantage in that he is put
 to less labour and expense for the vintage, for the
 grapes are gathered at the proper time, as each
 variety begins to grow ripe,^a and those that have
 not yet reached maturity are left until a later time
 without loss, nor does the simultaneous ageing and 10
 ripening of fruit precipitate the vintage and force
 the hiring of more workmen, however great the cost
 Now this also is a great advantage, to be able to
 preserve the flavour of every variety—not blended,
 but true and genuine—and to put it away by itself,
 whether it be Bitumican or Basilican or Spionian
 These varieties, when racked off in this fashion,
 attain the rank of nobility, because nothing of a
 different sort enters in to counteract their keeping
 qualities, for even after fifteen years or a little

^a For Columella's method of determining the ripeness
 of grapes, see xi 2 67-69

⁷ *perpetuitati* *Schn* *per* *vetustatem* *vel* *perpetuitate*
Ursinus *perpetua* *tamen* *Sala* *perpetuo* *tamen* *c* *per*
potus *tamen* *vulgo*

LUCIUS JUNIUS MODERATUS COLUMELLA

deprehendi potest¹ ignobilitas in gustu, quoniam fere omne vinum eam qualitatem sortitum est ut
II vetustate acquirat bonitatem Quare, ut dicere institumus, utilissima est generum dispositio, quam si tamen obtinere non possis, secunda est ratio, ut diversae notae non alias conseras vites quam quae saporem consimilem fluctumque maturitatis eiusdem praebeant Potes² etiam, si te cura pomorum tangit, ultimis ordinibus in ea vineti fine qua subiacet septentrionibus, ne cum increverint obumbrent, cacumina ficorum pirorumve et malorum depangere, quae vel inseras interposito biennii spatio, vel si generosa sint, adulta transferas Hactenus³ de positione vinearum

Superest pars antiquissima, ut praecipiamus etiam cultus earum, de quibus sequenti volumine pluribus disseremus

¹ possit *SAac*

² Potes etiam *M*, et maluit *Schn* Posset iam *SAac* Potes iam *vulgo*

³ Hactenus *S*, *Schn* Haec *A*, et *vulgo* hoc *a* hec *c*
Nunc *M*

BOOK IV

LIBER IV

I Cum de vineis conserendis librum a me scriptum, Publi Silvini, compluribus agricolationis studiosis relegisses,¹ quosdam repertos esse ais,² qui cetera quidem nostra praecepta laudassent, unum tamen atque alterum reprehendissent quippe seminibus vineaticis nimium me profundos censuisse fieri scrobes adiecto dodrante super altitudinem bipedaneam, quam Celsus et Atticus prodiderant, singulasque viviradices singulis adminiculis parum prudenter contribuisse, cum permiserint idem illi auctores minore sumptu geminis materiis unius seminis³ diductis duo continua per ordinem vestire pedamenta

Quae utraque reprehensio⁴ ambiguam⁵ magis
 2 habet aestimationem quam veram Etenim, ut quod prius proposui prius refellam, si contenti bipedanea scrobe futuri sumus, quid ita censemus altius pastinare tam humili mensura vitem posituri? Dicit aliquis, “ ut sit inferior tenera subiacens terra, quae non arceat, nec duritiae sua repellat novas
 3 irrepentes radículas ” Istud quidem contingere⁶

¹ relegisse *SAac* relegissem *M* ² ais *om SAacM*

³ m u s *om AacM* et omnes ante *Schn* deinde deductis *AacM*, *vett edd*

⁴ reprehensio *S, Schn om AacM*, plerique *edd*

⁵ ambiguam *cM, edd ante Schn* abiarum *SA* abieram *a* avarum *Schn* Post ambiguam *inserunt cM* nisi antiquitus ita dici solitum erat

BOOK IV

I You say, Publius Silvinus, that when you had read over to several students of agriculture the book which I have written on the planting of vineyards, some persons were found who, indeed, had praise for the rest of our teachings, though they criticized one or two in that I advised the making of excessively deep trenches for vine plants by adding three-fourths of a foot to the two-foot depth which Celsus and Atticus had recorded, and that I had shown little wisdom in assigning each quickset to its individual support when those same authors allowed them, at less expense, to clothe two successive props in the same row with the branches of one vine separated into two parts

Both these objections are based upon false reasoning rather than true judgment. For, to refute first² what I first proposed, if we are to be content with a two-foot trench, why are we of such a mind as to work the ground deeper when we intend to set the vines at so shallow a depth? Some one will say, "So that there may be a lower layer of soft ground underneath which will not, by its hardness, check the young creeping rootlets or thrust them back." It is possible, indeed, to accomplish that end also if the³

⁶ continere *Aac*

LUCIUS JUNIUS MODERATUS COLUMELLA

potest etiam, si ager bipalio moveatur et deprimatur
 scrobis in iegesto, quod est fermentatum plus
 dupondio semisse, nam semper in plano effosa et
 regesta¹ humus tumidior² est quam gradus soli
 ciudi Nec³ sane positio seminum praealtum sibi
 4 cubile substerni desiderat, verum abunde est sempe-
 daneam consitis resolutam vitibus terram subiacere,⁴
 quae velut hospitali atque etiam materno sinu recipiat
 incrementa videntium Exemplum eius rei capia-
 mus⁵ in arbusto, ubi cum scrobes defodimus, admo-
 5 dum exiguum⁶ pulveris virradici subicimus Verior
 igitur causa est depressius pastinandi, quoniam iugata
 vineta melius consurgunt altioribus demissa⁷ scro-
 bibus Nam bipedanei vix etiam provincialibus
 agricolis approbari possint,⁸ apud quos humili statu
 vitis plerumque iuxta terram coeretur, cum quae
 iugo destinetur,⁹ altiore fundamento stabilienda sit,
 quando si¹⁰ modo scandit excelsius, plus alimenti
 6 terraeque desiderat Et ideo in maritandis arboribus
 nemo minorem tripedanea scrobem vitibus comparat
 Ceterum illa parum prudens¹¹ agricolarum studio
 praecipua esse¹² commoda humilis positionis, quod et

¹ effosa et regesta *scripsi* (cf XI 3 10), *praeunte Schn*,
 not reusos sed egesta *SAA* reusos sed et gesta *c* infusius
 egesta *M* reusius egesta *vulgo*

² humus dior (clior *c*) *SAcM* humidior *a* ³ quam *S*

⁴ subiacere *cM*, *vett edd* subiaceret *SAA* subicere *vulgo*

⁵ capimus *S* ⁶ exigui *SAac*, *edd ante Schn*

⁷ demersa *scripsi* demessa *S* dimissa *Aac* demissa *M*, *edd*

⁸ possint *SAac* possunt *M*, *edd*

⁹ destinetur *SAacM*, *vett edd* destinatur *Ald*, *Gesn*, *Schn*

¹⁰ sic *scripsi cum Schn*, not si modo quando *SAA*, *vett*
edd et (*om c*) si modo (quando *om*) *c*, et *vulgo* si quō qñ *M*

¹¹ prudens *SAacM*, *vett edd*, *Sobel* prosunt *Ald*, *Gesn*,
Schn

¹² esse *SAA*, *Sobel* esset *c om M*, *Ald*, *Gesn*, *Schn*

BOOK IV 1 3-6

ground is stired with the trencheding-spade^a and the trench sunk in the upturned earth, which is swollen to more than two feet and a half,^b for always, in level ground, earth that is thrown out and then back again swells higher than the level of the unbroken ground. And surely the setting of plants does not require that a very deep bed be spread beneath them, but it is sufficient that half a foot of loose earth lie 4 beneath the planted vines, that it may, so to speak, receive the increase of the growing plants into its hospitable—I might say even maternal—bosom. Let us take an instance of this in the arbustum^c where, after digging planting-holes, we throw a very small bit of dust under the quickset. There is, then, a 5 truer reason for trencheding the ground deeper, in that “yoked”^d vineyards grow up better when planted in deeper holes. For two-foot holes could hardly be approved even by farmers in the provinces, with whom a vine is usually of low stature and kept close to the ground, while one that is intended for the yoke (trellis) must be steadied by a deeper foundation, since if it merely climbs higher, it demands 6 more nourishment and more earth. And on this account, in wedding vines to trees, no one prepares a planting-hole less than three feet deep for the vines. But it is with little insight into the interests of husbandmen, that he remarks that there are peculiar advantages in shallow planting, in that

^a *I e*, to a depth of about two feet. Cf III 5 3, note, XI 3 11, *De Arb* 1 5

^b As prescribed for level ground. On the various depths of trenching and the proportionate swelling of the earth, see, e.g., III 13 8, XI 3 10

^c See III 2 9, note

^d *I e* vines trained to *viga* (yokes). See III 2 8, note

LUCIUS JUNIUS MODERATUS COLUMELLA

celester adolescent semina quae non fatigentur¹ multo soli pressa pondere, fiantque uberiora quae leviter suspensa sint Nam utraque ista Iuli Attici ratio convincitur exemplo arbustivae positionis, quae scilicet multo validiorem fertilioremque stirpem reddit, quod non faceret,² si laborarent altius
 7 demersa semina Quid quod pastinati³ humus, dum est recens soluta laxataque, velut fermento quodam intumescit⁴ cum deinde non longissimam cepit vetustatem, condensata subsidit,⁵ ac velut innatantes radices vitium summo solo destituit⁶ Hoc autem minus accidit nostiae sationi, in qua maiore mensura vitis demittitur Nam quod in profundo semina frigore laborare dicuntur, nos
 8 quoque non diffitemur Sed non⁷ est dupondii et dodrantis altitudo, quae istud efficere possit, cum praesertim, quod paulo ante rettulimus, depressior arbustivae vitis satio tamen effugiat praedictum incommodum

II Alterum illud, quod minori impensa⁸ duos palos unius seminis flagellis censent⁹ maritari, falsissimum est¹⁰ Sive enim caput ipsum demortuum est, duo viduantur statumina, et mox viviradices totidem substituendae sunt, quae numero suo rationem cultoris onerant sive tenuit,¹¹ et ut saepe evenit,

¹ fatigantur *AacM*, et vulgo ante *Schn*

² faceret *SAaM*, *Sobel* facerent vulgo, deinde si non laborarent *Aac*, et vulgo ante *Schn*

³ pastinati *SAacM*, *Sobel* repastinata vulgo

⁴ subsidet *M* subsidii *SAac*, *vett edd*

⁵ non om *SAa*, *vett edd*

⁶ impensa *M* pensa *SAac*

⁷ flagellis censet *M* flagelliscent *SAac*

⁸ falsum est *M*, *edd* ante *Schn* est om *SAac*

⁹ tenuit *S*, *Sobel* lenuit (ut vid) *Aa* lenuit c vivit *edd*

plants grow up quickly when they are not wearied and pressed down by a great weight of soil, and that plants which are lightly supported become more productive. For both these arguments of Julius Atticus are overthrown by the case of planting beside trees, which obviously makes the vine much stronger and more fruitful, which would not be the case if the plants were suffering from being sunk too deep. What answer is there to this—that the soil of a 7 trenched plot, while it is newly broken up and loosened, swells up as though by some process of leavening² and then, when it has taken on no great length of age, it is packed, and settles, and leaves the roots of the vines swimming,^a so to speak, on the surface of the ground? But this does not happen to my way of planting, in which the vine is put down to a greater depth. Now, as to the argument that deep-set plants are said to suffer from cold, this too we do not 8 deny. But a depth of two and three-fourths feet is not such that it can produce that effect, especially since, as we said a little before, the vine, though planted deeper beside a tree, still escapes the aforesaid discomfort.

II The other point, their belief that two stakes are wedded with the shoots of one plant at less expense, is most falsely taken. For if the head dies, two props are bereft, and presently there must be a substitution of the same number of quicksets, which, by their number, burden the accounts of the vinedresser, or, if it takes hold and, as often happens, is of a black

^a Cf. Quintilian, X 7 28, *innatans illa verborum facilitas in altum reducetur, sicut rustici proximas vitis radices amputant, quae illam in summum solum ducant, ut inferiores penitus descendendo firmentur*

LUCIUS JUNIUS MODERATUS COLUMELLA

vel nigri est generis vel parum fertilis, non in uno sed in pluribus pedamentis fluctus claudicat. Quamquam etiam generosae stirpis vitem sic in duos palos divisam rerum iusticarum prudentiores existimant
 2 minus fertilem fore, quia cratem factura sit. Et ideo veteres vineas mergis propagare potius quam totas sternere idem ipse Atticus praecipit, quoniam mergi mox facile radidentur,¹ ita ut quaeque vitis suis radicibus tamquam propius fundamentis innitatur. Haec autem, quae toto est prostrata corpore cum inferius solum quasi cancellavit atque metivit, cratem facit et pluribus radicibus inter se conexas angitur,² nec aliter quam si multis palmitibus gravata
 3 deficit. Quare per omnia praetulerim duobus potius seminibus depositis, quam unico periclitari, nec id velut compendium consecrari, quod in utramque partem longe maius adferre possit dispendium. Sed iam prioris libri disputatio repetit a nobis promissum sequentis exordium.

III In omni genere impensarum, sicut ait Graecinus, plerique nova opera fortius auspicantur quam tuentur perfecta. Quidam, inquit, ab inchoato domos exstruunt, nec peraedificatis cultum adhibent. Nonnulli strenue fabricant navigia, nec consummata perinde instruunt armamentis ministrisque. Quosdam emacitas in armentis, quosdam exercet in
 2 comparandis mancipiis de tuendis³ nulla cura.

¹ radidentur *Sobel* radicantur *vulgo* redigentur *SAac* redigantur *M*

² angitur *S* an igitur *AacM*

³ sic *Schn* mancipiis idem tuendis *S* in de emptuendis *A* in intuendis *a* mancipiis sed idem tuendis *cM*, plerique *edd*

^a *I e*, whether the plant dies, or lives as an inferior vine

sort or not sufficiently productive, the fruit falls
 short, not on one prop alone, but on more than one
 And men of more than ordinary insight into agri-
 cultural affairs think that even a vine of noble stock,
 when it is so divided upon two stakes, will be less
 fruitful because it is sure to form a mat of inter-
 twined roots For this reason the very same Atticus 2
 directs us to propagate old vineyards by layers
 rather than by spreading the whole vines flat,
 because layers soon and easily strike root so that
 each vine rests upon its own roots as though upon
 proper foundations But a vine that has its whole
 body laid flat, by making a sort of lattice-work and
 entanglement of roots in the soil beneath, forms a
 mat and is choked by the intertwining of over-many
 roots, and it fails just as if it were burdened with
 many branches Therefore I should prefer, on every 3
 account, to risk the setting of two plants rather
 than one, and not to pursue as gain a course which,
 considered from either side,^a may bring far greater
 loss But now the argument of the previous book
 demands of us the beginning of the next as pro-
 mised

III In every sort of costly enterprise, just as Grae-
 cinus says, most men enter upon new works with more
 vigour than they maintain them when finished
 Some, he remarks, erect houses from the very founda-
 tion, and then fail to bestow care upon the finished
 buildings Some are active in the building of ships,
 but do not fit them out accordingly with gear and
 crews when they are completed Some have a fond-
 ness for the buying of cattle, and some for acquiring
 slaves, but they are moved by no concern over the
 keeping of them Many also, by their inconstancy, 2

LUCIUS JUNIUS MODERATUS COLUMELLA

tangit Multi etiam beneficia quae in amicos
 contulerunt, levitate destruunt Ac ne ista, Silvine,
 miremur, liberos suos nonnulli nuptis votisque
 quaesitos avare nutriunt, nec disciplinis aut ceteris
 corporis excolunt instrumentis Quid his colligitur?
 Scilicet plerumque simili generæ peccati etiam ab
 agricolis, qui pulcherrime positas vineas, antequam
 3 pubescant, variis ex causis destituunt alii sumptum
 annum refugientes, et hunc primum redditum certissi-
 mum existimantes, impendere nihil, quasi plane fuerit
 necesse vineas facere, quas mox avaritia desereant
 Nonnulli magna potius quam culta vineta possidere
 pulchrum esse ducunt ¹ Cognovi iam plurimos, qui
 persuasum haberent agrum bonis ac malis rationibus
 4 colendum At ego, cum omne genus ruris, nisi
 diligenti ² cura sciteque exerceatur, fructuosum ³
 esse non posse iudicem, tum vel maxime vineas
 Res enim est tenera, infirma, iniuviae maxime impa-
 tiens, quae plerumque nimia laboret ⁴ ubertate,
 consumitur enim, si modum non adhibeas, ⁵ fecundi-
 tate sua Cum tamen aliquatenus se confirmavit et
 veluti iuvenile robur accepit, negligentiam sustinet
 5 Novella vero, dum adolescit, nisi omnia iusta perce-
 perit, ad ultimam redigitur ⁶ maciem, et sic intabescit
 ut nullis deinceps impensis recreari possit Igitur

¹ dicunt *SACM*

² diligenti *SA*

³ fructui *SAA, vet. edd*

⁴ nimio (enimio *a*) labore et *acM* nimio labore et ubertate
 consumitur peritque *vulgo ante Schn*

⁵ habeas *SAA*

⁶ reducitur *acM*

undo the kindnesses that they have done to their friends And that we may not wonder at these statements, Silvinus, some men are niggardly in the nurture of their children—objects of their marriage ties and solemn prayers—and do not look to their improvement through the training of the mind or through the general furnishings of the body What is the inference from all this? Obviously that errors of like nature are commonly made by husbandmen also, who for various reasons abandon their most beautifully planted vineyards before they reach the age of bearing, some shrinking 3 from the yearly expense and thinking it the first and surest income to have no outgo at all, as if they were under an absolute necessity of making vineyards, only to quit them presently because of their greed Some consider it a fine thing to have extensive rather than well-tended vineyards I have known a very great number also who were convinced that their land must be cultivated, whether by good methods or bad But my judgment would be, not only that every kind 4 of land cannot be profitable unless it is worked skilfully and with painstaking care, but that this is especially true of vineyards For the vine is a tender thing, weak, and exceedingly intolerant of ill treatment, and it commonly suffers from over-productiveness, for, unless you place a limit upon it, it is exhausted by its own fertility And yet when it has strengthened itself somewhat and has, as it were, taken on the vigour of youth, it endures neglect But a newly 5 planted vine, unless it receives every proper care while it is growing up, is reduced to extreme emaciation, and it pines away to such a degree that it can never be restored by any expenditure thereafter

LUCIUS JUNIUS MODERATUS COLUMELLA

summa cura ponenda sunt quasi fundamenta, et ut membra infantium a primo statim die consitionis formanda, quod nisi fecerimus, qm̄nis impensa in cassum iecidat, nec praetermissa cuiusque rei tempestivitas revocari queat

6 Experto mihi crede, Silvīne, bene positam vineam bonique generis et bono cultorē numquam non cum magno faenore gratiam reddidisse Idque non solum ratione sed etiam exemplo nobis idem Gracīnus declarat eo libro, quem de vineis scripsit,¹ cum refert ex patre suo saepe se audire solitum, Paridium quendam Veterensem vicinum suum duas filias et vineis consitum habuisse fundum, cuius partem tertiam nubenti maiori filiae dedisse in dotem, ac nihilo minus aequē magnos fructus ex duabus partibus eiusdem fundi percipere solitum, minorem deinde filiam nuptum collocasse in dimidia parte reliqui agri, nec sic ex pristino redditu detraxisse Quod quid convincit? Melius² scilicet postea cultam esse tertiam illam fundi partem quam antea universam³

IV Et nos igitur, Publī,⁴ magno animo vineas ponamus, ac maiore studio colamus Quarum consitionis sola illa commodissima ratio est, quam priore tradidimus exordio, ut facta in pastinato scrobe vitis a media fere parte sulci prosternatur, et ad

¹ eo libro scripsit *om SA*

² convicit (convincit *c*) nisi melius *acM* quo quid convicit?
nisi melius *vulgo ante Schn*

³ universa sunt *SA*

⁴ Silvīne *add Ald, Gesn, Schn om SAacM*

Therefore the foundations, so to speak, must be laid with the greatest care, and from the very first day of its planting it must be moulded into shape, just as the bodies of young children must be shaped, and if we have failed to do this, the whole outlay comes to naught, and once neglected the proper time for each operation cannot be recalled

Believe it from my experience, Silvinus, that a vineyard well planted, of good kind, and under the care of a good vine-dresser, has never failed to make recompense with big interest And the same Graecinus makes this clear to us, not only by argument but also by example, in that book which he wrote on the subject of vineyards He relates that he often used to hear his father say that a certain Paridius Veterensis, his neighbour, had two daughters, and also a farm planted with vineyards, that he presented one-third of this farm to the older daughter as a dower when she married, and that, none the less, he used to take equally large yields from the remaining two-thirds of the farm, that he next married off the younger daughter with a half portion of the land that was left, and, even so, took away nothing from its old-time revenue What does this prove? Why, obviously, that that one third of the farm was better tended afterward than the whole farm had been before

IV And so, Publius, let us plant our vineyards with great resolve, and tend them with greater zeal And the most convenient method of planting them is that one alone which we proposed in the preceding book ^a that, after making a planting-hole in prepared ground, the vine be laid flat from about the middle point of the trench, and that its firm

LUCIUS JUNIUS MODERATUS COLUMELLA

frontem eius ab imo usque recta materies exigatur calamoque applicetur, id enim praecipue observandum est, ne similis sit alveo scrobis, sed ut expressis angulis velut ad perpendicularum frontes eius dirigantur. Nam vitis supina et velut recumbens¹ in alveo deposita, postea quum² ablaqueatur, vulneribus obnoxia est. Nam dum exaltare fortius orbem ablaqueationis fossor studet, obliquam vitem plerumque sauciat et non numquam praecidit. Meminerimus ergo usque ab imo scrobis solo rectum adminiculo sarmentum applicare et ita in summum perducere. Tum cetera, ut priore libro praecipimus. Ac deinde³ duabus gemmis super extantibus terram coaequare. Deinde malleolo inter ordines posito crebris fossionibus⁴ pastinatum resolvere⁵ atque in pulverem redigere. Sic enim optime et viviradices et reliqua semina, quae deposuerimus, convalescent, simul ac⁵ tenera humus nullis herbis irrepentibus umorem stirpibus praeberit, nec duntaxat soli novellas adhuc plantas velut arto⁶ vinculo compresserit.

V Numerus autem vitendi soli bidentibus, ut verum fatear, definiendus non est, cum quanto

¹ et velut recumbens *om SA*

² quum *Gesn, Schn* quam *SA ac M*

³ Ac deinde] et *SA, velt edd*

⁴ positionibus (fossionibus *suprascr S*) *SA*

⁵ si mollis ac *ac M, et vulgo ante Schn*

⁶ arcto *M, et vulgo* alto *SA* arto alto *a* arecto *c*

wood be raised straight up from the very bottom along the end of the trench and fastened to a reed. For especial care must be taken that the planting-hole be not trough-shaped, but that its ends be drawn up straight, as though to a plumb-line, with clear-cut angles. For a vine that lies slantwise and is set 2 in a trough in a leaning posture, so to speak, is subject to damage thereafter when the ground is loosened around it,^a for the digger, in his eagerness to deepen the circle of loosened ground, usually wounds a vine that is aslant, and sometimes he cuts it off.^b We shall remember, then, to fasten the sprig straight up to its prop from the very bottom of the hole, and so bring it to the surface. Then in other matters, to do as we directed in the preceding book, and next, leaving two eyes standing above ground, to level off the surface. Then, after planting the mallet-cutting between the rows, to loosen the trenched ground anew by frequent digging and reduce it to powder. For it is in this way that quick- 3 sets and other plants that we have set out will best gain strength, when once the softened earth supplies moisture to the roots without allowing weeds to creep in, and when the hardness of the soil does not choke the still tender plants as though with close-fitting bonds.

V Moreover, to confess the truth, no limit should be set to the number of times that the ground is to be turned by the hoes, since it is agreed that the more

^a The operation of loosening the soil about the roots of a plant, to admit air and moisture, is summed up in the convenient, though now obsolete, word "ablaqueation." Cf II 14 3, note *a*

^b So Palladius, II 10 3

LUCIUS JUNIUS MODERATUS COLUMELLA

crebrior sit, plus prodesse fassionem conveniat Sed quoniam impensarum ratio modum postulat, satis plenisque¹ visum est, ex Calendis Martius usque in Octobres tricesimo² quoque die novella vineta confodere, omnesque herbas et praecipue gramina exstipare, quae nisi manu eliguntur et in summum reiciuntur, quantulacumque parte adobiuta sunt, reviviscunt, et vitium semina ita perurunt, ut scabra atque retorrda efficiant

VI Ea porro, sive malleolos³ seu viviradices deposumus, optimum est ab initio sic formare, ut frequenti pampinatione supervacua detrahamus,⁴ nec patiamur plus quam⁵ in unam materiam vires et omne alimentum conferre Primo tamen bini pampini summittuntur, ut sit alter subsidio si alter² forte deciderit Cum deinde paulum induruere⁶ virgae, tum singulae⁷ detrahuntur Ac ne quae relictæ sunt procellis ventorum decutiantur, molli et laxo vinculo adsurgentes subsequi conveniet, dum claviculis suis quasi quibusdam manibus adminicula³ comprehendant Hoc si operarum penuria facere prohibebit⁸ in malleolo, quem et ipsum pampinare

¹ plerique *SAC*

² tricesimo *SA* trigesimo *acM*

³ malleolo *SAac* malleolo seu viviradice *vulgo ante Schn*

⁴ detrahamur *Sa* detramur *A* detrahantur *M*, et *vulgo ante Schn*

⁵ quam *om Schn*

⁶ induere (*sed corr A*) *SAC*

⁷ sic *SAacM*, *vett edd* deteriores singulae *Ald*, *Gesn*, *Schn*

⁸ prohibebit *SACM* probibet *a*, *edd*

frequent it is, the more beneficial is the digging. But, since consideration for expenses demands some limit, it has seemed sufficient to most people to dig newly planted vineyards every thirtieth day from the Calends of March^a up to October, and to root out all weeds and especially grasses, for these, unless pulled out by hand and thrown on the surface, return to life when any least part of them is covered with earth, and so scald the vine-plants as to make them scaly and shrivelled.

VI Furthermore, whether we have planted cuttings or quicksets, it is best to train the vines from the beginning in such a way as to remove superfluous growth by frequent leaf-pruning, not allowing them to bestow their strength and all their nourishment upon more than one branch of firm wood^b. Yet two shoots are allowed to grow at first, that one may be a reserve if the other should happen to die. Later, when the green branches have 2 hardened somewhat, one of each pair is removed. And that those which are left may not be beaten off by squalls of wind, it will be best to follow them up, as they grow, with a soft and loose band, until they catch hold of their props with their tendrils as though with hands^c. If shortage of help prevents the 3 carrying out of this kind of labour in the case of the

^a Palladius, VI (May) 2, gives similar instructions for the trimming away of useless foliage (*pampiniatio*), and adds, like Columella (IV 7 1), that the task should be performed at a time when the young twigs snap easily with pressure of the fingers. Cf Varro, *R R* I 31 2, Col IV 27 6, 28 1, with note.

^c Cf Cicero, *De Sen* 15 52, *Vitis quidem, quae natura caduca est et, nisi fulta est, fertur ad terram, eadem, ut se erigat claviculis suis quasi manibus, quicquid est nacta, complectitur*.

LUCIUS JUNIUS MODERATUS COLUMELLA

censemus, at certe in ordinatis vitibus utique obtinendum est, ne pluribus flagellis emacientur, nisi si propaginibus futuris prospiciemus,¹ sed ut singulis materis seiviant, quarum incrementa elicere debemus,² applicato longiore adminiculo, per quod propieant in tantum ut sequentis anni iugum
 4 exsuperent et in fructum curvari possint Ad quam mensuram cum increverint, cacumina infringenda sunt, ut potius crassitudine convalescant quam super-
 vacua longitudine attenuentur Idem tamen sarmen-
 tum, quod in materiam summittimus, ab imo usque
 in tres pedes et semissem pampinabimus,³ et omnes
 eius intra id spatium nepotes enatos saepius de-
 5 cerpemus⁴ Quicquid deinde supra germinaverit,
 intactum relinqui oportebit⁵ Magis enim conve-
 niat⁶ proximo autumno falce deputari superiorem
 partem quam aestivo tempore pampinari, quoniam ex
 eo loco, unde nepotem ademeris, confestim alterum
 fundit, quo enato, nullus relinquitur oculus in ipsa
 materia qui sequenti anno cum fructu germinet
 VII Omnis autem pampinationis ea⁷ est tempesti-
 vitas, dum adeo teneri palmites sunt, ut levi tactu
 digiti decutiantur Nam si vehementius induru-

¹ efficiemus *SAa*

² eligere debemus (debemus *a*) *SAacM*, *Ald* elicere debemus *Schn*

³ ab imo pampinabimus *om SA*

⁴ discerpemus (des *a*) *SAa*

⁵ intractu relicto portavit *SA*

⁶ conveniet *acM* convenit *Gesn*, *Schn om SA*

⁷ ea *om S*, add *man alt A*

^a Columella appears to use *nepos* to mean both "water sprouts" or "stock shoots," sprouting from unfruitful

cutting—and we advise the pruning of this also—at any rate it must be brought about without fail in the case of vines planted in rows that they are not sapped of their strength by too many shoots, unless we are looking forward to future propagation by layers, but that they devote themselves each to one cane, whose growth we should encourage by applying a prop of greater length, along which they may creep up to such a height as to rise above the frame of the following year and to be bent over for bearing. When they have grown up to this 4 height, their tops should be broken off, so that they may rather grow in thickness and strength than make a slender growth of useless length. However, we will leaf-prune this same stem, which we let grow into firm wood, up to three and one-half feet from the bottom, and will frequently pull off all the stock-shoots that sprout from it within this space. Anything that sprouts forth then 5 above that point shall be left untouched. For it will be better that the upper part be cut away with the pruning-knife the following autumn than that superfluous shoots be removed in summer time, since from that spot from which you have taken the secondary shoot ^a it immediately puts forth a second, and when this has sprouted, there remains in the firm wood no eye to sprout and produce fruit the following year.

VII But the proper time for removing all superfluous growth is while the shoots are so tender that they may be struck off by a light touch of the finger. For if they have hardened to a greater degree, they wood, and “secondary shoots” or “laterals” growing out of fruiting canes

LUCIUS JUNIUS MODERATUS COLUMELLA

erunt,¹ aut maiore nisu convellendi sunt aut falce deputandi, quod utrumque vitandum est alterum, quia lacerat matrem, si revellere coneris, alterum, quia sauciat, quod in viridi et adhuc stirpe immatura
 2 fieri noxium est Neque enim eatenus plaga constitit² qua vestigium fecit acies, sed aestivis caloribus falce vulnus penitus impressum³ latius inarescit ita ut⁴ non minimam partem de ipso matris corpore necet⁵ Atque ideo si iam caulibus duris falcem adhiberi necesse est, paulum ab ipsa matre recidendum⁶ est, et velut reseces relinquendi sunt, qui caloris excipiant iniuriam eatenus qua nascuntur a latere palmites, ultra enim non serpit vaporis violentia
 3 In malleolo similis ratio est pampinandi et in longitudinem eliciendi⁷ materiam, si eo velimus anniculo uti, quod ego saepe feci Sed si propositum est utique recidere, ut bimo potius utamur, cum ad unum pampinum iam redegeris et is ipse excesserit pedalem longitudinem, decacuminare conveniet, ut in cervicem⁸ potius confirmetur et sit robustior Atque haec positorum seminum prima cultura est

VIII Sequens deinde tempus, ut prodidit Celsus, et Atticus, quos iure maxime nostra aetas probavit, amphorem curam deposcit Nam post Idus Octobris,

¹ sic *SAaM* induruerint *c*, et vulgo

² constitit *SAacM*, *vett edd* consistit vulgo

³ impressum et latius *SAac* 1 in latum *M*

⁴ ita ut] aut *SA* ut *om a* ⁵ enecet *M*, et vulgo

⁶ id paulum recidendum *ac*, *vett edd*, 11 paulum recidendi (est *om*) *Ald*, *Gesn* [11] paulum edendum (recedendum in *Corrig*) *Schn* id (11) paulum resices *om SA*

⁷ eligendi *AacM*, *vett edd*

⁸ inter vitem *SAac* in cervice *M*

must either be pulled off with a greater effort or cut away with the pruning-knife, both of which are to be avoided the one, because it tears the parent vine if you try to pull them off, the other, because it wounds the vine, which is a harmful thing to do in a stem that is green and not yet mature For the injury does ² not stop at the exact spot where the edge of the knife made its mark, but in the heat of summer a wound deeply imprinted by the knife dries up to a greater breadth, with the result that it kills more than a small part of the very body of the mother And for this reason, if it is necessary that the knife be applied to stems that have already hardened, the cut must be made at a little distance from the mother vine, and spur-like ends ^a must be left to take upon themselves the injury of the heat up to the place where the shoots sprout from her side, for the heat's energy creeps no farther In the case of the cutting there ³ is a similar method of pruning and of encouraging length of wood, if we wish to use a cutting of one year, which I have often done But if it is your fixed intention to cut it off, so as to use it rather when it is two years old, when you have now reduced it to one shoot and that shoot has exceeded one foot in length, it will be proper to lop off its head, that it may be strengthened rather up to the neck and have more vigour And this is the first step in the cultivation of plants after they are set

VIII The period next following, as Celsus has recorded, and Atticus too—men whom our age has especially and rightfully approved—demands greater care For after the Ides of October,^b before the

^b Oct 15th Compare with this chapter Palladius, XI (Oct) 5

LUCIUS JUNIUS MODERATUS COLUMELLA

prius quam frigora invadant,¹ vitis ablaqueanda est
 Quod opus adapertas ostendit aestivas radículas,
 easque piudens² agricola ferro decídit³ Nam si
 passus est convalescere, inferiores deficiunt, atque
 event ut vinea summa parte terreni radices agat,
 quae et frigore infestentur et caloribus maiorem in
 modum aestuent ac vehementer sitire matrem Cani-
 2 culae ortu⁴ cogant Quare quicquid intra sesqui-
 pedem natum est, cum ablaqueaveris, recidendum
 est Sed huius non eadem ratio est amputandi quae
 traditur in superiore parte vitis Nam minime
 adlevanda⁵ plaga est, minimeque applicandum⁶
 ferramentum ipsi matri, quoniam si iuxta truncum
 radicem praecideris, aut ex cicatrice plures enascen-
 tur, aut⁷ hiemalis, quae consistit in lacusculis⁸
 ablaqueationis aqua, brumae congelationibus nova
 vulnera peruret et ad medullam penetrabit Quod⁹
 ne fiat, recedere¹⁰ ab ipso codice instar unius digiti
 spatio conveniet, atque ita¹¹ radículas praecidere,
 quae sic ademptae non amplius pullulant, et a cetera
 noxa truncum defendunt Hoc opere consummato,
 si est hiems in ea regione placida, patens vitis re-
 linquenda est, sin violentior hoc¹² facere nos pro-

¹ invadunt *M, Schn*

² aesque frondes (frundens *A*) *SA*

³ cecidit *SAa* excidit *M*

⁴ Caniculae ortu *Sobel* ac niculae ortū *S* agniculae
 ortū *A* canicule in ortu *M* canicule vehementer ortu *c* in
 ortu caniculae *a, edd*

⁵ adlevanda *edd* ablaqueanda *SA* allaqueanda *a*
 oblaqueanda *cM*

⁶ adlevandum *S* ad levandum *A*

⁷ pube nascentur ut *SA*

⁸ quae lacusculis *om SAac* ex pluvius post quae
add edd

⁹ penetrabit, quod *edd*

coming of cold weather, the vine must be ablaqueated^a This operation lays bare the summer rootlets, and the wise husbandman cuts these off with a knife For if he allows them to grow strong, the lower roots waste away, and the result is that the vine puts out its roots at the very surface of the earth, to be injured by the cold and burned to a greater degree by the heat, and to force a violent thirst upon the mother vine at the rising of the Dog Star For² this reason, when you ablaqueate the vine, anything that has sprouted out of it within a foot and a half must be cut off But the method of this root-pruning is not the same as that proposed for the upper part of the vine For the wound is not to be smoothed off, and by no means is the knife to be applied to the mother herself, because, if you cut away a root close to the stock, either more roots will spring from the scar, or the rains of winter which stand in hollows in the loosened soil will gall the fresh wounds by freezing in midwinter and will penetrate to the very pith^b That this may not happen, it will be proper to keep a distance of about one finger's breadth from the stock itself, and so to trim off the small roots, when they are removed in this manner, they sprout out no more and protect the stem from further injury When this³ work is finished, the vine should be left exposed if the winter is mild in that region, but if a more severe

^a Cf IV 4 2, note^b Cf *De Arb* 5 3¹⁰ recidere *Aac*, *edd ante Gesn* reciderere *M*¹¹ ita om *SACM*¹² hoc *M* hic *SAac* id *edd*

LUCIUS JUNIUS MODERATUS COLUMELLA

hibet, ante Idus Decembris praedicti lacusculi coaequandi sunt Si vero etiam praegehda frigora regionis eius suspecta erunt, aliquîd fimi, vel, si¹ est commodius, columbini stercoreis, aut in hunc usum praeparatae veteris urinae senos sextarios, antequam vitem adobruas, radicibus² superfundes
 4 Sed ablaqueare omnibus autumnis oportebit primo quinquennio, dum vitis convalescat ubi vero truncus adoleverit, fere triennio intermittendus est eius operis labor Nam et minus ferro crura vitium laeduntur,³ nec tam celeriter radiculæ inveterato iam codice enascuntur⁴

IX Ablaqueationem deinde sequitur talis putatio, ut ex praecepto veterum auctorum vitis ad unam virgulam revocetur, duabus gemmis iuxta terram relictis Quae putatio non debet secundum articulum fieri, ne reformidet oculus, sed medio fere internodio ea plaga obliqua falce fit, ne, si transversa fuerit cicatrix, caelestem superincidentem⁵ aquam
 2 contineat Sed nec ad eam partem, qua est gemma, verum ad posteriorem declinatur, ut in terram⁶ potius deversa quam in germen delacrimet Namque defluens⁷umor caecat oculum nec patitur crescere⁸

X Putandi autem duo sunt tempora⁹ melius autem, ut ait Mago, vernum, antequam surculus progerminet, quoniam umoris plenus facilem plagam

¹ quod *cM*, *Schn*

³ laedantur *SA*

⁵ superincidentem *SAacM*

⁷ depluens *SA*, *Schn*

⁸ crescere *SAaM* frondescere *c*, *edd*

⁹ genera *S*

² radicis *SA*

⁴ enascantur *A*

⁶ interdum *SAacM*

winter prevents our doing this, the above-mentioned hollows must be levelled off before the Ides of December ^a In fact, if there is a suspicion of extremely cold weather for that region, you will spread some stable-dung or, if more convenient, some pigeon dung over the roots before you bury the vine, or you will pour over them six ^{sextarii} of stale urine previously made ready for such use But it will be necessary to ⁴ ablaqueate the vine every autumn for the first five years, until it grows strong However, when the main stem has come to maturity, this task may be omitted for about three-year intervals, for the lower parts ^b of the vine receive less injury from the iron, and small roots do not shoot out so rapidly, now that the stock has become old

IX Ablaqueation is then followed by pruning, in such a manner that the vine is reduced to one small rod, according to the directions of ancient authorities, leaving two eyes close to the ground This pruning should not be done next to the joint, lest the eye be checked in its growth, but an oblique cut is made with the knife about midway between the joints, lest, if it be crosswise, the scar may hold the rain that falls upon it But the slope is made, not toward the ² side where the bud is, but to the opposite side, so that it may shed its tears upon the ground rather than upon the bud For the sap that flows down from it blinds the eye and does not allow it to grow ^c

X There are two seasons for pruning, but the better time, as Mago says, is in the spring, before the shoot puts forth its buds, because, being full of

^a Dec 13th

^b Lit the legs

^c Cf Pliny, *N H* XVII 192

et levem et aequalem accipit, nec falci repugnat
 Hunc autem secuti sunt Celsus et Atticus Nobis
 neque angusta putatione coercenda semina videntur,
 nisi si admodum invalida sunt, neque utique verno
 2 recidenda Sed primo quidem anno, quo sunt posita,
 frequentibus¹ fassionibus omnibus mensibus dum
 fiendent ac pampinationibus adiuvanda sunt, ut
 robur accipiant, nec plus quam uni materiae serviant
 Quam ut educaverint, autumno vel vere, si magis
 competit,² adradenda, et nepotibus, quos pampinator³
 in superiore parte omiserat, liberanda censemus,
 atque ita in iugum imponenda Ea enim levis
 et recta sine cicatrice vinea est quae se primi
 anni flagello supra iugum extulit, quod tamen
 apud paucos agricolas et raro contingit, ideoque
 praedicti auctores primitias vitis resecare cen-
 3 suerunt⁴ Sed nec utique verna omnibus regionibus
 melior putatio est nam ubi caelum frigidum est, ea
 sine dubio eligenda est, ubi vero aprica loca sunt,
 mollesque hiemes, optima et maxime naturalis est
 autumnalis, quo tempore divina quadam lege et
 aeterna fructum cum fronde stirpes deponunt

XI Hoc facere, sive viviradicem sive malleolum
 conseveris, censeo Nam illam veterem opinionem
 damnavit usus non esse ferro tangendos⁵ anniculos
 malleolos quoniam reformident Quod frustra Ver-
 gilus et Saserna Stolonesque et Catones timuerunt,
 qui non solum in eo errabant, quod primi anni capil-

¹ frequentius *SA*

² competit *edd* competent (con *SA*) *SAacM*

³ pampinatione *SAA, vet edd*

⁴ consuerunt *A* consueverunt *ac*

⁵ tangendos *vulgo* frangendos *SAacM*

sap, it allows an easy, smooth, and even cut, and does not resist the knife Celsus and Atticus, moreover, have followed his method To us it seems that plants should not be held back by close pruning unless they are very weak, and that by all means they should not be cut in the spring But, to be sure, in the first year 2 that they are set out they should be aided, every month while they are in leaf, by frequent digging and by leaf-pruning, so that they may gain strength and support not more than one branch of firm wood And when they have reared this they should be trimmed clean, in our opinion, in the autumn, or in the spring if it is more convenient, and freed from secondary shoots which the leaf-pruner had left on the upper part, and so they should be placed upon the frame For it is the smooth and straight vine, without a scar, that overtops the frame with a rod of the first year This happens, however, with few farmers, and seldom, and for that reason the aforementioned authors thought it best to cut off the first shoots of the vine But in any case, spring prun- 3 ing is not preferable in all regions for where the climate is cold, that time of pruning is doubtless to be chosen, but in regions that are sunny, where winters are mild, the best and most natural pruning is that of autumn, at which season, by some divine and eternal law, plants drop both fruit and foliage

XI This, I believe, is the thing to do, whether you have planted a quickset or a cutting For experience has condemned that long-standing belief that year-old cuttings should not be touched with the knife because they have a dread of it This was a matter on which Vergil ^a and Saseina and the Stolos and the Catos ^b had groundless fears, and they were mistaken, not

LUCIUS JUNIUS MODERATUS COLUMELLA

lamenta seminum intacta patiebantur, sed et post
 biennium cum viviradix recidenda erat, omnem
 superficiem amputabant solo tenus iuxta ipsum
 2 articulum, ut e duro pullularet Nos autem magister
 artium docuit usus, primi anni malleolorum formare
 incrementa, nec pati vitem sūpervacuis frondibus
 luxuriantem silvescere, nec ruisus in tantum coer-
 cere, quantum antiqui praecipiebant,¹ ut totam super-
 3 ficiem amputemus Nam id quidem ² maxime con-
 trarium est primum quod cum ad terram decideris,
 semina, velut intolerabili adfecta vulnere, pleraque
 intereunt, nonnulla etiam, quae pertinaciter vixe-
 runt, minus fecundas materias adferunt, siquidem e
 duro quae pullulant omnium confessione pampinaria
 4 saepissime fructu carent Media igitur ratio se-
 quenda est, ut neque solo tenus malleolum recidamus,
 nec ruisus in longiorem materiam provocemus, sed
 adnodato superioris anni pollice, iuxta ³ ipsam
 commissuram veteris sarmenti unam vel duas gemmas
 relinquemus ex quibus germinet

XII Putationem sequitur iam pedandae vineae
 cura Verum hic annus nondum vehementem palum
 aut ridicam⁴ desiderat, notatum est enim a me
 plerumque teneram vineam melius adminiculo modico
 quam vehementi palo adquiescere Itaque aut

¹ praecipiendo *Sobel* praecipienda *SA*

² rationi *post* quidem *add Schn*, *om SAacM*

³ iuxta *SAa*, *vett edd* supra *c*, *Ald*, *Gesn*, *Schn*
 super *M*

⁴ rigidam *S*

merely on this point, in that they allowed the first year's foliage of plants to go untouched, but also after two years, when the quickset was to be cut back, they lopped off all the upper part right down to the ground, close to the very joint, so that it might make new growth from the hard wood. But experience, the 2 master of arts, has taught us to regulate the growth of first-year cuttings and not to allow a vine to run wild with a rank growth of useless leafage, and, on the other hand, not to hold it back to the extent that the ancients directed, to the point of lopping off all the upper part. In fact, this method is most harmful, 3 in the first place because, when you cut to the ground, most plants die, being visited, as it were, by an unbearable wound, while some of them also, which have a more stubborn hold on life, produce less fruitful wood—seeing that, by the admission of everyone, shoots which sprout from the hard wood are very often destitute of fruit. Therefore a middle course is 4 to be followed, namely, that we neither cut back a cutting to the ground nor, on the other hand, draw it out into a woody branch of excessive length, but, trimming off the sprouts from the spur^a of the year before, we shall leave, close to the crotch where the old branches were joined, one or two buds from which it may send out shoots.

XII Attention to the propping of the vine follows the pruning. But the present, or first, year does not yet require a strong prop or stake, for it has been my observation that, for the most part, a young vine is better satisfied with a support of moderate size than with a stout prop. And so we shall attach each young

^a Lit "thumb," from the resemblance of the stub to that member

LUCIUS JUNIUS MODERATUS COLUMELLA

veteres, ne novae radicem agant, harundines binas singulis vitibus applicabimus,¹ aut si regionis conditio permittit, de vepribus hastilia, quibus adnectantur singulae transversae peticae in unam partem
² ordinis—quod genus iugi cantherium vocant iustici Plurimum id refert esse quod paulum infra curationem vitis prorepens paucipinus statim apprehendat, et in transversa potius se fundat quam in edita, ventosque facilius sustineat subnixus² cantherio Idque iugum intra quartum pedem convenit adlevare, dum se vinea coroboiet

XIII Impedationem deinde sequitur alligator, cuius officium est ut rectam vitem producat in iugum Quae sive iuxta palum est posita, ut quibusdam placuit auctoribus,³ observare debet, qui adnectit, ne in alliganda materia flexum pali, si forte curvus est, sequendum putet, nam ea res uncam vitem facit sive, ut Attico et nonnullis aliis agricolis visum est, inter vitem et palum spatium relinquitur,⁴ quod nec mihi displicet, recta harundo adiungenda stirpi est, et ita per crebra retinacula in iugum perducenda Vinculi genus quale sit, quo religantur
⁵ semina, plurimum⁵ refert Nam dum novella vinea est, quam mollissimo nectenda est, quia si viminibus salicis aut ulmi ligaveris, increscens vitis se ipsa praecidit⁶ Optima est ergo genista, vel paludibus desectus iuncus, aut ulva, non pessime tamen in

¹ sic acM, edd ante Schn harum singulis binas (vinas A) adplicavimus singulis viticulis (vitulicus A) SA arundines singulis viticulis applicabimus Schn

² subnexus SA

³ ut auctoribus om SAA, vet edd

⁴ relinquendum est a

⁵ plurima seminum SA plurimum semina a

⁶ praecidit SAA

vine either to two old reeds, lest new ones strike root, or, if local conditions allow it, to brier canes, to which single cross-bars may be tied along one side of the row—a kind of frame which farmers call a *can-²terius* or “horse”^a It is of the greatest importance that this be such that the young vine-shoot, as it creeps forth, shall immediately grasp it a little below the point of its bending and spread out on the cross-bars rather than on the uprights, and so, resting upon the “horse,” may more easily bear up against the winds And it is proper that this frame should be raised up to less than four feet, until the vine becomes strong

XIII Then, after the propping, comes the binder, whose task it is to train the vine upright to the frame And if the vine is set close to the stake, as has pleased some authorities, the man who ties it will have to guard against the notion that, in fastening the firm wood, he must follow the curve in the stake if it happens to be bent, for that makes a crooked vine, or, if space is left between the vines and the stake, as has seemed best to Atticus and some other husbandmen and is not displeasing to me, a straight reed must be joined to the stock, and so by numerous bindings the vine is to be guided up to the frame What sort of bands they are with which the plants are tied, is of the greatest importance For while the vine is young, it must² be tied with the very softest kind, because, if you bind with withes of willow or elm, the growing vine cuts itself The best, then, is broom, or the rush that is cut in marshy places, or sedge, and yet the leaves

^a Cf Pliny, *N H* XVII 165, *Simplici rugo constat porrecto ordine quem canterium appellant*

LUCIUS JUNIUS MODERATUS COLUMELLA

umbra siccata faciunt in hunc usum harundinum quoque folia

XIV Sed et malleolorum similis cura agenda est, ut ad unam aut duas gemmas deputati autumno vel vere, prius quam germinent, iugentur¹ His, ut dixi, cantherius propius² a terra quam vitibus ordinarius summittendus est, neque enim editior esse debet pedali altitudine, ut sit quem teneri adhuc pampini capreolis suis illigent nec³ ventis explantentur Insequitur deinde fossor, qui crebris bidentibus⁴ aequaliter et minute⁵ soli terga comminuat⁶ Hanc planam fossuram maxime nos probamus Nam illa, quam in Hispania hibernam appellant, cum terra vitibus detrahitur, et in media spatia interordiniorum confertur, supervacua nobis videtur, quia iam praecessit autumnalis ablaqueatio, quae et⁶ nudavit summas et ad inferiores radículas⁷ transmisit hibernos imbres Numerus autem fessionis aut idem debet esse⁸ qui primi anni, aut una minus, nam⁹ utique frequenter solum exercendum est, dum id incremento suo vites inumbrent, nec patiantur herbam subcrescere Pampinationis eadem debet esse ratio huius anni atque prioris Adhuc enim compescenda quasi pueritia seminum est, nec plus quam in unum flagellum est summittenda, tanto quidem

¹ vincientur *cM*

² proprius *SAA*

³ nec *SAA* ne *cM*, *edd*

⁴ minute *cM* minuti *SAA* minutim *edd*

⁵ convertat *a* convertit *M* convertant *c*

⁶ et *SAacM*, *om Schn*

⁷ ad inferioris pervenit radículas *SAacM*, et deinde transmisit imbres *om SAA* ad inferiores pervenit radículas, et hibernos transmisit imbres *vulgo ante Schn*

⁸ debet esse *SAacM* esse debet *edd*

of reeds also, when dried in the shade, do not serve badly for this purpose

XIV But like attention should be given to cuttings, that after being cut back to one or two eyes in the autumn or in spring, before the time of budding, they shall be fastened to the frame For these, as I have said, the "horse" must be placed closer to the ground than for mature vines in rows, for it should be not more than one foot in height, so as to be of such a sort that the still tender shoots may grasp it with their tendrils^a and not be rooted out by the winds Then follows the digger, to break up the surface soil evenly and finely with many strokes of the two-pronged hoe This level digging we especially favour For what they call the² "winter digging" in Spain—when earth is removed from the vines and brought into the space between the rows—seems to us unnecessary, because it has been already preceded by the autumn ablaqueation, which has exposed the upper rootlets and carried the winter rains to the roots below Again, the number of diggings should be the same as of the first year, or less by one, for the ground is in special need of frequent working until the vines shade it with their growth and do not allow weeds to grow beneath them The same method of leaf-pruning should hold for this³ year as for the year before For the childhood of the plants, so to speak, must still be held in check and the plant allowed to grow to not more than one shoot,

^a *Capreoli* Cf Varro, *R R* I 31 4, where the word is derived from *capio* (grasp), also Isidore, *Orig* XVII 5 11, *Capreoli dicitur quod capiunt arbores*

LUCIUS JUNIUS MODERATUS COLUMELLA

magis, quod tenera aetas eius non sustinet et fetu et maternis onerari

- XV Sed cum annicula mensiumque sex ad vindemiam perducta est, sublato fructu protinus frequentanda est, et praesidiarii malleoli propagandi sunt, qui in hunc usum fuerant depositi, vel, si ne hi quidem sunt, ex ordinaria v^rte in alterum palum mergus est attrahendus Nam plurimum interest adhuc nova consitione pedamen omne vestiri, nec mox vineam tum subseri, cum fructus capiendus est
- 2 Mergi genus est, ubi supra teriam iuxta suum adminiculum vitis curvatur, atque ex alto scrobe submersa perducitur ad vacantem palum tum ex arcu vehementer citat materiam, quae protinus applicata
- 3 suo pedamento ad iugum evocatur Sequenti deinde anno insecatur superior pars curvaturae usque ad medullam, ne totas vires matris propagatum flagellum in se trahat, et ut paulatim condiscat suis radicibus ali Bima deinde praeciditur proxime palmam quae ex arcu summissa est Et id quod a matre abscisum recessit, confestim alte circumfoditur, et scrobiculo facto ad imum solum praeciditur,¹ adobruiturque, ut et radices deorsum agat, nec ex propinquo neglegenter in summa teria resectum²
- 4 progerminet Tempus autem non aliud magis

¹ praeducitur c

² resecta SAacM, vett edd

^a I e missing vines must be replaced

^b The *mergus*, "layer," was so called because, without being separated from the nurse vine, it "dives" (*mergit*) into the ground and then reappears, like a diving bird (*mergus*) Cf Palladius, III 16 1, *Mergum dicimus, quoties velut arcus supra terram relinquitur, alia parte vitis infossa*

^c I e the bend under ground

^d Closer to the parent vine

the more so, in fact, because its tender age does not endure the burden of both offspring and woody branches

XV But when the vineyard, at the age of one year and six months, is brought to the vintage, it must be recruited to full strength ^a immediately after the fruit has been removed, and reserve cuttings which were planted for this purpose must be set in the gaps, or, if even these are wanting, a layer ^b must be led from a vine in the row to another stake. For it is of the utmost importance up to this time that every prop be clothed with a new planting, and that the vineyard shall not be in a state of replanting later, when it is time to be taking its fruits. There is one kind of layer where the 2 vine is bent above ground close to its support, and so, being carried underground by a deep trench, is brought out beside a vacant stake, then from the "bow" ^c it puts forth a vigorous shoot of firm wood, which is immediately attached to its prop and brought up to the cross-bar. Then in the following year a cut is made 3 in the upper part of the bend, ^d as far as the pith, that the rod under propagation may not draw into itself all the strength of the mother vine, and that it may learn little by little to take its nourishment from its own roots. Next, when two years old, it is chopped off close to the branch which has been caused to spring up from the bow. And what is cut away and separated from the mother vine, immediately has the ground dug deep about it, then a small hole is made, and it is cut off at the very lowest point and covered with earth, so that it may drive its roots downwards and not sprout out near the top of the ground by being carelessly cut at the surface. Moreover, there is no time better 4

LUCIUS JUNIUS MODERATUS COLUMELLA

idoneum est hunc meigum amputandi quam ab Idib Octob in Idus Novemb, ut hibernis mensibus suis radices confirmet Nam si vere id fecerimus, quo gemmare palmites incipiunt, matris alimentis subito destitutus¹ languescit

- XVI Eadem ratio est in transferendo malleolo Nam secundo autumno, si caeli et loci qualitas patitur, commodissime post Idus Octobis exemptus conseritur² sin autem aliqua terrae vel aeris repugnat iniuria, tempestivitas eius in proximum vel differtur Neque diutius in vineis relinquendus est, ne soli³ vires absumat et ordinaria semina infestet quae quanto celerius liberata sunt consortio viviadicum, tanto facilius convalescunt At in seminario licet trimam atque etiam quadumam vitem resectam vel anguste putatam custodire, quia non consultum
- 2 vindemiae Cum mensem tricesimum excessit posita vinea, id est tertio autumno, vehementioribus statuminibus statim impedanda⁴ est, idque⁵ non ut libet aut fortuito faciendum Nam sive prope tiuncum deponitur⁶ palus, pedali tamen spatio recedendum⁷ est, ne aut premat aut radicem vulneret, et ut fossor tamen ab omni parte semina circumfodiat
- 3 Isque palus sic ponendus est, ut frigoribus et Aquilonum excipiat violentiam, vitemque protegat, sive medio interordinio pangetur, vel deponendus⁸ est vel, prius paxillo perforato solo, altius adigendus,⁹

¹ destituta *SAac, vet edd*

² consequetur *SA, vet edd* ³ nec socii *SA*

⁴ impedienda *SA* impedienda *M* impendenda *c*

⁵ ita *SA* itaque *ac*

⁶ deponitur *SAA, vet edd* defigitur *cM, et vulgo*

⁷ recedendum *Ald, Gesn, Schn* recidendus *SAacM, vet edd*

⁸ deponendus *SAAcM, vet edd* defodiendus *c, et vulgo*

⁹ adfrigidus (fr expunct) *A* adfigendus *S* affigendus *a*

LUCIUS JUNIUS MODERATUS COLUMELLA

quo facilius et iugum et fructum sustineat Nam quanto propius truncum iudica statuitur, etiam leviter defixa stabilior est, quoniam contingens¹ vitem mutua
 4 vice sustinetur et sustinet Statuminibus deinde firmiora iuga sunt illiganda,² eaque vel saligneis perticis vel compluribus quasi fasciculis harundinum conectuntur, ut rigorem habeant nec pandentur³ onere fructuum Nam binae iam materiae singulis seminibus summittendae erunt, nisi si tamen gracilitas vitis alicuius angustiorē putationem desiderabit cuius unus palmes atque idem paucorum oculorum erit relinquendus

XVII Perticarum iugum fortius minusque operosum est⁴ Harundines pluribus operis iugantur, quoniam et pluribus locis nectuntur Eaque inter se conversis cacuminibus vinciendae sunt, ut aequalis crassitudo totius iugī sit, nam si cacumina in unum competunt, imbecillitas eius partis gravata pondere iam maturum fructum prostermit, et canibus ferisque
 2 reddit obnoxium At cum iugum in fascem pluribus harundinibus alterna cacuminum vice ordinatum est, fere quinquennii praebet usum

Neque enim alia est⁵ ratio putationis aut ceterae culturae quam quae primi biennii Nam et autumnalis ablaqueatio sedulo faciēda, nec minus vacantibus palis propagines applicandae, hoc enim opus numquam intermittendum est, quin omnibus in-

¹ constringens *SAA*, *vett edd*

² illiganda *acM*, *vett edd* inligamenda *S* inligamenta
 A alliganda *vulgo*

³ pandantur *SAacM*, *edd ante Gesn*

⁴ Sic ex variis scripsi perticarum *Warmington*, perticum *SA*, perticae *acM* fortius *SAA*, firmiter *cM* operosum est *acM*, onerosum est *S*, onerum sum est *A* Perticae iugum firmiter faciunt (*deest SAacM*) minusque operosum *vulgo*

tiellis and the fruit For the closer a prop is set to the stock, even when lightly fixed in the ground, the steadier it is, since, by standing close to the vine, it both supports and is supported in turn Then stronger 4 cross-bars are to be bound to the standards, and these are made either of willow rods or of several reeds tied in some³ sort of bundles to give them stiffness, so that they may not be bent by the weight of the fruit For now two firm wood branches must be allowed to grow on each plant, unless, however, the slenderness of some vine requires a closer pruning, in which case only one branch is to be left and that containing few eyes

XVII A frame of rods is stronger and requires less work Reeds are put together with greater labour, because they are tied in several places And these must be bound with their tops turned, one opposite to another, so that the whole frame may be of equal thickness, for if the tops come together, the weakness of that part, when burdened with weight, throws the fruit to the ground just as it ripens and exposes it to dogs and wild animals But when a frame is duly 2 constructed of several reeds tied in bundles, with their tops in alternating order, it gives about five years of service

Nor, indeed, is the method of pruning or other culture different from that of the first two years For ablaqueation^a must be carefully done in the autumn, and new layers must be applied to the vacant props none the less, for this work must never be discontinued but should be renewed every year

^a Cf IV 4 2, note

LUCIUS JUNIUS MODERATUS COLUMELLA

3 stauetui¹ annis Neque enim ea quae seruntur a nobis, immortalia esse possunt, ac tamen aeternitati eorum sic consulimus ut demortuis seminibus alia substituamus, nec ad occidionem uniuersum genus perducipatiamui² complurium annorum negligentia. Quin etiam crebrae fossiones dandae, quamvis possit una³ detrahi culturae prioris anni. Pampinationes quoque saepe adhibendae, neque enim satis est semel aut iterum tota aestate viti detrahere frondem⁴ supervacuum. Praecipue autem decutienda sunt omnia quae infra trunci caput egerminauerunt. Item si oculi singuli sub iugo binos pampinos emiserint, quamvis largum fructum⁴ ostendant, detrahendi sunt singuli palmites, quo laetior, quae superest materia, consugat et reliquum melius educet fructum.

Post quadragesimum et alterum mensem percepta⁵ vindemia sic instituenda est putatio ut summissis pluribus flagellis vitis in stellam dividatur. Sed putatoris officium est pedali fere spatio citra⁶ iugum vitem compescere, ut e capite, quicquid teneri est, per brachia emissum provocetur, et per iugum inflexum praecipitetur ad eam mensuram quae terram non possit⁷ contingere. Sed modus pro vniuersis trunci servandus est, ne plures palmites summittantur quam quibus vitis sufficere queat. Fere autem praedicta aetas laeto solo triuncoque tres

¹ insaturetur *SAA*

² patiamur *acM* patimur *SA*, *edd*

³ possit una *SAacM* una possit *edd*

⁴ largum fructum (fructus *SA*) *SAacM* largos fructus *edd*

⁵ perfecta *acM*, *edd* ante *Schn*

⁶ contra *SAAcM* circa *edd* ante *Schn*

⁷ possint *SA*

Surely those things that are planted by our hands 3 cannot be immortal, and yet we take such thought for their permanence that we set other plants in place of those that have died, and do not allow the whole genus to be brought to destruction through many years of neglect. Moreover, frequent diggings ^a must be given, although one may be subtracted from the number of the first year's cultivation. Leaf-pruning also must be practised often, for it does not suffice to remove excess leafage from the vine only once or twice in a whole summer. And especially must 4 everything be broken off which has sprouted out below the head of the main stem. Likewise if any single eyes just below the frame should put out two shoots, even though they give evidence of an abundance of fruit, one branch must be pulled off from each, so that the remaining branch of strong wood may make more vigorous growth and better nourish the fruit that is left.

After the forty-second month, when the vintage has been gathered, the pruning must be so managed, by allowing the growth of more shoots, that the vine may be spread out in the form of a star ^b. But it is 5 the duty of the pruner to check the vine at a distance of about one foot short of the cross-bar, so that any tender growth that is sent out from the head may be drawn out in the form of arms and that, after being bent over the frame, it may be dropped down to a length which cannot reach the ground. But a limit must be observed in proportion to the strength of the stock, that no more branches may be allowed to grow than the vine is able to support. And in general, when the soil is fertile and the stock thrifty, the afore-

^a Cf IV 28 2^b See IV 26 3

LUCIUS JUNIUS MODERATUS COLUMELLA

6 materias, raro quattuor desiderat, quae per totidem
 partes ab alligatore dividi debent. Nihil enim refert
 iugum in stellam decussari atque, diduci,¹ nisi et
 palmites adiunguntur.² Quam tamen formam non
 omnes agricolae probaverunt, nam multi simplici
 ordine fuere contenti. Verum stabilior est vinea, et
 oneri samentorum et fructui feriendo, quae ex
 utraque parte iugo divincta pari libramento velut
 ancoris quibusdam distenditur.³ Tum etiam per
 plura biacchia materias diffundit, et facilius eas
 explicat undique subnixa,⁴ quam quae in simplici
 7 cantherio frequentibus palmitibus stipatur. Potest
 tamen, si vel parum late disposita vinea⁵ vel parum
 fructuosa caelumque non turbidum nec procellosum
 habeat, uno iugo contenta⁶ esse. Nam ubi magna
 vis et incusus est pluviarum procellarumque, ubi
 frequentibus aquis vitis labefactatur, ubi praecipitibus
 clavis velut pendens plura⁷ praesidia desiderat, ibi
 8 quasi quadriato firmanda⁸ est agmine. Calidis vero
 et siccioribus locis in omnem partem iugum porrigen-
 dum est, ut prorepentes undique pampini iungantur,
 et condensati camerae⁹ more, terram sitientem
 obumbient. Contra pluvius et frigidis et pruinosis
 regionibus simplices ordines instituendi, nam et sic
 facilius insolatur humus, et fructus percoquitur,
 perflatumque salubriorem habet, fossores quoque

¹ deduci *acM* dici *SA*

² adiunguntur *SAacM* adiunguntur *vulgo*

³ distenditur *SAacM*, *vett edd* distinetur *vulgo*

⁴ vindemia quae subnixa *SA*

⁵ vineta *SAac*, *vett edd* ⁶ contentus *SAac*, *vett edd*

⁷ plura *SAA*, *vett edd* plurima *cM*, et *vulgo*

⁸ firmanda *SAA* circumfirmanda *vulgo* est agmine
firmanda *cM*

⁹ camare *SAC*

said age requires three firm wood branches, rarely four, which should be separated by the binder into as many different puts. For it is of no use that the frame is given cross-pieces and made in the shape of a star unless fruit-bearing branches are joined to it. This arrangement, however, has not met the approval of all husbandmen; for many have been satisfied with a plain straight line. But that vine is more stable, both for supporting the burden of young branches and for bearing its fruit, which, being bound to the frame on both sides, is spread out in even balance as if with a kind of anchors. Then too a vine that is supported on every side spreads its woody branches over more aims and extends them more easily than one which is crowded with many fruiting canes on a simple "hoise." However, if a vine is not of wide spread or not very fruitful, and if it is in a climate that is not turbulent and stormy, it may be satisfied with a single frame. For where there is great violence and onslaught of rains and storms, where the vine is loosened by frequent downpours, where it hangs, as it were, on steep hillsides and requires a great many defences, there it must be supported on every side, so to speak, by troops in square formation. But in warm and drier places the frame must be extended in every direction, so that the shoots, as they creep forth on every side, may be joined and, being matted together in the fashion of an arched roof, may shade the thirsty earth. On the contrary, in rainy and cold and frosty districts plain straight rows are to be put up, for in that way the ground is more readily warmed by the sun, and the fruit is thoroughly ripened and has a more wholesome ventilation, also the diggers ply their hoes with

LUCIUS JUNIUS MODERATUS COLUMELLA

liberius et aptius iactant bidentes, meliusque perspicitur a custodibus fructus et commodius legitui a vindemiatore ¹

XVIII Sed quoquo modo² vinea placuerit ordinare, centenae stirpes per singulos hortos semitis distinguantur vel, ut quibusdam placet, in semiugera omnis modus dirimatur Quae distinctio³ praeter illud commodum, quod plus solis et venti vitibus praebet, tum etiam oculos et vestigia domini, res agro saluberrimas, facilius admittit, certamque aestimationem in exigendis operibus praebet, neque enim falli possumus per paria intervalla⁴ iugeribus
 2 divisis Quin etiam ipsa hortulorum descriptio quanto est minoribus modulis concisa, fatigationem veluti minuit, exstimulatque⁵ eos qui opera moliuntur, et ad festinandum invitat, nam fere vastitas instantis laboris animos debilitat Non nihil etiam prodest vires et proventum cuiusque partis vinearum nosse, ut aestimemus quae magis aut minus colenda sit⁶ Vindemiatoribus⁷ quoque hae semitae et iugum pedamentaue sarcientibus opportunam laxitatem praebent, per quam vel fructus vel statumina portentur

XIX De positione iugis, quatenus a terra levandum sit, hoc dixisse abunde est humillimam esse quatuor pedum, celsissimam septem Quae tamen in novellis seminibus vitanda est, neque enim haec prima constitutio vinearum esse debet, sed per

¹ vindemitore SA

² quoquo modo S quomodo Aa, in abbr cM quoquo Schn quando alii

³ distinctior SAac

⁴ inter bella SA

⁵ exstimulatque Schn extimulque SA, et simulat c et simul a, plerique edd et M

⁶ sit SAacM sint Gesn, Schn

greater freedom and precision, and the fruit is better examined by the overseer and more easily gathered by the vintager

XVIII But in whatever way it pleases you to arrange your vineyards, let them be set off by footpaths into individual plots of one hundred vines each, or, as pleases some, have the whole extent of the vineyard broken up into divisions of half a *jugerum*. This separation, apart from the advantage that it affords more sun and wind for the vines, also allows easier access for the eyes and feet of the proprietor—things most beneficial to the vines—and it provides a definite gauge in the exaction of labour, for we cannot be deceived when the *jugera* are divided at equal intervals. Furthermore, the marking out of small plots in itself lessens the fatigue, as it were, in proportion to the smallness of the sections into which it is cut, and it goads on those who are performing the work and encourages them to hasten the task, for as a rule the immensity of impending work weakens their spirit. Also it is of some advantage to know the strength and the yield of each part of the vineyards, so that we may judge what part is in need of more or of less cultivation. These footpaths also provide for the vintagers and for those who repair the frames and props convenient room for the carrying of fruit or supports

XIX As for the placing of the frame, how far it should be raised above the ground, it is sufficient to say that the lowest is four feet and the highest seven. This last, however, is to be avoided in the case of young plants, for this regulation should not apply

LUCIUS JUNIUS MODERATUS COLUMELLA

annorum longam seriem ad hanc altitudinem vitis
 2 perducenda est Ceterum quanto est umidius
 solum et caelum, placidioresque¹ venti, tanto est
 altius attollendum iugum Nam laetitia vitium
 patitur se celsius evagari,² fructusque summotus a
 terra minus putrescit et hoc uno modo perflatur
 ventis, qui nebulam et rorem pestiferum celeriter
 adsiccant, multumque ad deflorescendum et ad
 3 bonitatem vini conferunt Ruisus exilis terra et
 acclivis toriensque aestu, vel quae vehementibus
 procellis obnoxia est, humilior iugum poscit At si
 cuncta competunt voto, iusta est altitudo vineae
 pedum quinque, nec tamen dubium, quin tanto
 melioris saporis praebeat mustum, quanto in editiora
 iuga consurgat³

XX Pedatam vineam iugatamque sequitur alli-
 gatoris cura, cui antiquissimum esse debet, ut supra
 dixi, rectam conservare stirpem nec flexum⁴ radice
 2 sui vitem configuret Id non solum ad speciem
 plurimum refert, sed ad firmitatem et ubertatem,⁶
 perpetuitatemque Nam rectus truncus similem
 sui medullam gerit, per quam velut quodam itinere
 sine flexu atque impedimento facilius terrae matris
 alimenta meant⁷ et ad summum perveniunt, at

¹ placidioresque *Gesn*, *Schn* humidioresque *acM*, *edd*
ante Gesn umidiores quae *SA*

² patitur se (sae *S*) celsius evagari *SA* patitur celsius
 evocari *Schn*

³ quin vites praebeant consurgunt *vulgo* vites
deest SAacM prebeat *acM*, praebeant *SA* consurgat *cM*,
 consurgant *SA*

⁴ plexum *SA*, et deinde radice *ScM*

⁵ statuminis *scripsi* statuminis nisi *M* statum nisi *a*
statū insidi SA statumīs insidi *c* statuminum *edd*

to vineyards at the start, but the vine must be carried to this height after a long succession of years. But the moisture the soil and climate, and the gentler the winds, the higher must the frames be raised. For the luxuriance of the vines allows them to spread themselves at a greater height, and the fruit is less inclined to rot when well removed from the earth, and by this method alone there is thorough ventilation by the winds, which quickly dry up the fog and pestilential dew, and contribute much to the casting of the flowers and the goodness of the wine. On the other hand, land that is poor and sloping and parched with heat, or that is subject to violent storms, calls for a lower frame. But if all circumstances answer to your desire, the proper height for a vine is five feet, and yet there is no doubt that the vine yields wine of better flavour in proportion to the height of the frames to which it raises itself.

XX After the vineyard is staked and yoked, there follows the work of the binder, whose first concern should be, as I remarked above, to keep the vine-stock straight and not to let it follow the curve of the prop, lest the crookedness of the support form a vine after its own likeness. This is of the greatest importance, not only to its appearance, but also to its strength, productiveness, and durability. For a straight stem bears pith like itself, through which, as by a sort of road without a turn or obstruction, the nourishment of mother earth more easily makes its way and arrives at the very top, but vines that are

⁶ libertatem S 4

⁷ in eant c manant S 4a

LUCIUS JUNIUS MODERATUS COLUMELLA

quae curvae¹ sunt et² distortae, non aequaliter alhduntur³ inhihentibus nodis, et ipso flexu cursum
 3 terreni umoris veluti salebris⁴ retardante Quae cum ad summum palum recta vitis extenta est, capistro constringitur, ne fetu gravata subsidat curveturque Tum ex eo loco quod proximum iugo ligatum est, brachia disponuntur in diversas partes,⁵ palmaeque superpositae deorsum versus circulo curvantur, atque⁶ id quod iugo dependet, fructu⁷ impletur, rursus⁷ curvatura iuxta⁸ vinculum mater-
 4 iam expiunt Quidam eam partem, quam nos praecipitamus, supra iugum porrigunt et crebris viminibus innexis continent, quos ego minime probandos puto Nam dependentibus palmitibus neque pluviae neque pruinae⁹ grandinesve tantum nocent quantum religatis et quasi tempestatibus oppositis Idem tamen palmites priusquam fructus mitescant, variantibus adhuc et acerbis uvis, religari debent, quo minus roribus queant putrescere aut ventis
 5 ferisve vastentur Iuxta decumanum atque semitas palmites intrinsecus flectendi sunt, ne praetereuntium incursu laedantur Et hac quidem ratione tempestitiva vitis perducitur ad iugum Nam quae vel infirma vel brevis est, ad duas gemmas recidenda est, quo

¹ curvae om SAa

² et om SAa

³ alligantur acM, edd ante Gesn num alliciunt (eliciunt)?

⁴ salubris Sc salubus A

⁵ diversis partibus (partis Aa) AacM

⁶ sic S circuatut atque A curvantur atque acM curvantur vinculo (deest codd) itaque vulgo

⁷ rursusque cM, et vulgo

⁸ iuncta SAc

⁹ neque ruinae (pluviae neque om) SA palmitibus pruinae om a

bent and misshapen do not offer equally smooth paths,^a because knots obstruct, and the bend itself, like rough places in a road, checks the passage of moisture from the earth. Therefore when the vine is drawn 3 straight up to the top of the stake, it is fastened with a band so that, when weighed down with its offspring, it may not sag and become bent. Then from that point where that which is nearest to the frame is tied, its arms are arranged in different directions, and the branches which are placed upon the frame are bent downward in a curve, and what hangs from the frame is filled with fruit, on the other hand, the bend puts forth firm wood next to the band. Some 4 spread out upon the frame that part which we bend down, and hold it fast by tying it with withes closely set, but I consider these not at all worthy of approval. For rains and frosts and hail do not harm hanging branches as much as those which are bound and, so to speak, exposed to stormy weather. Still, those same branches should be tied before the fruit mellow, while the grapes are still of different colours and sour, so that they may be less likely to rot with the dews or to be pillaged by winds or wild beasts. Along the main path and the bypaths the branches 5 should be bent inward, that they may not be injured by brushing against those who pass by. And by this method certainly the vine is brought to the frame at the proper time. For a vine that is weak or short must be cut back to two eyes, so that it may put

^a The translation attempts to preserve the figure in some measure, but the text (*alliduntur*) seems doubtful. Gesner's interpretation, accepted by Schneider and perhaps correct, is that the flow of sap in the vine is compared, in *alliduntur*, to the beating of waves on a shore.

LUCIUS JUNIUS MODERATUS COLUMELLA

vehementiorem fundat materiam quae¹ protinus emicet in iugum

XXI Quinquennis vineae non alia est putatio quam ut figuretur quemadmodum supra institui dicere, neve supervagetur, sed ut caput trunci pedali fere spatio sit inferius iugo, quatenusque brachius, quae duramenta quidam vocant, dividatur in totidem partes Haec brachia sat erit interius² singulis palmitibus in fructum summitti, donec vineae iusti sint roboris Cum aliquot deinde annis quasi iuvenilem aetatem ceperint, quot palmites relinquere³ debeant incertum est Nam loci laetitia plures, exilitas pauciores desiderat, siquidem luxuriosa vitis, nisi fructu compescitur, male deflorescit et in materiam frondemque effunditur, infirma rursus, cum onerata est, affligitur⁴ Itaque pingui terra singulis brachius licebit bina iungere flagella, nec tamen numerosius⁵ onerare, quam ut una vitis octo serviat palmitibus, nisi si admodum nimia ubertas plures postulabit, illa enim pergulae magis quam vineae figuram obtinet quae supra hunc modum materius distenditur Nec debemus committere, ut brachia pleniora trunco sint, verum adsidue, cum modo a lateribus eorum flagella licuerit summittere, amputanda erunt superiora duramenta, ne iugum excedant, sed novellis palmis semper vitis renovetur Quae si satis excreverint, iugo superponantur, sin aliqua earum vel perfracta⁵ vel parum procera

¹ quo SA

² interius SAaM

³ affligatur SA

⁴ numerus SA

⁵ prae fracta Schn

forth more vigorous wood which may immediately shoot up to the frame

XXI There is no other pruning for a vine five years old than that it shall be shaped as I have undertaken to describe above, and that it shall not spread too far, but that the head of the stock shall be about one foot below the frame and that, with its four arms, which some call *duramenta*, or "hardened branches," it shall be spread out into a corresponding number of spaces. It will suffice for a time that these arms be reduced to one fruiting branch each, until the vines are of proper strength. Then, some years later, when they have entered the juvenile stage, so to speak, it is uncertain how many branches should be left. For ² richness of situation requires more, and leanness fewer, since, indeed, a vine of rank growth, unless it is checked by bearing, casts its blossoms badly and runs to wood and foliage, while a weak vine, on the contrary, is impaired when burdened with fruit. And so in rich ground it will be permissible to impose two rods upon each arm, but not to burden them with a number beyond the point where one vine supports eight rods, unless its very excessive fruitfulness shall demand more, for the vine which is extended with firm wood beyond this limit has the appearance of an arbour rather than of a vine. And ³ we should not allow the arms to be larger than the stock, but when presently the growth of lateral shoots from them is permitted, the upper hard canes must be constantly cut away so that they may not go beyond the frame, but the vine should always be renewed with young branches. These laterals, if they have made sufficient growth, should be placed upon the frame, but if one of them is broken or not

LUCIUS JUNIUS MODERATUS COLUMELLA

fuerit, locumque idoneum obtinebit unde vitis anno sequenti revocari¹ debeat, in pollicem tondeatur, quem quidam custodem, alii ressecem, nonnulli praesidiarum appellant, id est, sarmentum gemmarum duarum vel trium, ex quo cum processere frugiferae² materiae, quicquid est supra vetusti brachii amputatur, et ita ex novello palmitē vitis pullulascit³ Atque haec ratio bene institutarum vinearum in perpetuum custodienda erit

XXII Si vero aliter formatas acceperimus,⁴ et iam⁵ multorum annorum negligentia supervenerit⁶ iugum, considerandum erit cuius longitudinis sint duramina quae excedant⁷ praedictam mensuram Nam si duorum pedum aut paulo amplius fuerint, poterit adhuc universa vinea sub iugum mitti, si tamen palus² trunco est applicitus, is enim a vite summovetur et in medio spatio duorum ordinum ad lineam pangitur, transversa deinde vitis ad statumen perducitur, atque ita iugo subicitur At si duramenta eius longius excesserunt,⁸ ut in quartum aut etiam in quintum statumen prorepserint, maiore sumptu restituitur,⁹ mergis namque, qui¹⁰ nobis maxime³ placent, propagata celerrime provenit Hoc tamen si vetus et exesa est superficies trunci, at si robusta et

¹ revocari *SAaM*, *vett edd* renovari *c*, et *vulgo*

² fructiferae *cM*, *Ald*, *Gesn*

³ pullulascit *vulgo* pullescit *SAa*, *vett edd* pululescit *c om M*

⁴ vineas *post* acceperimus *suppl Gesn*, *Schn*, *deest codd*, *vett edd*, *Ald*

⁵ et iam *S*, *Sobel* et *AacM*, et *vulgo*

⁶ supervenerit *codd*, *vett edd*, *Ald* supervenerint *Gesn*, *Schn*

⁷ excedant *SAacM*, *vett edd* excedunt *vulgo* Deinde supra dictum *acM*

⁸ excesserunt *SAC*, *vett edd* excesserint *alii*

of sufficient length, and if it occupies a suitable place from which the vine should be renewed^a the following year, let it be cut down to a thumb (*pollex*), which some call *custos* or 'keeper,' others *reseæ* or "cut-back," and several *praesidiarium* or "reserve"—that is, a stub of two or three eyes, from which all of the old arm above is cut off after the fruit-bearing wood has come forth, and so the vine sprouts out again from the young branch. And this management of well-established vineyards must be constantly observed.

XXII If, however, we have taken vineyards trained by another system, and if many years of neglect have now covered the frames, we shall have to consider the length of the old hardened branches that exceed the aforesaid measure. For if they are two feet long or a trifle more, the entire vine may still be put under the frame, provided that the supporting stake is close to the trunk, for it is moved away from² the vine and set exactly in the centre of the space between the two rows, and then the vine is carried across to the prop and so brought under the frame. But if its hardened branches have grown to a greater length, so that they have crept out to the fourth or even to the fifth prop, it is restored at greater expense, for when propagated by layers—a method which pleases us most—it comes forward very quickly. This, however, if the surface of the trunk is old and³ decayed,^b but if it is strong and sound, it requires

^a *revocari*, in a technical sense Cf Palladius, III 12 4

^b Cf Palladius, III 16

⁹ restituitur SA, vett edd restituentur acM, Ald, Gesn
restituetur Schn

¹⁰ *mergis* his namque, quod vulgo ante Schn

LUCIUS JUNIUS MODERATUS COLUMELLA

- integra, minorem operam desiderat Quippe hiberno tempore ablaqueata fimo satiatur angustequē deputatur, et inter quartum ac tertium pedem a terra viridissima parte corticis acuto mucrone feriantur vulneratur Frequentibus deinde fossis terra permiscetur, ut incitari vitis possit, et ab ea maxime parte, quae vulnerata est, pampinum fundere
- 4 Plerumque autem germen de cicatrice procedit, quod sive longius prosiluerit,¹ in flagellum summittitur sive brevius, in pollicem sive admodum exiguum, in furunculum Is ex quolibet vel minimo capillamento fieri potest Nam ubi unius aut alterius folii pampinus prorepsit e duro, dummodo ad maturitatem perveniat, sequente vere si non adnodatus neque adrasus est, vehementem fundit materiam, quae cum convaluit et quasi brachium fecit, licet tum supervagatam partem duramenti recidere, et ita reliquam
- 5 iugo subicere Multi sequentes compendium temporis, tales vineas supra quartum pedem detruncant, nihil reformidantes eiusmodi resectionem, quoniam fere plurimarum stirpium natura sic se commodat ut iuxta cicatricem novellis frondibus repullescant Sed haec quidem ratio minime nobis placet, siquidem vastior plaga nisi habeat superpositam valentem materiam, quae² possit inolescere, solis halitu torretur, mox deinde roibus et imbribus putrescit
- 6 Ac tamen³ cum est utique vinea recidenda, prius ablaqueare, deinde paulum infra tertiam convenit amputare, ut superiecta humus vim solis arceat et e

¹ prosiluit *SAacM*

² quae *vel* que *codd* qua *vulgo*

³ ac tamen *codd* Hac tamen *vett edd* attamen *vulgo*

less labour, for, having the soil loosened about its roots in the winter time, it is satiated with dung and closely pruned, and between the third and fourth foot from the ground it is wounded with the sharp point of an iron implement in the greenest part of the bark. Then the earth is thoroughly mixed by frequent digging, that the vine may be stimulated and that it may have the strength to put out a shoot especially from that place where it was wounded ^a. Generally, 4 moreover, a bud grows from the scar, and if it shoots out to considerable length it is allowed to grow for a cane, if rather short, for a thumb, and if very small, for a knurl. This last may be formed from any fibrous growth, even the smallest. For when a twig of one or two leaves has come out of the hard wood, provided only it comes to maturity, it puts forth a vigorous branch of firm wood the following spring, if it is not trimmed away or rubbed off, and when this has grown strong and has formed a sort of arm, you may then cut back that part of the old branch that has spread too far, and so bring under the frame that part which is left. Many, aiming at the saving of 5 time, chop off such vines above the fourth foot, having no fear of cutting them back in this way, since, as a rule, the nature of most stocks is so adapted that they sprout out with new leaves close to the scar. But this method is not at all pleasing to us, because a larger wound, unless it has vigorous wood above which may close in, is parched by the heat of the sun, and then presently it rots with the dews and the rains. Never- 6 theless, when a vine must in any case be cut down, it is best first to loosen the dirt about it and then to make the amputation a little below ground, so that the soil above may ward off the violence of the sun and

LUCIUS JUNIUS MODERATUS COLUMELLA

- radicibus novellos prorumpentes caules transmittat, qui possint vel sua maritare statumina, vel si qua sunt
- 7 vidua in propinquo, propagimibus vestire Haec autem ita fieri debebunt, si vineae altius positae nec in summo labantes radices habebunt, et si boni generis erunt Namque aliter incassum dependitur¹ opera, quoniam degeneres etiam renovatae pristinum servabunt ingenium, at quae² summa parte terrae vix adhaerebunt, deficient³ ante quam convalescant
- 8 Altera ergo vinea fructuosis potius surculis inserenda erit, altera funditus exstirpanda et reseenda, si modo soli bonitas suadebit Cuius cum vitio consenunt, nullo modo restituendam censemus Loci poro vitia sunt, quae fere ad internecionem vineta perducunt, macies et sterilitas terrae, salsa vel amara ulgo, praeceps et praerupta positio, nimium opaca et soli aversa vallis, harenosus etiam tofus, vel plus iusto ieiunus sabulo, nec minus terreno carens ac nuda glarea, et si qua est proprietas similis quae vitem
- 9 non alit Ceterum si vacat his et horum similibus incommodis, potest ea ratione fieri restibilis vinea, quam priore libro praecepimus Illa rursus mali generis vineta, quae quamvis robusta sint,⁴ propter sterilitatem fructu carent, ut diximus, emendantur insitione facta, de qua suo loco disseremus⁵ cum ad eam disputationem pervenerimus

¹ dependitur *M*, *edd* dependetur *ac* dependentē *SA*

² atque *codd*, *edd* ante Pontedera

³ et (eae *Gesn*) ante deficient *add* omnes, *deest SAacM*

⁴ sunt *SA*

⁵ emendantur disseremus *om SA*

give passage to the young stems that spring from the roots, that they may be able either to wed their own props or to bedeck with their offspring any mateless props that are near by. However, this should be done in this way on condition that the vines are rather deeply planted and do not have roots gliding along on the surface, and if they are of good stock. For otherwise the labour is spent to no purpose, because low-grade vines, even when renewed, will retain their former character, while those that barely cling to the surface of the earth will fail before they can recover strength. The one vine, then, will have to be grafted rather with fruitful shoots, and the other completely rooted out and replanted, provided the goodness of the soil makes it advisable. When a vineyard has wasted away because of the bad quality of soil, we believe that it is in no way worthy of being restored. Furthermore, the bad qualities of a place which usually bring vineyards to destruction are meanness and barrenness of soil, salty or sour marshland, a steep and rugged situation, a valley that is too dark and not exposed to the sun, also sandy tufa, or gravel that is unduly hungry, and also gravel that is bare and destitute of earthy matter, and anything of like nature which does not nourish the vine. But if it is free from these disadvantages and their like, a vineyard may be restored by the method which we advised in the preceding book. On the other hand, those vineyards of bad stock which, even though of vigorous growth, are destitute of fruit because of barrenness, are improved, as we have stated, by grafting, and we shall treat of this in its proper place ^a when we have come to that subject of discussion.

LUCIUS JUNIUS MODERATUS COLUMELLA

XXIII Nunc quia¹ parum videmur de putatione vinearum locuti, maxime necessariam putem propositi operis diligentius persequemur. Placet ergo,² si nilis ac temperata permittit in ea regione, quam colimus, caeli clementia facta vindemia secundum Idus Octobris auspiciam putationem cum tamen aequinoctiales pluviae praecesserint et samenta iustam maturitatem ceperint, nam siccitas serio-
 2 rem putationem facit. Sin autem caeli status frigidus et pruinosus hiemis violentiam denuntiat, in Idus Febr. hanc curam differemus. Atque id licebit facere si erit exiguus possessionis modus. Nam ubi raris vastitas electionem nobis temporis negat, valentissimam quamque partem vinei frigoribus, macerissimam vere vel autumnino, quin etiam per
 3 brumam meridiano axi oppositas vites, aquiloni per ver et³ autumnum deputari conveniet. Nec dubium quin sit horum virgultorum natura talis⁴ ut quanto maturius detonsa sint, plus materiae, quanto serius, plus fructus adferant.

XXIV Quandoque igitur vinitor hoc opus obibit, tria praecipue custodiat: primum ut quam maxime fructui consulat, deinde ut in annum sequentem quam laetissimas iam hinc eligat⁵ materias, tum etiam, ut quam longissimam perennitatem stupi adquirat. Nam quicquid ex his omittitur, magnum adfert
 2 domino dispendium. Vitis autem cum sit⁶ per quattuor divisa partes, totidem caeli regiones aspicit

¹ quia *SAac*, *vett. edd.* quoniam *M*, et *vulgo*

² igitur *cM*

³ verberet *A*. verberat *a*. aquilonibus vere vel autumnino *M*

⁴ naturalis *SA* ⁵ eligat *om. SAa*

⁶ sint *SAa*

XXIII Now, since we seem not to have said enough about the pruning of vineyards, we shall set forth with greater care that most necessary part of the work proposed. It is proper, if a gentle and temperate mildness of climate permits it in that region which we are cultivating, to begin the pruning after the Ides of October,^a when the vintage is finished on condition, however, that the equinoctial rains have come before and that the branches have arrived at their proper maturity, for dry weather makes the 2 pruning later. If, however, the cold and frosty state of the weather gives notice of a severe winter, we shall postpone this matter to the Ides of February.^b And it will be permissible to do this if the measure of our holding is small. For where a vast extent of land denies us the choice of time, it will be proper that the strongest part of the vineyard be pruned in cold weather, and the weakest part in spring or autumn, indeed vines with a southern exposure may be pruned even during the winter solstice, and those exposed to the north wind during spring and autumn. And there is no doubt that the nature of these plants 3 is such that the earlier they are trimmed, the more wood they produce, and the later, the more fruit.

XXIV Therefore, at whatever time the vine-dresser shall enter upon this work, he should especially observe three things: first, to make fruit his chief consideration, next, to choose from the very start the most fruitful wood for the following year, and then, also, to make the vine-stock survive through as many years as possible. For any one of these that is neglected brings great loss to the owner. Moreover, when the vine is trained out into 2 four parts, it faces the same number of quarters of

LUCIUS JUNIUS MODERATUS COLUMELLA

Quae declinationes cum contrarias inter se qualitates habeant, variam quoque postulant ordinationem pro conditione suae positionis¹ in partibus vitium. Igitur ea biacchia, quae septentrionibus obiecta sunt, paucissimas plagas accipere debent, et magis si putabuntur² ingruentibus³ iam frigoribus, quibus cicatrices inveniuntur. Itaque ur̄a tantummodo materia iugo proxima, et unus infra eam custos erit summittendus qui vitem mox in annum renovet. At e contrario per meridiem plures palmites summitantur, qui laborantem matrem fervoribus aestivis opacent nec patiantur ante maturitatem fructum inarescere⁴. Orientis atque occidentis haud sane magna est in putatione differentia, quoniam solem pari horarum numero sub utroque axe vitis⁵ accipit.

4. Modus itaque materialium is erit quem dictabit humi atque ipsius stirpis laetitia.

Haec in universum, illa per partes custodienda sunt. Nam ut ab ima vite quasi a quibusdam fundamentis incipiam, semper circa crus dolabella dimovenda⁶ terra est. Et si suboles, quam rustici suffraginem vocant, radicibus adhaeret, diligenter explantanda ferroque adlevanda est, ut hibernas aquas respuat, nam praestat ex vulnere postea subolem⁷ repullescentem vellere quam nodosam et

¹ positionis *S*, *Schn* compositionis *Aa*, *vett edd* constitutionis *cM*, *alv*, et deinde a parte

² putabantur *SA* putantur *vett edd*

³ ingredientibus *SA*, *vett edd*, *Sobel*

⁴ fructum humū (*humu A*) legere *SA* fructum humore legere *a* humorem inarescere *M* humor urescere *c*

⁵ axe vitis *M* axi vitis *ac* exivit is *S* exiuitas *A*

⁶ dimovenda *M*, et vulgo demovenda *SAac*, *vett edd*

⁷ vulnere postea subolem *a* Postea sobolem (ut hibernas

BOOK IV xxiv 2-4

the heavens And since these different directions possess qualities that are contrary to one another, they also require a different arrangement in the parts of the vine according to the circumstances of their situation Therefore those arms which are exposed to the north should receive the fewest wounds, and the more so if they are pruned at the onset of cold weather, by which the scars are blasted And so only one firm wood branch next to the frame 3 is to be allowed to grow, and one reserve branch below it to renew the vine presently for a year But, conversely, more rods should be set apart for growth toward the south, to shade their mother as she suffers from the summer heat and not allow the fruit to wither before it comes to maturity In the pruning of the east and west sides there is no very great difference, because the vines receive the sun for an equal number of hours in each quarter The 4 limit, therefore, of firm wood branches will be that which the fertility of the ground and of the stem itself shall prescribe

The above must be observed in general, and the following in particular For, to begin at the lowest part of the vine, as at the foundation, so to speak, the earth around the shank should always be laid open with a small mattock And if any offspring which country people call a *suffrago* or "sucker," clings to the roots, it must be carefully pulled up and cut off smoothly with the knife, so that it may repel the rains of winter, for it is better to tear off a shoot that sprouts forth afterward from the

ex vulnere om et post vellere insert) cM postea
vellere om SA vulnere sobolem (postea om) edd

LUCIUS JUNIUS MODERATUS COLUMELLA

scabiam plagam relinquere Hoc enim modo cele-
 nitei cicatricem ducit, illo cavatur atque putrescit
 5 Percuratis deinde quasi pedibus crura ipsa trunci-
 que circumspiciendi sunt, ne aut pampinariis palmes
 innatus¹ aut verrucae similis fununculus relinquatur
 nisi si iugum² super secta³ vitis desiderabit ab
 inferiore parte revocari Si vero trunci pars senecta⁴
 solis adflatu peraruit, aut aquis noxusque⁵ animalibus,
 quae per medullas inepunt, cavata vitis est,
 dolabella conveniet expuigare quicquid emortuum
 est, deinde falce radi⁶ vivo tenus, ut a vincti cortice
 6 ducat cicatricem Neque est difficile mox adlevatas
 plagas teria, quam prius amica madefeceris, linere
 Nam et teredinem formicamque prohibet, solem
 etiam et pluvias ariet eiusmodi litura, propter quae
 celerius coalescit et fructum viridem conservat
 Cortex quoque aridus fissusque per summa trunci
 dependens, corpore tenus delibrandus est, quod et
 melius vitis quasi sordibus liberata convalescit et
 minus vino faecis adfert Iam vero muscus, qui more
 compedis crura⁷ vitium devincta comprimit, situque
 et⁸ veterino maceiat, ferro destringendus et eia-
 7 dendus est Atque haec in ima parte⁹ vitis Nec
 minus ea, quae in capite servanda sint, deinceps
 praecipiantur

¹ innatus *Aa, Sobel* mantus *S* intus natus *c* internatus *M, edd*

² iugum *SAacM, vet edd, Sobel* iugo *vulgo*

³ super secta *vett edd, Sobel* supersecta *SAa* super
 recta *M* superiecta *c, et vulgo*

⁴ senecta *SAC* senectia *a* pars (*in abbr*) enecta *M*
 secta *edd*

⁵ noxusque *SAacM* noxusve *edd*

⁶ radi *SAM, vet edd* radici *c* tradi *a* eradi *vulgo*

⁷ umore (*humorem a*) consedit cura (*crura a*) *SAa*

⁸ et *om SA* ⁹ crate *SA*

wound than to leave a cut that is knotty and rough
 For by the one method it quickly forms a callus,
 and by the other it becomes hollow and rots
 Then, after care has been taken of the feet, so to 5
 speak, the legs themselves and the trunks must be
 examined to see that no sprouting leafy shoot or
 wart-like knob is left, unless the vine, being cut
 off above the flame, shall require renewal from the
 lower part But if the old part of the trunk is
 dried out by the sun's blast, or if the vine is
 hollowed out by rains and by harmful animals which
 creep in through the pith, it will be proper to clear
 away with the mattock any part of it that is dead,
 and then that it be pared down to the quick with
 the pruning-knife, so that it may form a callus from
 the green bark And it is not a difficult matter, 6
 soon after the wounds are smoothed off, to daub them
 with earth which you have first moistened with oil
 lees For a daubing of this sort keeps out the wood-
 bore and the ant, and also keeps off the sun and the
 rains, and because of this the wound grows together
 more quickly and keeps the fruit green Also the
 dry and shaggy bark hanging along the upper parts
 of the trunk must be peeled off down to the body,^a
 because a vine, when rid of its rags, so to speak,
 thrives better and imparts less of dregs to the wine
 Moreover, the moss which binds and compresses the
 legs of the vines in the manner of shackles, and
 softens them with its mouldiness and old dirt, must
 be stripped off and scraped away with the iron
 This, then, for the lower part of the vine And 7
 likewise those directions must next be given which
 are to be observed with reference to the head

^a *I e* the sound bark

LUCIUS JUNIUS MODERATUS COLUMELLA

Plagae, quas in duro vitis accipit, obliquae rotundaeque fieri debent, nam citius coalescunt,¹ et quamdiu cicatricem non obduxerunt,² commodius aquam fundunt,³ transversae plus umoris et recipiunt et continent Eam culpam maxime vinitor fugito Sarmenta lata, vetera, male nata, contorta, deorsum spectantia decidito,⁴ novella et fluctuaria recta summittito Brachia tenera et viridia servato, arida et vetera falce amputato Ungues custodum
 8 annotinos resecato In quattuor ferme pedes supra terram vitem elatam totidem brachius composito, quorum singula spectent⁵ decussati iugi partes Tum⁶ vel unum flagellum si macrior vitis erit, vel duo si plenior,⁷ brachio cuique summittito, eaque
 9 iugo superposita praecipitato Sed meminisse oportebit ne in eadem linea unoque latere brachii duas materias pluriesve patiamur Namque id maxime vitem infestat, ubi non omnis pars brachii pari vice laborat, neque⁸ aequa portione sucum proli suae dispensat sed ab uno latere exsugitur, quo fit ut ea vena, cuius omnisumor absorbitur, velut icta fulgure arescat

10 Vocatur⁹ etiam focaneus palmes, qui solet in

¹ conualescunt *a*, *Ald*, *Gesn* conualescent *cM*

² obduxerunt *aM*

³ fundent *M*

⁴ decidito *SA*, *vett edd* recidito *acM*, et vulgo

⁵ spectent vulgo spectant *ScM*, *vett edd* om *Aa*

⁶ singulis post tum add *Schn* om *SAacM*

⁷ plenior *SAacM*, et vulgo pinguior *Schn*

⁸ neque *Schn* atque (at expunct *a*) *acM*, et vulgo quae

BOOK IV xxiv 7-10

The wounds which a vine receives in its hard wood should be made slantwise and rounded, for they grow together more quickly and, as long as they have not formed a scab, they shed water to better advantage, while crosswise cuts receive and hold more moisture. Let the vine-dresser especially avoid this fault. Let him cut off branches that are far extended, old, badly formed, crooked, and turning downward, and let him permit the growth of those that are young and fruitful and straight. Let him preserve the young and tender arms, and remove the old and withered with the pruning-hook. Let him trim off the tips ^a of the reserve stubs when they are one year old. When 8 the vine has been raised to about four feet above the ground, let him arrange it in the same number of arms, each facing in the direction of one cross-piece of the frame. Then let him allow the growth of one rod to each arm if the vine is rather slender, or two if it is more stocky, and, having placed them upon the frame, let him cause them to hang down. But 9 we must bear it in mind not to allow two or more branches of firm wood to be in the same line and on one side of the arm. For it is especially injurious to the vine when every part of the arm does not exert itself equally, and when it does not dispense its juice to its offspring in equal portions, but is drained on one side only, whereby it comes about that that vein whose moisture is entirely taken away withers as though struck by lightning.

There is also a shoot, called the "throat-shoot" 10

^a Lit the nails (of the "thumbs"), for the stubs have been cut slantwise (Chap 9, above)

LUCIUS JUNIUS MODERATUS COLUMELLA

bifurco medius¹ prorepere, et idcirco eum praedicto vocabulo iustici appellat, quod inter duo bracchia, qua se dividit vitis, enatus velut fauces obsidet, atque utriusque duramenti trahens alimenta praeripit. Hunc ergo tamquam aemulum diligenter idem amputant et adnodant priusquam corroboretur. Si tamen ita praevaluit ut alterutrum brachium adfixerit,² id quod imbecillius est tollitur et ipse
 11 focaneus summittitur. Reciso enim brachio, aequaliter utrique parti vires materae sumministret. Igitur caput vitis pede³ infra iugum constituito, unde⁴ se pandant quattuor, ut dixi, bracchia, in quibus quotannis vitis renovetur, amputatis veteribus et summissis novis palmis, quarum dilectus⁵ scite faciendus est. Nam ubi magna materiarum facultas est, putator custodire debet ne aut proximas duo, id est a trunco et capite vitis, relinquat, aut rursus extremas. Nam illae minimum vindemiae conferunt, quoniam exiguum fructum praebent, similes scilicet pampinarius, hae vitem exhauriunt, quia nimio fetu onerant et usque in alterum ac tertium palum, quod
 12 vitiosum esse diximus, se extendunt⁶. Quare medio in brachio commodissime palmae summittentur,

¹ melius *SAA*

² adfixerit *SA*

³ pedes *acM* pedum *SA* pendens *Ald*

⁴ constet retunde *SA*

⁵ dilectus *SAac* delectus *M*, et vulgo

⁶ se extendunt vulgo extendunt (se om) *cM*, vett *edd* ostendunt (se om) *SAA*

^a Rustic dialect for *focaneus*. Cf. Palladius, III 12 2, *Focaneus etiam, qui inter duo brachia medius nascitur, debet*

(*focaneus*),^a which usually comes out at the centre of the fork, and farmers call it by the aforesaid name because, sprouting out between the two arms where the vine divides itself, it obstructs the *fauces* or throat, so to speak, and forestalls both of the hardened branches by drawing off their nourishment. Therefore these same farmers are careful to cut off and turn away this rival, as it were, before it gains strength. If, however, it has already become so strong as to have impaired one arm or the other, the weaker arm is removed and the throat-shoot is allowed to grow. For when the arm is cut off, the mother 11 vine bestows her strength equally upon both parts. Therefore let the pruner establish the head of the vine one foot below the frame, from which, as I have said, there may extend the four arms by which the vine is renewed yearly by cutting away the old branches and allowing the growth of new ones, the choice of which must be made with skill. For where there is a great abundance of woody branches, the pruner should guard against leaving either those that are next to the hard wood (that is, from the stock and head of the vine), or on the other hand, those at the ends. For the former contribute very little to the vintage, since they yield scanty fruit, being, in fact, like leaf-branches, while the latter exhaust the vine, because they burden it with too much fruit and extend themselves as far as the second or third stake, which we have declared to be wrong. Therefore branches 12 will be let grow to best advantage on the middle

abradi, qui si pinguitudine sua brachium quodcumque proximum debilitaverit, illi deciso ipse succedat

LUCIUS JUNIUS MODERATUS COLUMELLA

- quae nec spem videmiae destituant nec emacient
stumpem suam Non nulli fructus avidius eliciunt,
extrema et media flagella summittendo, nec minus
proximum duro saimentum in custodem irescando,
quod faciendum, nisi permittentibus soli et trunci
viribus, minime censeo Nam ita se induunt uvis
ut nequeant maturitatem capere¹ si benignitas
13 terrae atque ipsius trunci laetitia non adsit Subsidiarius idemque custos in pollicem irescanti non debet,² cum palmae, ex quibus proximi fructus sperantur, idoneo loco sitae sunt, nam ubi ligaveris eas, et in terram spectantes deflexeris, infra vinculum
14 materias exprimes At si longius, quam ritus agnicolarum permittit, a capite vitis emicuerit, et brachius in aliena iugorum compluvia perieperit, custodem validum et quam maximum³ iuxta truncum duorum articulorum⁴ vel trium relinquemus, ex quo quasi pollice proximo anno citata materia formetur in biacchium, ut⁵ sic recisa vitis ac revocata intra⁶ iugum contineatur
15 Sed in summittendo custode haec maxime sunt observanda Primum ne resupina⁷ caelum sed pona potius plaga terram spectet, sic enim et

¹ facere *SAa* de curere *c*

² debent *SAacM*

³ maxime *SAa*

⁴ particularum *SAa*

⁵ ut *om SA* et *acM*

⁶ revocata in *SAa*, *vett edd* renovata intra vulgo renovata sed in *c* renovata secundum (*in abbr*) *M*

⁷ pro munere supina *SA* primum supina *a*

^a So called from the resemblance of the cross bars of the tiles, with their four sided opening, to the square opening of the *compluvium* in the Roman house roof Cf Pliny, *N H* LVII

of the aim, that they may neither disappoint the hope of a vintage nor cause the wasting of their own stem. Some men are more greedy in enticing the fruit by allowing the growth of terminal and medial shoots, and also by cutting the sprig next to the hard wood into a reserve stub, a thing which I believe should not be done in any circumstances unless strength of soil and stock permit it. For they cover themselves with grapes to such an extent that they cannot reach maturity if friendliness of the land and a thrifty condition of the stock itself are not present. The subsidiary branch, which is the same as the reserve stub, should not be cut back into a spur when the rods from which the next fruits are expected are situated in a suitable place, for when you have bound them and bent them to look downward towards the earth, you will force the growth of hard wood below the binding. But if the vine has sprung out from the head to a greater length than the practice of husbandmen allows, and has crept out with its arms to the roof-like trellises that belong to other vines, we shall leave close to the main stem a strong reserve rod, and the largest possible, of two or three joints, from which, as from a spur, firm wood may be quickly fashioned into an arm the following year, so that the vine, cut back and restored in this way, may be kept within the frame.

But in setting aside a reserve stub for growth the following points must be especially observed. First, that the wound shall not face upward toward the heavens, but rather that it slope downward toward the earth, for in this way it is both protected from the

LUCIUS JUNIUS MODERATUS COLUMELLA

gelicidius ipsa se protegit, et ab sole obumbratur
 Deinde ne sagittae sed ungulae similis ¹ fiat resectio,
 nam illa celerius et latius emouitur, haec tardius et
 angustius reformidat Quodque etiam usurpari vitio
 sissime animadverto, maxime vitandum est, nam
 dum serviunt decori, quo sit brevior custos et similis
 16 pollici, iuxta articulum sarmentum recidunt Id
 autem plurimum officit, quoniam secundum plagam
 posita gemma pruinis et frigore tum deinde aestu
 laborat Optimum est igitur medio fere internodio
 subsidiarium tondere ² palmitem, devexamque re-
 sectionem facere post gemmam, ne, ut antea ³
 diximus, superlacrimet ⁴ et gemmantem caecet
 17 oculum Si resecis facultas non erit, circumspiciendus
 est furunculus, qui, quamvis angustissime praecisus
 in modum verrucae, proximo vere materiam exigat,
 quam vel in brachium vel in fructum ⁵ remittamus
 Si neque is reperitur, ⁶ saucianda ferro est atque
 exulceranda vitis in ea parte qua pampinum studemus
 elicere ⁷

Iam vero ipsos palmites, quos vindemiae prae-
 paramus, claviculis ac nepotibus liberandos magno-
 18 pere censeo Sed in eis recidendis alia conditio est,
 atque alia in eis quae procedunt e trunco Nam

¹ sed ungulae similis *SA* sed nec (seu *a* sed ne *cM*)
 ungulae (*cM* ungules *a*) quidem (*deest SAacM*) similis
Schn sed unguis quidem similis *Ald*, *Gesn* sed nec (*vel*
ne) ungulae similis *vett edd*

² tendere *SAa* contendere *c*

³ antea *SA* ante iam *acM* iam (*inclusit Schn*) antea
 (ante *Ald*) *Ald*, *Gesn*, *Schn* ante *vett edd*

⁴ super lacrimam *Aa*

⁵ fructum *SAac* fructu *M* fructuarium *edd*

⁶ reperitur *ScM* repperitur *Aa* reperiatur *edd*

⁷ eligere *Aac*

frosts and shaded from the sun Secondly, that the cut shall not be made like an arrow-point but hoof-shaped ^a rather, for the former dies more quickly and over a wider area, while the latter is checked more slowly and within narrower limits There is also a practice which I observe to be employed, and very wrongly, which should be especially avoided, for in their attention to graceful appearance, so that the reserve stub may be shorter and like a thumb, they cut the branch close to the joint But this is 16 very detrimental, because the bud, being placed next to the wound, suffers from frost and cold, and afterwards from heat also The best plan, then, is to clip the subsidiary branch about midway between the joints and to make a sloping cut behind the bud, so that, as I have already said,^b its tears may not drop upon the budding eye and blind it If there is 17 no opportunity for a cut branch, we must look about for a knob which, even though cut very close in the manner of a wart, may put forth a firm wood branch the following spring, which we may leave either for an aim or for fruit If such a knob is not to be found, the vine must be wounded with the knife and caused to bleed in that place where we wish to draw out a shoot

Now I strongly believe that those branches which we are making ready for bearing should be freed of tendrils and secondary shoots But one method 18 is employed in cutting these away, and another in removing those that come out of the main stem For

^a An oblique cut is to be made clear through, thus giving the stub the appearance of a horse's hoof, with its flat surface not round but of oblong shape

^b Cf IV 9 2

LUCIUS JUNIUS MODERATUS COLUMELLA

quicquid est, quod e duo prominet, vehementius applicata falce adnodatum et eraditum, quo celerius obducat¹ cicatricem, iursus quicquid e teneo processit, sicut nepos, parcius detondetum, quoniam fere coniunctam gerit ab latere gemmam, cui consulendum est ne falce destringatur Pressius enim si adnodes applicato ferio, aut tota tollitur aut convulneratur, propter quod palmes, quem mox in germinatione citaverit, imbecillus ac minus fructuosus erit, tum etiam magis obnoxius ventis, scilicet quia²

19 infimus de cicatrice proieperit Ipsius autem materiae, quam summittimus, longitudini modum difficile est imponere Plerique tamen in tantum provocant ut curvata et praecipitata per iugum ne queat terram contingere Nos subtilius dispicienda illa censemus primum vitis habitum, nam si robusta est amphiores materias sustinet,³ deinde soli quoque pinguitudinem, quae nisi adest, quamvis validissimam vitem celeriter necabimus⁴ procerioribus emaciata

20 flagellis Sed longi palmites non mensura verum geramarum numero aestimantur Nam ubi maiora sunt spatia inter articulos, licet eo usque materiam producere dum paene terram contingat, nihilo minus enim paucis frondescet pampinis At ubi spissa internodia frequentesque oculi sunt, quamvis breve sarmentum multis palmitibus virescit, ac⁵

¹ obdurat *SA* ² quia *SAacM* qui *Schn*

³ sustineat *SA*

⁴ necavimus *S* negavimus *A* notabimus *M*

⁵ ac *SAacM* et *edd*

anything that sprouts from mature wood is cut away and trimmed close by a more vigorous application of the pruning-hook, so that it may form a scar more quickly, while, on the contrary, anything that comes from young wood, such as the secondary shoot, is cut away with greater caution because it usually has a bud close beside it, and care must be taken that this is not grazed with the knife. For if, in applying the knife, you trim too closely, the bud is either taken away altogether or wounded severely, and because of this the branch which it presently puts forth in sprouting will be feeble and less fruitful and also more liable to injury by the winds, obviously because it will be weak when it comes forth from the scar. Furthermore, it is difficult to set a limit to the length of the woody branch which we allow to grow, yet most people draw it out to a length such that, when bent and falling down over the frame, it cannot touch the ground. We believe that the following points should be investigated more closely: first, the condition of the vine, for if it is strong it sustains a greater number of woody branches, and next, the richness of the soil, for if this quality is not present we shall quickly kill even the strongest vine if it is wasted away by rods that are too long. But long branches are valued, not for their length, but for the number of their eyes. For where there are rather considerable spaces between the joints, it is permissible to extend the wood to the point where it almost touches the ground, for nevertheless it will put forth but few leaves and shoots, but where the segments are short and eyes are found at close intervals, the branch, though short, is green with many sprouts and luxuriant with numerous off- 19 20

LUCIUS JUNIUS MODERATUS COLUMELLA

numeroso fetu exuberat Quare modus talis generis
necessario maxime est adhibendus, ne procenioribus
fluctuarius oneretur et ut consideret vinitor proximi
21 anni magna necne fuerit vindemia Nam post
largos fluctus parcendum est vitibus, et ideo anguste
putandum, post exiguos, imperandum Super cetera
illud etiam censemus, ut duris tenuissimisque et
acutissimis ferramentis totum istud opus exsequamur
Obtusa enim et hebes et mollis falx putatorem mora-
tur, eoque minus operis efficit et plus laboris adfert
vinitori, nam sive curvatur acies, quod accidit molli,
sive tardius penetrat, quod evenit in retuso et crasso
ferramento, maiore nisu est opus Tum etiam plagae
asperae atque inaequales vites lacerant, neque enim
22 uno sed saepius repetito ictu res transigitur Quo
plerumque fit ut quod praecidi debeat praefringatur,¹
et sic vitis laniata scabrataque putrescat umoribus,
nec plagae consanentur Quare magnopere monen-
dus putator est, ut prolixet aciem ferramenti, et
quantum possit novaculae similem reddat Nec
ignoret in quaque re, qua parte falcis utendum sit,
nam plurimos per hanc inscitiam vastare vineta
comperi

XXV Est autem sic disposita vinitoriae falcis
figura, ut capulo pars proxima, quae rectam gerit
aciem, culter ob similitudinem nominetur, quae

¹ praefingatur *SAc* perfringatur *aM*

LUCIUS JUNIUS MODERATUS COLUMELLA

flectitur, sinus, quae a flexu procurrit, scalprum, quae deinde adunca est, rostrum appellatur, cui superposita semiformis lunae species securis dicitur, eiusque velut apex pronus imminens mucro vocatur. Harum partium quaeque suis muneribus fungitur, si modo vinito gnarus est vis utendi. Nam cum in adversum pressa manu desecare quid debet, cultro utitur, cum retrahere, sinu, cum adlevare, scalpro, cum incavare,¹ rostro, cum ictu caedere, securi; cum in angusto aliquid expurgare, mucrone. Maior autem pars operis in vinea ductum² potius quam caesim³ facienda est, nam ea plaga quae sic efficitur, uno vestigio adlevatur, prius enim putator applicat ferrum, atque ita quae destinavit praecidit. Qui caesim vitem petit, si frustratus est, quod saepe evenit, pluribus ictibus stirpem vulnerat. Tutior igitur et utilior putatio est, quae, ut rettuli, ductu falcis non ictu conficitur.

XXVI Hac peracta, sequitur, ut ante iam diximus, adminiculandae iugandaeque vineae cura, cui stabilendae melior est ridica palo, neque ea quaelibet, nam est praecipua cuneis fissa olea,⁴ quercus et suber, ac si qua sunt similia robora. Tertium obtinet locum

¹ incavare *edd* incuuarre *a* incurre *SAC* incidere in *marg M*

² duc *A* ducit *cM* in duo *a*

³ cresim *S* chres in (*chrea suprascr man alt*) *A* cresim *c* diresim *M* in tres *a*

⁴ olea gotum *S* oleam gotum *A* oleam totum *a* olean gotum *c* oleragotum *M*

^a Cf IV 12 1

^b With this chapter cf Varro, *RR* I 8, Pliny, *NH* XVII 164-166, 174

called the *sinus* or "bend", that which runs on from the curve is the *scalprum* or "paring-edge", the hook which comes next is called the *rostrum* or "beak," and the figure of the half-moon above it is called the *securis* or "hatchet", and the spike-like part which projects straight forward from it is called the *mucro* or "point." Each of these parts performs its own peculiar tasks, if only the vine-dresser is skilful in using them. For when he is to cut something 2 with a thrust of the hand away from him, he uses the *culter*, when he is to draw it toward him, he uses the *sinus*, when he wishes to smoothe something, he uses the *scalprum*, or, to hollow it out, the *rostrum*, when he is to cut something with a blow, he uses the *securis*, and when he wants to clear away something in a narrow place, he makes use of the *mucro*. But the greater part of the work in a vineyard must be done by drawing the knife toward you rather than by hacking, for the wound which is made in this way is smoothed with one impression, since the pruner first puts the knife in place and so cuts off what he has intended to cut. One who attacks the vine by 3 chopping, if he misses his aim, as often happens, wounds the stock with many blows. Therefore that pruning is safer and more advantageous which, as I have said, is accomplished by the drawing of the knife and not by striking.

XXVI When this is finished there follows, as I have said before,^a the matter of propping and trellising the vineyard.^b And for giving firmness to this the stake is better than the pole, and that not any stake you please, for chief of all is the olive tree split with wedges, the oak and the cork tree, and any other wood of like strength. The round prop holds third

LUCIUS JUNIUS MODERATUS COLUMELLA

pedamen teres, idque maxime probatur ex runipiro, tum ex lauru et cupressu Recte etiam faciunt ad rem silvestres pinus,¹ atque et sabuci² probabiles³ usu statuminis⁴ Haec eorumque similia pedamenta post putationem retractanda sunt, partesque eorum
 2 putres dedolandae acuendaeque,⁵ atque alia convertenda, quae sinceritatem⁶ habent, alia summovenda, quae vel cariosa vel iusto breviora sunt, eorumque in vicem idonea reponenda, iacentia⁷ statuenda, declinata corrigenda Iugo, si non erit opus novo, sartoriae recentia vincula inserantur Si restituendum videbitur, antequam vitis palo applicetur, perticis vel harundinibus conectatur, ac tum demum, sicut in novella praecepimus, vitem iuxta caput infraque brachia colligemus⁸ cum ridica, idque facere non oportebit omnibus annis eodem loco, ne vinculum incidat et truncum strangulet
 3 Brachia deinde sub stella quadripartito⁸ locabimus, tenerosque palmites super iugum ligabimus nihil repugnantes naturae, sed ut quisquis obsequetur, leviter curvabitur, ne deflexus frangatur neve iam tumentes gemmae detergeantur Atque ubi duae materiae per unam partem iugi mittentur, media pertica interveniat, diremptaeque palmae per iugorum

¹ pinus *edd* abuius *S* ab huius *AacM* sabinas *Sobel*

² sambuci *cM*, *edd*

³ probabilis *SAac*

⁴ usu statum in his *A* usu tantum in his *acM*, probabilis usus Tamen in his haec *vulgo ante Schn*

⁵ acuendaeque *om AacM*, *edd ante Schn*

⁶ sinceritatem *cM*, *edd ante Schn* ceritatem *SAa* proceritatem *Schn*

⁷ infraque colligemus *om c*, *vett edd* colligemus vitem cum ridica *aM* vitem iuxta caput *post* colligemus *repet SA*

⁸ quadripartito *SAa*

BOOK IV XXVI 1-3

place, and that is most approved which is made of juniper, and also of laurel and cypress. Also forest pines do well for this purpose, and elders too are acceptable in the capacity of supports. These props and their like must be gone over again after the pruning, and the decayed parts must be hewn away and sharpened, and some, if they are sound, ² are to be reversed, while others, which are either rotten or shorter than is proper, must be removed and replaced with suitable props, those that are lying flat must be set up, and those that lean are to be straightened. As for the frame, if there is no need of a new one, have fresh bindings worked into the mending of it. If it seems to need rebuilding, let it be tied together with poles or reeds before the vine is attached to its prop, and then, as I have directed in the case of a newly planted vine,^a we should bind the vine to the stake, close to the head and below the arms, and this tying should not be done every year in the same place, lest the band cut into the stock and choke it. Then we will arrange ³ the arms in four directions, below the star,^b and bind the tender fruiting branches upon the frame, not forcing them contrary to their nature, but according as each branch will submit, it will be bent slightly, so as not to be broken in the bending and that the buds already swelling may not be rubbed off. And when two mature branches are extended along one part of the frame, let a bar come between them, and let the separated vine-shoots run out over the quadrangular openings ^c of the frames, and, as if plunging

^a Cf IV 12-13

^b Of the frame, i.e. the X formed by the intersecting cross bars (IV 17 6)

^c See IV 24 14, with note

LUCIUS JUNIUS MODERATUS COLUMELLA

compluvia decuriant, et velut mersae cacuminibus
 4 in terram despiciant Id ut scite fiat, memineant
 alligator ne torqueat sarmentum sed tantum inflexum
 devinciatur, et ut omnis materia, quae nondum¹
 potest praecipitari, iugo superponatur, ut potius
 innixa perticae, quam e vinculo dependeat Saepe
 enim notavi per imprudentiam rusticos subicere iugo
 palmam, et ita colligare ut solo vimine suspendant,²
 quae vinea cum accipit pampini et uvarum pondus,
 infringitur

XXVII Sic deinde ordinata vineta festinabimus
 emundare, sarmentisque et calamentis³ liberare
 Quae sicco tamen solo⁴ legenda sunt, ne lutosa
 humus inculcata maiorem fossori laborem praebeat,
 qui protinus adhuc⁵ silentibus vineis induendus⁶ est
 Nam si palmis incipientibus⁷ progemmantibusque
 fossorem immiseris, magnam partem vindemiae
 decusserit Igitur antequam germinent, per di-
 vortium veris et⁸ hiemis quam altissime fodiendae
 vineae sunt, quo laetius atque hilarius pullulent,
 eaeque ubi se frondibus⁹ vestierint, teneris caulibus
 2 necdum adultis modus adhibendus¹⁰ est Idemque
 vinitor, qui ante ferro, nunc manu deputet,¹¹ umbras-

¹ nondum *Schn* mundo *SA* modo *aM*, *Pontedera*, *Gesn*
 mihi *c* nihil *edd* ante *Gesn*

² suspendant *Schn* suspendeat *SacM* vett *edd* sus-
 pendae at *A* suppendeat *Ald*, *Gesn*

³ calametis *S*, et vulgo ante *Schn* calamitis *A*

⁴ loco *SacM*

⁵ ad huc id *cM* ad id ut *SA* ad id *a*

⁶ indicendus *SA*, indulgendus *acM*

⁷ incipientibus *Schn* cum *Pontedera* incipientibus *S*
 incipientibus *A* incipientibus *acM*, et plerique

⁸ et *SAA* ac *M* om *c* atque vulgo

⁹ sic *codd* et uvis post frondibus *add* *edd*

downward, let them look upon the ground with their tips That this may be done skilfully, the binder must 4 remember not to twist the young branch but merely to bend it down and tie it, and he must bear in mind that every mature branch which cannot yet be bent down to earth is to be placed upon the frame, so that it may rather rest upon a bar than hang from its binding For I have often observed that farmers, through want of foresight, place a fruiting branch under the frame and tie it in such a way as to let it hang merely by a wither, and when this vine receives the weight of its shoots and grapes, it is broken down

XXVII When our vineyards are so put in order, we shall next hasten to clean them and to rid them of the pruned twigs and deadwood However, these must be gathered when the ground is dry, lest the earth, being trampled when muddy, make the task harder for the digger, who is to be brought in immediately while the vines are still dormant For if you send the digger in when the fruiting branches are swelling and putting forth buds, he will knock off a large part of the vintage Therefore vineyards are to be dug as deep as possible during the time when spring begins and winter ends, before the buds come, that they may sprout out more luxuriantly and joyfully, and when they have bedecked themselves with leaves, a limit must be set to the young shoots before they are full grown And let 2 the same vine-dresser who made use of the knife before, now prune with his hand, and let him hold the

¹⁰ habendus *SA*, *vett edd*

¹¹ deputet *acM* decutet *SA* decutiet *edd*

LUCIUS JUNIUS MODERATUS COLUMELLA

- que compescat, ac supervacuos pampinos deturbet,¹ nam id plurimum refert non inscite facere, siquidem vel magis pampinatio quam putatio vitibus consulit. Nam illa quamvis multum iuvat, sauciat tamen et resecat, haec clementius sine vulnere medetur, et 3 anni sequentis expeditiorem putationem facit. Tum etiam vitem minus cicatricosam reddit, quoniam id ex quo viride et tenerum decerptum² est, celeriter consanescit. Super haec materiae, quae fructum habent, melius convalescunt, et uvae commodius insolatae percoquuntur.
- 4 Quare prudentis est ac maxime callentis vinitoris aestimare ac dispicere quibus locis in annum debeat materias summittere, nec orbos tantum detrahare palmites, verum etiam frugiferos, si supra modum se numerus eorum profuderit, siquidem evenit ut quidam oculi trigeminis palmis egerminent, quibus binos detrahare oportet, quo commodius singulos 5 alumnos educent. Est enim sapientis rustici reputare, num maiore fructu vitis se induent, quam ut perferre eum possit. Itaque non solum frondem supervacuam volet³ decerpere, quod semper faciendum est, verum interdum partem aliquam fetus decutere, ut ubere suo gravatam vitem levet. Idque faciet varius de causis pampinator industrius, etiam si non erit maior fructus, quam ut maturescere queat, 6 si aut⁴ continuus superioribus annis dapsili pro-

¹ compescat deturbet *SAacM*, *vett edd* com
pescet deturbabit *vulgo*

² deceptum *SAM* decertum *a*

³ volet *SAacM* debet *vulgo*

⁴ si aut *SA* (= aut si) *Sobel* si autem *acM edd*

shade in check and pull off superfluous foliage, and it is of the utmost importance not to do this unskilfully, since the removal of excess leafage is even more beneficial to vines than is pruning. For though the one is of great advantage, still it wounds and checks the vines, while the other heals them more gently, without a wound, and makes the next year's pruning easier. Then too it produces a vine that is 3
freer from scars, because that from which a green and tender thing is plucked soon heals over. In addition, the mature branches which have fruit make a better recovery, and the grapes, being more completely exposed to the sun, are thoroughly ripened.^a

Therefore it is the part of an intelligent vine- 4
dresser, and one especially expert, to take stock and consider in what places he should allow the growth of firm wood for the year, and to remove not only the branches that are destitute of buds, but fruitful branches as well, if their number has gone beyond proper bounds, since it happens that some eyes put forth three shoots, of which you must remove two, that the eyes may better rear one nursling apiece. For 5
it is the business of a wise husbandman to consider whether the vine has bedecked itself with a greater quantity of fruit than it can carry to maturity. Accordingly he will wish, not only to pick off superfluous foliage, which should always be done, but sometimes to shake off a part of the fruit so as to lighten a vine that is overburdened by its own productiveness. And a diligent vine-trimmer will do this for various reasons, even if there is no more fruit than is able to ripen, or if it is right that 6
a vine, fettered by heavy bearing in previous years

LUCIUS JUNIUS MODERATUS COLUMELLA

ventu religatam vitem requiescere¹ ac refici par erit,² si³ futurae materiae consulendum Nam cacumina flagellorum confringere⁴ luxuriae comprimendae causa, vel duā parte trunci sitos⁵ pampinos summovere, nisi ad renovandam vitem unus atque alter servandus est, tum e capite quicquid inter brachia viret explantare, atque eos qui per ipsa duāmenta steriles⁶ nequiquam matrem opacant, palmites detergere, cuiuslibet vel pueri est officium

XXVIII Tempus autem pampinationis antequam florem vitis ostendat, maxime est eligendum, sed et postea licet eandem repetere Medium igitur eorum diei um spatium, quo acini formantur, vinearum nobis aditum negat, quippe florentem fructum movere non expedit Pubescentem vero, et quasi adolescentem convenit religare, folisque omnibus nudare, tum et crebris fossionibus implere, nam fit uberior pulvera-
 2 tionibus⁷ Nec infitior plerosque ante me iusticiarum rerum magistros tribus fossuris contentos

¹ dapsili (dapsilis *aM*, daciū *SA*) proventu (proventur *SAM*, probantur *a*) religatam vitem requiescere *SAacM*, *Sobel* d p fatigata (fatigatam *Cod Laurent* 53 27, teste *Sobel*) vitis fuerit, requiescere *vulgo*

² paruerit *SA* par fuerit *Sobel* patitur *a*

³ si *SAacM*, *vett edd*, *Sobel* et sic *vulgo*

⁴ definge *SA* defringe *a*

⁵ satos *c* si post *SAA* siccos *M*

⁶ steriles *M*, *edd* similes *SAac*

⁷ pulverationi *c* pulveratione *M* nudare pulvera-
 tionibus *om SA*

^a *I e* the stripping off by hand of useless leaves and twigs (*pampini*), an operation described just above and frequently mentioned (*eg* Chap 6, above, *De Arb* 11 2), and called *pampinatio*, as distinguished from *putatio* or pruning with

without interruption, should now rest and recover itself, if provision is to be made for the mature wood of the future. For to break off the tips of the rods for the purpose of checking rank growth, or to remove twigs that are situated on the hard part of the stock, unless it is necessary to preserve one or two for renewing the vine, as also to pull off every green shoot that comes out of the head and between the arms, and to strip away those sterile shoots which all along the mature wood shade the mother vine to no purpose, is a proper task for anyone at all, even for a boy.

XXVIII But the time for vine-trimming^a must be chosen, preferably, before the vine shows its flower, though it is permissible to repeat the operation afterwards. Therefore the intervening period of days, when the berries are being formed, refuses us entrance to the vineyard, because it is not expedient to disturb the fruit when it is in the blossom. But when the fruit is passing from childhood and is in the adolescent stage, so to speak, it is proper to bind it and strip it of all leaves, and also to make it plump by frequent diggings, for fruit is made more plentiful by pulverizing the soil^b. And I do not deny² that most teachers of husbandry before me were

a knife. With this sentence compare Pliny, *N H* XVII 190, *Pampinatio verna in confesso est ab Idibus Mars, intra dies x, utique antequam florere incipiat. De sequente variant sententiae. Cum defloruit aliqui pampinandum putant, alii sub ipsa maturitate*

^b *Pulveratio* meant the working of the ground about the vine when it was dry, reducing it to powder, and raising clouds of dust to settle on the leaves and fruit as a protection against sun and fog, cf. *XI* 2 60, *De Arb* 12 1, Pliny, *N H* XVII 49

LUCIUS JUNIUS MODERATUS COLUMELLA

fuisse, ex quibus Graecinus, qui sic refert potest videri satis esse constitutam vineam ter fodere Celsus quoque et Atticus consentiunt tres esse motus in vite seu potius in omni surculo naturales unum, quo germinet, alterum, quo floreat,¹ tertium, quo maturescat Hos ergo motus censent fossionibus concitari Non enim natura quod vult satis efficit, nisi eam labore² cum studio iuveris Atque haec colendarum vinearum cura finitur vindemia

XXIX Redeo nunc ad eam partem disputationis, qua sum professus vitium inserendarum tuendarumque insitionum praecepta Tempus inserendi Iulius Atticus tradidit ex Kalendis Novembribus in Kalendas Iunias, quoad posse custodiri surculum sine germine adfirmat Eoque debemus intellegere nullam partem anni excipi, si sit sarmenti silentis facultas Id porro in aliis stirpium generibus, quae firmioris et sucosioris libri sunt, posse fieri sane² concesserim In vitibus nimis temere tot mensium³ rusticis insitionem permissam dissimulare non est fidei meae nec quia ignorem⁴ brumae temporibus aliquando insitam vitem comprehendere Sed non quid in uno vel altero experimento casu fiat, verum quid certa ratione plerumque proveniat, discentibus praecipere debemus⁵ Etenim si exiguo numero periclitandum sit, in quo maior cura temeritati

¹ confloreat SA

² laborem SA

³ mensum SA

⁴ nec quia ignorem a nec qui nigriorem SAc licet quidem ignorem (ex igriorem ut vid) M non quod ignorem vulgo

⁵ permiscere (permittere a) debeamus SAac, Sobel

content with three diggings," among whom is Graecinus, who speaks as follows "It may seem sufficient to dig an established vineyard three times" Celsus, too, and Atticus agree that there are three natural impulses in a vine, or rather in every branch one which makes it sprout, another which makes it bloom, and the third which makes it ripen. These impulses, then, they think are stimulated by diggings for nature does not sufficiently accomplish her purpose unless you diligently give her the benefit of your efforts. And this attention to the cultivating of vineyards comes to an end with the vintage.

XXIX I return now to that part of my discussion in which I promised directions for the grafting of vines and protecting the grafts. Julius Atticus has said that the time for grafting is from the Calends of November to the Calends of June, up to which time he asserts that a scion can be kept without sprouting. And by that we should understand that no part of the year is excepted if we have a supply of dormant twigs. Furthermore, I would freely grant that this could be done in other kinds of stock that have stronger and sappier bark. In the case of vines, one thing it is not in keeping with my honesty to conceal—that it is exceedingly rash to allow husbandmen to graft during so many months, not that I am unaware that a vine grafted in the dead of winter sometimes takes hold. But we should instruct learners, not what may come about by chance in one or two experiments, but what commonly occurs under a definite system. For if the risk is to be taken with a small number, in whose case greater care makes amends for rashness, I can

LUCIUS JUNIUS MODERATUS COLUMELLA

- 3 medetur, possum aliquatenus convivere,¹ eum vero vastitas operis etiam diligentissimi agricolae cuiam distendit,² omnem scrupulum summoovere debemus. Est enim contrarium, quod Atticus praecipit. Nam idem per brumam negat recte putari vineam, quae res quamvis minus laedat vitem, merito tamen fieri prohibetur, quod frigoribus omnis suculus rigore torpet, nec propter gelicidia corticem movet, ut
- 4 cicatricem consanet. Atque idem Atticus nos prohibet eodem ipso tempore inserere, quod tum et totius obtruncatione vitis et cum eiusdem resectionis fissura praecipit fieri. Verior itaque ratio est inserendi tepentibus iam diebus post hiemem, cum et gemma se et³ cortex naturaliter movet, nec frigus ingruit, quod possit aut surculum insitum aut fissurae
- 5 plagam inurere. Permiserim⁴ tamen festinantibus autumno vitem inserere, quia non dissimilis est eius aeris qualitas verna. Sed quocumque quis tempore destinaverit inserere, non aliam sciat esse curam surculis exploiandis, quam quae tradita est priore libro, cum de malleolis eligendis praecepimus. Quos ubi generosos et fecundos et quam maturissimos viti detraxerit, diem quoque tepidum silentemque
- 6 a ventis eligat. Tum consideret suculum teretem solidique corporis, nec fungosae medullae, crebris etiam gemmis et brevibus internodiis. Nam pluri-

¹ convivere *c* convenire *a*, et vulgo ante *Schn* meri con-
tueri *SA om M* connivere *Schn*

² distendit (discendit *a*, discendi *c*) atque impedit (impendit
c) *acM*

³ gemmas et *AacM*, et vulgo ante *Schn*, et deinde corticem
M, ante *Schn*

⁴ permiserit *SA* permisceri *cM*

wink at it to a certain extent, but when the extensiveness of the operation divides the attention of even the most careful husbandman, we ought to remove every uncertainty. There is, indeed, a contradiction in what Atticus directs. For he says that it is not right to prune a vineyard during the middle of winter, and although this does less injury to the vine, still it is forbidden to be done, with good reason, because in cold weather every branch is numb with the cold, and because in its frozen condition it produces no impulse in the bark to heal the scar. And yet this same Atticus does not forbid grafting at the very same time, and he directs that it should then be done by cutting off the head of the whole vine and making a cleft at the point of this cutting. Therefore the more proper way of grafting is at the end of winter, when the days are now growing warm, when both bud and bark are stirred by nature, and when there is no attack of cold weather that may sear either the grafted scion or the wound made by the cleft. Nevertheless I would allow those who are in haste, to graft the vine in the autumn, because the temperature of the air at that season is not unlike that of spring. But at whatever time one intends to graft, let him know that attention to the choosing of scions is not different from that which was prescribed in the preceding book when we gave directions for the selection of cuttings.^a When he has pulled from the vine scions which are of good stock, fruitful, and as well ripened as possible, let him also choose a day that is warm and free from winds. Then let him look for a scion that is round and of firm body, not of spongy pith, and also with numerous eyes and short joints. For it is of the greatest

LUCIUS JUNIUS MODERATUS COLUMELLA

num interest non esse longum sarmentum, quod inseratur, et ruisus plures oculos, quibus egerminet, messe Itaque si sunt longa internodia, necesse erit¹ ad unam vel summum duas gemmas recidere surculum, ne proceriorem faciamus quam² ut tempestates et³ ventos et imbres⁴ immobilis pati possit

- 7 Inseritur autem vitis vel recisa vel integra perforata teiebra, sed illa frequentior et paene omnibus agricolis cognita insitio, haec rarior et paucis usurpata De ea igitur prius disseram, quae magis in
8 consuetudine est Reciditur vitis plerumque supra terram, nonnumquam tamen et infra, quo loco maxime⁵ solida est atque enodis Cum iuxta⁶ terram insita est, surculus adobruitur cacumine tenuis, at cum editior a terra est, fissura diligenter subacto luto linitur et⁷ superposito musco ligatur, quod et calores et pluvias arceat Temperatur ita surculus, ut calamo non absimilis sit Purgamentum habeas ad fissuram,⁸ sub qua nodus in vite desideratur, qui quasi alliget eam fissuram, nec rimam patiatui
9 ultra procedere Is nodus etiam si quattuor digitis a resectione abfuerit,⁹ inligari tamen eum, priusquam vitis findatur, conveniet, ne, cum scalpro factum

¹ erit *SAa* esse *c* est *M*, *edd*

² ne quam *om SA*

³ et *om SAa*

⁴ et imbres *om SA*

⁵ maxime *SAac*, *vett edd* magis *M*, et *vulgo*

⁶ iuxta *codd*, et *plerique* supra *Schn*

⁷ et *codd* atque *vulgo*

⁸ u c n a sit Purgamentum habeas a f *Sobel* u c n a est purgamentum habens ad fissuram (affisuram a) *SAa* u c non ut coagmentum fissuram (fixuram c) *cM* u c non absimilis coagmentet fissuram *edd*

⁹ resectionibus fuerit *SAac*

importance that the twig which is ingrafted be not long, and also that there be many eyes on it, from which it may put forth shoots. And so, if the joints are long, it will be necessary to shorten the scion to one or at most two eyes, lest we make it so long that it cannot endure the storms and winds and rains without being disturbed.

Now when a vine is grafted it is either cut off or left whole and bored through with an auger,^a but the former is the more usual graft and is known to almost all farmers, while the latter is less common and is employed by few. Therefore I shall discuss first the method which is more in use. The vine is generally cut above ground, though sometimes below, in the place where it is most solid and free from knots. When it is grafted close to the ground, the graft is covered with earth to its very top, but when the graft is higher above ground, the cleft is carefully daubed with kneaded clay and bound with an overlaying of moss to ward off heat and rains. The scion is so shaped as to be not unlike a reed pen. The piece that is pared off you should hold against the cleft,^b and under this cleft there is need of a node in the vine, to bind it together, as it were, and not allow the crack to advance beyond that point. Even if this node is four finger-breadths distant from the point of cutting, still it will be proper that it be bound before the vine is split, lest the wound spread wider.

^a With the instructions that follow compare Cato's chapter (41) on vine grafting, also Pliny, *N H* XVII 115-117, and Palladius, IV 1.

^b Sobel (*Stud Colum*, pp 77-78) explains that the paring is to be used as a wedge to hold the cleft open while the scion is being inserted.

LUCIUS JUNIUS MODERATUS COLUMELLA

fuerit iter surculo, plus iusto plaga hiet Calamus autem¹ non amplius tribus digitis debet allevari, atque² is ex ea parte, qua raditui, ut sit levis Eaque rasura ita deducitur, ut medullam contingat uno latere, atque altero paulo ultra corticem destringatur, figuetuique in speciem cunei, sic ut ab ima parte acutus³ surculus, latere altero sit tenuior, atque altero plenior, perique tenuiorem partem insertus eo latere artetui quo est plenior, et utrimque contingat fissuram Nam nisi cortex cortici sic applicatur,⁴ ut nullo loco transluceat, nequit coalescere⁵

- 10 Vinculi genus ad insitionem non unum est Alii viminibus obstringunt, nonnulli circumdant libio fissuram, plurimi ligant iunco, quod est aptissimum Nam vimen, cum inaruit, penetrat et insecat corticem Propter quod molliora vincula magis probamus, quae cum circumveneie truncum, adactis harundineis cuneolis artantur Sed antiquissimum est, et ante haec ablaqueari vitem, radicesque summas vel suboles amputari, et post haec adobru truncum Isque cum comprehendit, aliam rursus
- 11 exigit curam nam saepius pampinandus est, cum germinat, frequentiusque detrahendae suboles quae a lateribus radicibusque prorepunt Tum quod ex insito profudit⁶ subligandum, ne vento surculus

¹ autem] ut rarior (non om) SA adradī Schn

² aequaliter vulgo ante Schn

³ artus SA

⁴ applicetur M, et vulgo appellatur A

⁵ nequid patiatur coalescere SA nequid coalescere patiatur a nequid coalescere c

⁶ profudit SA

^a Thus forming an unsymmetrical wedge

than it should when a way is made for the graft with the knife. Moreover, the pen-shaped scion should be tapered not more than three fingers, and so that it may be smooth on the side where it is shaved. And this shaving is carried so far as to reach the pith on one side, and on the other side to be pared down a little farther than the bark,^a and to be fashioned in the form of a wedge, so that the scion may be sharp at its lowest point, thinner on one side and thicker on the other, and that, when inserted by the thinner side, it may be pressed close on that side which is thicker and may touch the cleft on both sides. For, unless bark is fitted to bark in such a way that the light shows through at no point, it cannot grow together.

There is more than one kind of band for grafting. 10
Some bind the cleft with willow withes, some wrap it with inner bark, very many tie it with rush, which is most suitable. For the willow withe, when it has dried, penetrates and cuts into the bark. For this reason we give higher approval to softer bindings which, after being wrapped around the stock, are drawn tight by forcing in small wedges of reed. But it is of very first importance that the ground be loosened around the vine beforehand, and that the surface roots and suckers be cut away, and afterwards that the stock be covered with earth. And when the stock has taken hold of the graft, it again requires care of a different sort. For, when it buds, it must 11
be stripped oftener of superfluous growth, and the suckers which sprout from the sides and roots must be pulled off more frequently. Furthermore, anything that it puts forth from the place of ingraftment must be tied up, lest the scion should be

LUCIUS JUNIUS MODERATUS COLUMELLA

- motus¹ labefactetur aut explantetur tener pampinus
 Qui cum excrevit, nepotibus orbandus² est, nisi si
 propter penuriam et calvitium loci summittuntur³ in
 propagines Autumnus deinde falcem maturis palmi-
 tibus admovet Sed putationis insitis⁴ custoditur
 ea ratio, ut ubi nulla desideratur propago unus
 surculus evocetur in iugum, aliter ita recidatur ut
 adaequetur plaga trunco, sic tamen ne quid radatu
 12 e duro Pampinandum non aliter est quam in
 novella vivradice, putandum vero sic ut usque in
 quantum annum paucius imperetur, dum plaga trunci
 ducat⁵ cicatricem Atque haec per fissuram insi-
 tarum est ordinatio
 13 Illa sic⁶ per terebrationem primum ex vicino
 fructuosissimam⁷ considerare vitem, ex qua velut
 traducem inhaerentem matri palmitem attrahas, et
 per foramen transmittas Haec enim tutior⁸ et
 certior est insitio, quoniam, etsi proximo veie non
 comprehendit, sequente certe, cum increvit, coniungi
 cogitur, et mox a matre reciditur, atque ipsa super-
 ficies insitae vitis usque ad receptum sulculum ob-
 14 truncatur Huius traducis si non est facultas, tum
 detractum viti quam recentissimum eligitur sarmen-
 tum, et leviter circumrasum, ut cortex tantum detra-
 hatur, aptatur⁹ foramini, atque ita luto circumlinitur

¹ motus om SA, vett edd ² ordinandus SA

³ summittuntur S summittitur A summitur a sumitur
 c, edd ante Gesn submittitur M, Gesn, Schn

⁴ insitis om vett edd, Schn

⁵ ducit S duci A

⁶ Ita SAacM, Sobel In illa autem, quae fit vulgo

⁷ oportet post fruct add vulgo, om SAacM

⁸ putatior SA, Sobel ⁹ artatur SA

BOOK IV XVIII II-14

loosened when moved by the wind, or the tender shoot be pulled out. And when this shoot has increased in size it must be deprived of its secondary shoots, unless because of the poverty or baldness of the place they are reserved for layers. Then autumn applies the pruning-knife to the matured branches. But the following method of pruning is observed in grafted vines—that, where there is no desire for a layer, one shoot is brought up to the frame, and a second is cut back to such an extent that the wound is flush with the stock, though in such a way that nothing is pared from the hard wood. Excess foliage 12 must be removed just as in the case of the young quickset, but the pruning is to be done in such a way that demands are put upon it very sparingly up to the fourth year, until the wound of the trunk forms a scar. This, then, is the method of procedure in cleft-grafting.

The procedure by terebration or boring is as follows: ^a first, to take note of the most fruitful vine in the vicinity, from which you may draw over a traverse branch, so to speak, still clinging to its parent vine, and pass it through the hole. For this is a safer and surer way of grafting because, even though it does not take hold the next spring, at any rate it is forced to be united in the spring following, when it has grown larger, and presently it is cut loose from its mother, and the upper part of the grafted vine is lopped off close to the place where the scion was admitted. If 14 there is no opportunity for such a traverse branch, then a twig is selected—one taken as fresh as possible from the vine—and, being lightly pared all around in such a way that the bark alone is removed, it is fitted to the hole, and then the vine is cut back and daubed over with clay, that the whole stock

LUCIUS JUNIUS MODERATUS COLUMELLA

resecta vitis, ut totus truncus alieni generis viti¹ serviat Quod quidem non² fit in traduce, qui a³ materno sustinetur ubere dum inoleſcat

- 15 Sed aliud est ferramentum quo priores vitem perforabant, aliud quod ipse usu nunc magis aptum compen. Nam antiqua terebra, quam solam veteres agricolae noverant, scobem faciebat peruebatque eam partem quam perforaverat Deusta porro raro revirescebat, vel cum priore coalescebat,⁴ et insitus⁵ surculus comprehendebat Tum etiam scobis nunquam sic eximebatur ut non inhaereret foramini, ea porro interventu suo prohibebat corpus surculi
- 16 corpori vitis applicari Nos terebram, quam Gallicam dicimus, ad hanc insitionem commentu longe habiliorē utiliorēque comperimus Nam sic excavat truncum ne foramen inurat, quippe non scobem sed iamenta⁶ facit, quibus exemptis plaga levis relinquitur, quae facilius omni parte sedentem surculum contingat, nulla interveniente lanugine
- 17 quam excitabat antiqua terebra [Igitur secundum vernum aequinoctium perfectam vitium insitionem habeto, locisque aridis et siccis nigram vitem inseito, humidis albam] Neque est ulla eius propagandi

¹ alieni generis viti (vitis c) cM, Ald, Gesn alie in genere vitis a alienigenis surculis Schn vitis ut viti] vitis ultratus surculus SA

² non om SA

³ qua SAA qui (a om) cM

⁴ Deusta coalescebat] sic edd deusta (devineta S, de vineta A) porro cum prore (rore S, parte a) convalescebat SAA Post scobem habent faciebat raro revirescebat et perurebat eam partem quam perforaverat deusta Porro et insitus surculus comprehendebat cM

⁵ coalesc, in eaque (duo verba om codd) nec (et codd) insitus vulgo

⁶ ramenta edd rasamenta acM tramenta SA

may devote itself to a vine of different origin. However, this is not done in the case of a traverse shoot, which is nourished at its mother's breast until it grows into the other vine.

But there is one type of iron tool with which our 15 ancestors used to bore through the vine,^a and a different sort which I myself have now found by experience to be more suitable. For the ancient gimlet—the only kind that old-time farmers knew—would make sawdust and would burn the place which it perforated. Moreover, it was seldom that the burned part would revive or unite with the former and that the grafted scion would take hold. Then, too, the sawdust was never so completely removed that some did not remain in the hole, and this, by its intervention, kept the body of the scion from being 16 closely joined to the body of the vine. We, having devised what we call the "Gallic auger"^b for this kind of grafting, have found it far more suitable and practical. For it hollows out the stock in such a way as not to burn the hole, because it does not make dust but shavings, and when these are removed a smooth wound is left, which can more easily touch the seated scion on every side, since there is no interference of that woolly matter which the ancient gimlet produced [Therefore see to it that the grafting of your vines is 17 finished immediately after the vernal equinox, and graft the black vine in places that are parched and dry, the white vine in wet places]^c [And there is no

^a Cf. Cato, 41 3-4

^b Cf. *De Arb* 8 4, Pliny, *loc cit*, Palladius, *loc cit*

^c The passage is bracketed by Schneider as irrelevant at this point, perhaps having crept in from *De Arb* (*loc cit*), where an almost identical statement follows the description of the Gallic wimble

LUCIUS JUNIUS MODERATUS COLUMELLA

necessitas, si modo tam mediocris est crassitudo tunc ut incrementum insiti¹ plagam possit contingere,² nisi tamen vacuus locus demortui capitis vitem reposcit Quod cum ita est, alter ex duobus surculis mergitur, alter eductus ad iugum in fructum summittitur Neque inutile est ex ea vite, quam merseris, enascentes in arcu propaginis pampinos educare, quos possis mox, si ita competet,³ vel propagare vel ad fructum relinquere

XXX Quoniam constituendis⁴ colendisque vineis, quae videbantur utiliter praecipere posse, disseruimus, pedaminum iugorumque et viminum prospiciendorum tradenda ratio est Haec enim quasi quaedam dotes vineis ante praeparantur Quibus si deficitur agricola, causam faciendi vineta non habet, cum omnia, quae sunt necessaria, extra fundum quaerenda sint, nec emptionis tantum, sicut ait Atticus, pretium onerat vilici⁵ rationem, sed est etiam comparatio² molestissima Convehenda sunt enim tempore iniquissimo hiberno⁶ Quare salices viminales atque harundineta vulgaresque silvae, vel consulto consitae castaneis, prius faciendae⁷ sunt Salicum viminalium⁸ Atticus putat singula iugera sufficere posse⁹ quin et vicenis iugeribus ligandae vineae,

¹ insita *SAa*

² contegere *M*, *edd ante Schn*

³ competit *cM*

⁴ constituendisque, *deinde colendisque om SAa*

⁵ vilici *Sobel* vitici *S* vici *Aa* rustici *cM* vitis *edd*

⁶ hiberni *SAacM*

⁷ facienda *Ac, edd*

⁸ Salicum viminalium *Schn* licet viminalibus *S*, *vett edd* licet ut (in *M*, ut in *c*) viminalibus *Aa* Viminalium (Salicum *om*) ut (*om codd*) Atticus *vulgo*

⁹ posse *SAacM, vett edd* possunt *vulgo*.

need of propagating this if only the stock is of so moderate a thickness that the growth of a grafted scion can cover the wound on all sides, unless, however, the place left vacant in a vine whose head is dead demands a replacement. When this is the case, one of the two shoots is turned down for a layer, and the other is carried up to the frame and set apart for fruit. And it is not without advantage to rear shoots from the vine which you have layered, as they sprout from the arched part of the layer, which, if it so happens, you may either use for further layers or leave for fruit]^a

XXX Inasmuch as we have discussed those matters which it seemed could be taught to advantage for the establishing and cultivating of vineyards, a method must be set down for the provision of props, frames, and withes. For these are prepared beforehand, as dowries, so to speak, for the vineyards. And if the farmer is destitute of these, he has no reason for making vineyards, since everything that is needed will have to be sought outside the farm, and, just as Atticus says, not only does the cost of purchase put a burden upon the accounts of the overseer, but also the procuring of them is a very great annoyance. For 2 they must be brought together at a most inconvenient season—in winter. Therefore osier-willows and reed thickets must be provided beforehand, and also ordinary woods or woods purposely planted with chestnut trees. Atticus thinks that one *vugerum* of osier-willows may suffice for binding twenty-five *vugera*

^a This passage, printed as it stands in the manuscripts and editions, is obviously out of place. It appears to belong, as Schneider points out, at the beginning of Sec. 12 of this chapter, after the words *radatur e duro*.

LUCIUS JUNIUS MODERATUS COLUMELLA

harundineti singula iugera vicens iugandis, castaneti iugerum totidem palandis, quot harundineti iugandis
 3 Salicem vel riguus ager vel uliginis abundans¹ optime, nec incommode tamen alit planus et pinguis. Atque is debet converti bipalio, ita enim praecipiunt veteres, in duos pedes² et semissem pastinare salicto destinatum solum. Nec refert cuius generis vimen
 4 seras, dum sit lentissimum. Putant tamen tria esse genera praecipue Graecae, Gallicae, Sabinae salicis,³ quam plurimi vocant Amerinam. Graeca flavo coloris est, Gallica obsoleti purpurei, et tenuissimi viminis,⁴ Amerina salix gracilem virgam et rutilam gerit. Atque hae vel cacuminibus vel taleis deponuntur. Perticae cacuminum modicae plenitudinis,⁵ quae tamen dupondiarum orbiculi crassitudinem non excedat,⁶ optime panguntur eousque dum ad
 5 solidum demittantur. Taleae sesquipediales terreno immersae paulum obruuntur. Riguus locus spatia laxiora desiderat, eaque senum pedum per quincuncem recte faciunt, siccanus spissiora, sic ut sit facilis accessus colentibus ea. Quinque pedum interordinia esse abunde est, ut tamen in ipsa linea consuetudinis alterna vacuis intermissis bipedaneis spatibus
 6 consistent semina. Satio est eorum priusquam

¹ uliginis abundans (habundans a) *SAacM* uliginosus *edd*

² pedes *vulgo om SAacM*

³ salicis *post praecipue ponunt edd*

⁴ viminis *codā, plerique edd om Schn*

⁵ plenitudinis *edd planitudinis SAacM*

⁶ excedat a, *Schn* excedat *SA* excedant *cM*, et plerique

^a So Pliny, *N H* XVII 143

^b Cf Pliny, *N H* XVI 177

of vineyard,^a and one *ugerum* of reed thicket for framing twenty, and that a *ugerum* planted with chestnut trees is enough to provide as many props as a *ugerum* of reeds can furnish with cross-rails. Ground 3 that is either well watered or abounding in marshland is best for nourishing the willow, and yet level and rich ground is not unsuitable. And this ground should be turned with the double spade, for the ancients direct us to trench ground intended for a willow-bed to a depth of two and one-half feet. And it makes no difference what kind of osier you plant, if only it is very pliant. Still they think that there 4 are chiefly three kinds of willows ^b the Greek, the Gallic, and the Sabine, which most people call the Ameine. The Greek is of a yellow colour, the Gallic of a dingy purple, and with very slender switches, and the Ameine has a slim and reddish rod. And either top-shoots or truncheons of these are planted. Top rods of moderate stoutness, which, however, should not exceed the thickness of a circular two-pound weight,^c are best planted if they are put down as far as solid ground. Truncheons of one and 5 one-half feet are stuck into the earth and covered over with a little of it. A well-watered spot requires wider spaces, and spaces of six feet in the quincunx arrangement do very well, a place that is normally dry needs closer planting, but in such a way as to give easy access to those who cultivate it. In this case it is satisfactory that the distance between rows be five feet, yet so that the plants may stand at two-foot intervals in the line of planting, alternating with empty spaces between. The time for planting them is before they 6

^a Probably in the form of a rod or bar, an old Roman unit of weight

LUCIUS JUNIUS MODERATUS COLUMELLA

germinent, dum silent vineae, quas arboribus detrahi¹ siccis convenit Nam² roscidas si recideris, parum commode³ proveniunt, ideoque⁴ pluvii dies in exputanda salice vitantur Fodienda⁵ sunt primo triennio salicta crebrius, ut novella vinea Cum deinde convaluerint, tribus fossis contenta sunt, 7 aliter culta celeriter deficiunt Nam quamvis adhibeatur cura, plurimae salices intereunt Quarum in locum⁶ ex propinquo mergi⁷ propagari debent, curvatis et defossis cacuminibus,⁸ quibus restituatur quicquid intercidit Anniculus deinde mergus decidatur a stirpe, ut suis radicibus tamquam vitis alii possit

XXXI Peraranda loca, quae genus id virgultorum non recipiunt, genistam postulant Eius cum sit satis firmum tum etiam lentissimum est vinculum Seritur autem semine, quod cum est natum, vel deferitur bima viviradix, vel relicta cum id tempus excessit, omnibus annis more segetis iuxta terram demeti potest Cetera vincula, qualia sunt ex rubo, maiorem operam sed in egeno tamen necessariam 2 exigunt Perticalis fere salix eundem agrum, quem viminalis, desiderat, melior tamen iuguo provenit Atque ea taleis conseritur, et cum germinavit, ad unam perticam summittitur, crebroque foditur atque exherbatur nec minus quam vinea pampinatur, ut in longitudinem ramorum⁹ potius quam in lati-

¹ detrahit *SAa*

² Nam *cM*, *edd* At *a* ab *SA*, *Sobel*

³ commode *SAa*, *Sobel* prospere commode (*commodeque M*) *cM* prospere *vulgo*

⁴ ideoque *SAa* itaque *vett edd* ideo *vulgo*

⁵ facienda *SAa*, *vett edd* ⁶ loco *Aac*, *edd ante Schn*

⁷ mergis *SAacM*, *Ald*, *Gesn*

⁸ sic *vulgo* curvata et defossa cacumina *SAacM*, *vett edd*

bud, while the slips are dormant, and it is best that they be taken from the trees when they are dry For if you cut them off when they are wet with dew, they do not grow properly, and for this reason rainy days are avoided in lopping off the willows Willow copses are to be dug more frequently during the first three years, as are new vineyards Late^r, when they have gained strength, they are satisfied with three diggings, under any other cultivation they quickly run out For, even though care is taken, very many willows ⁷ die In their place layers should be propagated from a near-by plant, by bending down and burying its leaders, so that anything that has died may be replaced with these Then when the layer is a year old, let it be cut loose from its stock, that it may be fed by its own roots just like a vine

XXXI Very dry places, which do not admit copses of this sort, require broom A band of this material not only has sufficient strength, but also it is very pliant The plant is raised from seed, and when it has sprouted, it is either transplanted as a quickset when two years old, or, if left where sown after that time has passed, it may be cut close to the ground every year in the manner of standing grain Other bindings, such as those made of bramble, require greater labour, but still a necessary labour in poor soil Willow for ² poles requires about the same land as that for withes, nevertheless it thrives better in well-watered ground And it is planted in the form of truncheons, and when it has sprouted it is made to grow as a single shaft, and is frequently cultivated and weeded, and excess foliage is removed no less than in the vine, that it may be encouraged to length rather than spread of branches

LUCIUS JUNIUS MODERATUS COLUMELLA

tudinem evocetur Sic culta quato demum anno
 3 caeditur Nam quae vinculis praeparatur, potest
 annicula praecidi ad semissem super¹ duos pedes, ut
 e trunco futicet et in brachia velut humilis vinea
 disponatur, si tamen siccior fuerit ager, bima potius
 resecabitur

XXXII Harundo minus alto² pastinato, melius
 tamen bipalo seritur Ea cum sit vivacissima nec
 recuset ullum locum, prosperius resoluto quam denso,
 umido, quam secco, vallibus, quam clivis,³ fluminum
 ripis, et limitibus ac vepribus⁴ commodius quam
 2 medius agris deponitur Seritur bulbus radiceis, et
 talea calami, nec minus toto prosternitur corpore
 Bulbus tripedaneis intervacantibus spatii obitus
 anno celerius maturam perticam praebet Talea et
 tota harundo serius praedicto tempore evenit Sed
 sive recisa in dupondium et semissem talea, sive
 totae harundines prostratae deponentur,⁵ exstant
 earum cacumina,⁶ quod si obruta sunt, totae
 3 putrescunt Sed cultus harundineti⁷ primo trien-
 nio non alius est quam ceteris Cum deinde con-
 senit, repastinandum est Ea est autem senectus,
 cum vel exaruit situ et inopia plurium annorum, vel
 ita densatum est, ut gracilis et cannae similis harundo
 4 prodeat Sed illud de integro refodi debet, hoc

¹ super *SAA*

² alto *SAacM* alte *edd*, deinde pastinatur *Ald*, *Gesn*

³ clivis *edd*, dumis *SAacM*

⁴ vepribus *ScM*, *vett edd* vepribus a veribus *A*
 vepretis *vulgo*

⁵ deponentur *cM*, *vett edd* deponeretur *SAA* deponan-
 tur *vulgo*

⁶ oportet post cacumina *add vulgo*

⁷ harundineti *scripti* harundinetis vel arundinetis *codd*,
edd

When so cared for it is cut at last in its fourth year For the willow which is prepared for bindings may ³ be cut off when it is one year old, at about two and a half feet above ground, so that it may send out branches from the trunk and be arranged in arms like a low vine, but if the ground has been rather dry, it will be cut back preferably at the age of two years

XXXII The reed ^a is planted in ground that is not worked so deep, though it is better to plant it with the two-foot spade Although it is very hardy and does not refuse any situation, it succeeds better when put in loose soil than in compact, better in a damp place than in a dry one, better in valleys than on hillsides, and on river banks and in borders and thickets better than in midfield Its bulbous root ² is planted, as also truncheons of the cane, and again the whole reed is laid flat in the ground The bulb, when buried with three-foot spaces between, yields a full-grown stalk in less than a year The truncheon and the whole reed are longer than the aforementioned time in coming to maturity But whether truncheons of two and one-half feet are planted, or entire reeds laid flat, their tops should extend above ground, because, if they are entirely buried, they rot completely But the culture ³ of the reed thicket, for the first three years, is not different from that of the other thickets Later, when it has become old, the ground must be trenched again And this is its old age, when it has either dried up completely because of many years of decadence and sloth, or has become so crowded that the reeds grow up slender and cane-like But in ⁴ the former case it should be dug up again from the

^a Cf Pliny, *N H* XVII 144-146

LUCIUS JUNIUS MODERATUS COLUMELLA

potest intercidī et dirarī,¹ quod opus rustici castrationem² vocant. Quae tamen resectio³ harundineti caeca est, quia non apparet in terra quid aut tollendum sit aut relinquendum, tolerabilius tamen harundo castratur antequam caeditur, quatenus velut indices calami⁴ demonstrant quid eruumdum sit.

5 Tempus repastinandi et conserendi est priusquam oculi harundinum egerminent. Caeditur deinde post brumam, nam usque in id tempus incrementum capit, ac tum compescitur,⁵ cum obrigit hiberno frigore. Fodiendum quotiens et vineta, sed macies eius cinere vel alio stercore iuvanda est, propter quod caesum plerique incendunt harundinetum.

XXXIII Castanea roboribus proxima est, et ideo stabilendis vineis habilis. Tum in repastinato nux posita celeriter emicat, et post quinquennium caesa more salicis⁶ recreatur, atque⁷ in palum formata fere usque in alteram caesionem perennat. Ea pullam terram et resolutam desiderat, sabulonem humidum vel refractum tofum non respuit, opaco et septentrionali clivo laetatur, spissum solum et

2 rubricosum⁸ reformidat. Seritur ab Novembri mense per totam hiemem sicca terra et repastinata in altitudinem dupondii et semissis. Nuces⁹ in ordinem semipedalibus, ordines autem quinum pedum spatius

¹ dirarari SA, Sobel dirrarari aM, et vulgo dirrari c

² castrationem M, Ald, Gesn stipationem SAac, vetted, Schn, Sobel

³ resectio SAaM, Sobel refodio c resectio edd

⁴ velut indices calami SAac indices velut calami M calami velut indices vulgo

⁵ conficitur Aac conficitur compescitur M

⁶ salicis SAa salicti cM, edd

⁷ neque SA, Schn

⁸ solum et rubricosum om SA et rubricosum om a

beginning, in the latter it may be cut out and thinned—an operation which farmers call *castratio* ^a However, this repairing of a reed thicket is done blindly, because it is not apparent on the surface what should be removed or what should be left, still the reed suffers castration better before the time of cutting, since the small canes, like pointers, show what is to be plucked out The time for redigging and ⁵ planting is before the eyes of the reed sprout Then the time for cutting is after the winter solstice, for it makes growth up to that time, and is then checked when stiffened by the winter cold The reed plot must be dug as often as the vineyard, but its leanness must be relieved with ashes or other fertilizer, and for this reason most people burn it over after it is cut

XXXIII The chestnut tree ^b is next best to the oaks, and for this reason it is suitable for supporting vines Its nut, too, when planted in prepared ground, quickly springs up, and when cut down, after five years, it renews itself in the manner of the willow, and when made into a stake it lasts usually to the next cutting It likes a black and loose soil, does not refuse a damp, gravelly soil or crumbling tufa, delights in a shady slope with a northern exposure, and fears a heavy soil that is full of red ochre It is planted from ² the month of November throughout the whole winter, in ground that is dry and worked to a depth of two feet and a half The nuts are placed in a row, half a foot apart, and the rows are separated by five-foot inter-

^a Cf Cato, 33 2, Pliny, *N H* XVI 206, XVII 144, *et al*

^b Cf Pliny XVII 147-150

LUCIUS JUNIUS MODERATUS COLUMELLA

duntur In altitudinem dodiantis castanea de-
 pressis sulcis committitur Qui ubi nucibus sunt
 consiti, priusquam complantentur, breves haerundines
 ab latere castanearum panguntur, ut per hos sationis
 3 indices tutius fodi et runcari possint Simul atque
 semina stilaverint,¹ etiam bima transferri queunt,
 intervelluntur, ac bini pedes arborculis vacui relin-
 quuntur, ne densitas plantas emaciet Spissius²
 autem propter varios casus deponitur nam interdum
 priusquam enascatur, aut siccitatibus nux inarescit,
 aut aquarum abundantia putrescit, interdum sub-
 terianis animalibus sicuti muribus³ et talpis in-
 festatur Propter quae saepe novella castaneta⁴
 calvescunt, atque ubi frequentanda sunt, melius
 ex vicino, si competit, mergi more pertica declinata
 4 propagatur, quam exempta reseritui Haec enim
 velut immota sua sede vehementer germinat, at
 quae radicibus exempta et deposita est, biennio
 reformidat Propter quod comperitum est commodius
 nucibus quam vivradicibus eiusmodi silvas institui
 Spatia huiusce sationis, quae supra scripta sunt,
 capita castanearum recipiunt MMDCCCLXXX, cuius
 summae, sicut ait Atticus, ex facili iugera singula
 praebebunt statuminum duodena milia Etenim
 taleae propius stirpem recisae quadriifidas⁵ plerumque,
 ac deinde secundae taleae eiusdem arboris bifidas⁶
 ridicas sumministrant, quod genus fissilis adminiculi

¹ stilaverint *Schn* stillaverint *SAa*, et plerique distil-
 laverit *c* destilaverunt *M*

² ipsius *SAa* spissus *c* Deinde semen post autem *add*
vulgo, om codd

³ sicuti muribus *om SA*

⁴ castaneta *SAac*

⁵ quadripedas *SAC*

vals The chestnut is committed to furrows sunk to a depth of three-fourths of a foot, and when these furrows are planted with nuts, and before they are levelled off, short reeds are set beside the chestnuts, so that, with these markers of the planting, they may be dug and weeded with greater safety As soon as ³ the plants have formed a stem—and they may be transplanted when two years old—they are plucked out here and there, and two feet of room is left free for the young saplings, lest crowding weaken the plants The planting is closer, moreover, because of various mishaps for the nut is sometimes dried up by droughts before it springs forth, or it decays from excessive wetness, and sometimes it is destroyed by underground animals, such as mice and moles For these reasons young plantations of chestnut often ⁴ grow up quite bare, and when it is necessary to increase their number, it is better that a near-by sapling, if such a one is suitable, be bent over and propagated in the manner of a layer, than that it be taken up and replanted For such a sapling, being undisturbed at its base, sends out shoots vigorously, but one that is torn out by the roots and transplanted is retarded for two years thereafter On this account it has been found more advantageous to start trees of this sort from nuts rather than from quicksets The spaces allotted to this planting, as described above, admit 2880 chestnut trees, of which total, as Atticus says, every *iugerum* of land will easily yield 12000 props For the lengths cut closest to the stump generally supply four stakes when split, and then the second cuts of the same tree yield two, and this sort of split

LUCIUS JUNIUS MODERATUS COLUMELLA

- 5 manet diutius quam teres palus Cultus idem est
 positionis fossionisque ¹ qui vineae Supputari debet
 bima, quin etiam trima, nam bis ferio repetenda est
 veris ² principio, ut incitetur eius proceritas Potest
 etiam quercus simili ratione seri, verum biennio
 tardius quam castanea deceditur Propter quod
 ratio postulat tempus potius lucrum, nisi si dumosi
 glareosique montes, atque ea genera terrae, quae
 supra diximus, glandem magis quam castaneam
 postulabunt
- 6 Haec de vineis Italicis vinearumque instrumentis,
 quantum reor, non inutiliter et abunde disserui
 mox agricolarum provincialium vineaticos nec minus
 nostratis et Gallici arbusti cultus traditurus

¹ fossionis positionisque *vulgo, sed inclusit Schn* positionis
 qui *SAc* positionis fossionis qui *a* fossionis qui *M*

² verni *SAacM*

prop lasts longer than the round pole The manage- 5
 ment of setting and digging is the same as that of
 the vineyard ,It should be pruned lightly when two
 years old, and again when three, for twice in early
 spring it must be attacked with the knife, that its
 upward growth may be hastened The oak also
 may be planted in like manner, but it is cut down
 two years later than the chestnut For this reason
 common sense requires that we profit rather by the
 gain in time, unless it happens that brush-covered
 and stony mountains, and the kinds of soil which we
 mentioned above, demand the acorn rather than the
 chestnut

These matters concerning Italian vineyards and 6
 vineyard equipment I have discussed, so I believe,
 fully and not without profit I intend presently to
 give an account of viticulture among our provincial
 farmers, also of the management of the *arbustum* both
 in our own country and in Gaul

PRINTED IN GREAT BRITAIN BY
RICHARD CLAY AND COMPANY, LTD ,
BUNGAY, SUFFOLK.

- CICERO LETTERS TO HIS FRIENDS W Glynn Williams 3 Vols (Vols I and II *2nd Imp revised*)
- CICERO PHILIPPICS W C A Ker (*2nd Imp revised*)
- CICERO PRO ARCHIA, POST REDITUM, DE DOMO, DE HARUSPICUM RESPONSIS, PRO PLANCIO N H Watts (*2nd Imp*)
- CICERO PRO CAECINA, PRO LEGE MANILIA, PRO CLUENTIO PRO RABIRIO H Grose Hodge (*2nd Imp*)
- CICERO PRO MILONE IN PISONEM, PRO SCAURO, PRO FONTEIO, PRO RABIRIO POSTUMO, PRO MARCELLO, PRO LIGARIO, PRO REGE DEIOTARO N H Watts
- CICERO PRO QUINCTIO, PRO ROSCIO AMERINO, PRO ROSCIO COMOEDO, CONTRA RULLUM J H Freese (*2nd Imp revised*)
- CICERO TUSCULAN DISPUTATIONS J E King (*2nd Imp*)
- CICERO VERRINE ORATIONS L H G Greenwood 2 Vols (Vol I *2nd Imp*)
- CLAUDIAN M Platnauer 2 Vols
- COLUMELLA DE RE RUSTICA H B Ash 3 Vols (Vol I *2nd Imp*)
- CURTIUS, QUINTUS HISTORY OF ALEXANDER Translated by J C Rolfe 2 Vols
- FLORUS E S Forster, and CORNELIUS NEPOS J C Rolfe (*2nd Imp*)
- FRONTINUS STRATAGEMS AND AQUEDUCTS C E Bennett and M B McElwain (*2nd Imp*)
- FRONTO CORRESPONDENCE C R Haines 2 Vols
- GELLIUS J C Rolfe 3 Vols (Vols I and II *2nd Imp*)
- HORACE ODES AND EPODES C E Bennett (*13th Imp revised*)
- HORACE SATIRES, EPISTLES, ARS POETICA H R Fairclough (*8th Imp revised*)
- JEROME SELECTED LETTERS F A Wright
- JUVENAL AND PERSIUS G G Ramsay (*6th Imp*)
- LIWY B O Foster, F G Moore, Evan T Sage and A C Schlesinger 13 Vols (Vol I *3rd Imp*, Vols II, III, IV, V, VII, IX, X, XI and XII *2nd Imp*)
- LUCAN J D Duff (*2nd Imp*)
- LUCRETIUS W H D Rouse (*6th Imp revised*)
- MARTIAL W C A Ker 2 Vols (Vol I *5th Imp*, Vol II *3rd Imp revised*)
- MINOR LATIN POETS from PUBLILIUS SYRUS to RUTILIUS NAMATIUS, including GRATIUS, CALPURNIUS SICULUS, NEMESIANUS, AVIANUS, and others with "Aetna" and the "Phœnix" J Wight Duff and Arnold M Duff (*2nd Imp*)
- OVID THE ART OF LOVE AND OTHER POEMS J H Mozley (*3rd Imp*)
- OVID FASII Sir James G Frazer
- OVID HEROIDES AND AMORES Grant Showerman (*4th Imp*)

OVID METAMORPHOSES F J Miller 2 Vols (Vol I 9th Imp, Vol II 7th Imp)
 OVID TRISTIA AND EX PONTO A L Wheeler (2nd Imp)
 PERSIUS Cf JUVENAL
 PETRONIUS M Heseltine SENECA APOCOLOCYN-
 TOSIS W H D Rouse (7th Imp revised)
 PLAUTUS Paul Nixon 5 Vols (Vols I and II 4th Imp, Vol III 3rd Imp)
 PLINY LETTERS Melmoth's Translation revised by W M L Hutchinson 2 Vols (5th Imp)
 PLINY NATURAL HISTORY H Rackham and W H S Jones 10 Vols Vols I-V H Rackham (Vols I-III 2nd Imp)
 PROPERTIUS, H E Butler (5th Imp)
 QUINTILIAN H E Butler 4 Vols (2nd Imp)
 REMAINS OF OLD LATIN E H Warmington 4 Vols Vol I (ENNIUS AND CAECILIUS) Vol II (LIVIUS NAEVIUS, PACUVIUS, ACCIUS) Vol III (LUCILIUS AND LAWS OF XII TABLES) Vol IV (ARCHAIC INSCRIPTIONS) (Vol IV 2nd Imp)
 SALLUST J C Rolfe (3rd Imp revised)
 SCRIPTORES HISTORIAE AUGUSTAE D Magie 3 Vols (Vol I 2nd Imp revised)
 SENECA APOCOLOCYN-TOSIS Cf PETRONIUS
 SENECA EPISTULAE MORALES R M Gummere 3 Vols (Vol I 3rd Imp, Vols II and III 2nd Imp revised)
 SENECA MORAL ESSAYS J W Basore 3 Vols (Vol II 3rd Imp, Vol III 2nd Imp revised)
 SENECA TRAGEDIES F J Miller 2 Vols (Vol I 3rd Imp, Vol II 2nd Imp revised)
 SIDONIUS POEMS AND LETTERS W B Anderson 2 Vols Vol I
 SILIUS ITALICUS J D Duff 2 Vols (Vol I 2nd Imp, Vol II 3rd Imp)
 STATIUS J H Mozley 2 Vols
 SUETONIUS J C Rolfe 2 Vols (Vol I 6th Imp, Vol II 5th Imp revised)
 TACITUS DIALOGUS Sir Wm Peterson AGRICOLA AND GERMANIA Maurice Hutton (6th Imp)
 TACITUS HISTORIES AND ANNALS C H Moore and J Jackson 4 Vols (Vols I and II 2nd Imp)
 TERENCE John Sargeaunt 2 Vols (Vol I 6th Imp, Vol II 5th Imp)
 TERTULLIAN APOLOGIA AND DE SPECTACULIS T R Glover MINUCIUS FELIX G H Rendall
 VALERIUS FLACCUS J H Mozley (2nd Imp revised)
 VARRO DELINGUALATINA R G Kent 2 Vols (2nd Imp)
 VELLEIUS PATERCULUS AND RES GESTAE DIVI AUGUSTI F W Shipley
 VIRGIL H R Fairclough 2 Vols (Vol I 16th Imp, Vol II 13th Imp revised)

VITRUVIUS DE ARCHITECTURA F Granger 2 Vols
(Vol I 2nd Imp)

Greek Authors

- ACHILLES TATIUS S Gasco (2nd Imp)
AENEAS TACTICUS ASCLEPIODOTUS AND ONASANDER,
The Illinois Greek Club (2nd Imp)
AESCHINES C D Adams (2nd Imp)
AESCHYLUS H Weir Smyth 2 Vols (Vol I 5th Imp,
Vol II 4th Imp)
ANDOCIDES, ANTIPHON Cf MINOR ATTIC ORATORS
APOLLODORUS Sir James G Frazer 2 Vols (2nd Imp)
APOLLONIUS RHODIUS R C Seaton (4th Imp)
THE APOSTOLIC FATHERS Kirsopp Lake 2 Vols
(Vol I 7th Imp, Vol II 6th Imp)
APPIAN'S ROMAN HISTORY Horace White 4 Vols
(Vol I 3rd Imp, Vols II, III and IV 2nd Imp)
ARATUS Cf CALLIMACHUS
ARISTOPHANES Benjamin Bickley Rogers 3 Vols Verse
trans (4th Imp)
ARISTOTLE ART OF RHETORIC J H Freese (3rd
Imp)
ARISTOTLE ATHENIAN CONSTITUTION, EUDEMIAN
ETHICS, VICES AND VIRTUES H Rackham (2nd Imp)
ARISTOTLE GENERATION OF ANIMALS A L Peck
(2nd Imp)
ARISTOTLE METAPHYSICS H Tredennick 2 Vols
(3rd Imp)
ARISTOTLE MINOR WORKS W S Hett On Colours,
On Things Heard, On Physiognomies, On Plants, On Mar-
vellous Things Heard, Mechanical Problems, On Indivisible
Lines, On Position and Names of Winds
ARISTOTLE NICOMACHEAN ETHICS H Rackham
(5th Imp revised)
ARISTOTLE OECONOMICA AND MAGNA MORALIA
G C Armstrong, (with Metaphysics Vol II) (3rd Imp)
ARISTOTLE ON THE HEAVENS W K C Guthrie
(2nd Imp revised)
ARISTOTLE ON THE SOUL, PARVA NATURALIA, ON
BREATH W S Hett (2nd Imp revised)
ARISTOTLE ORGANON H P Cooke and H Tredennick
2 Vols Vol I (Vol I 2nd Imp)
ARISTOTLE PARTS OF ANIMALS A L Peck, MOTION
AND PROGRESSION OF ANIMALS E S Forster
(2nd Imp revised)
ARISTOTLE PHYSICS Rev P Wicksted and F M
Cornford 2 Vols (2nd Imp)
ARISTOTLE POETICS AND LONGINUS W Hamilton
Fyfe, DEMETRIUS ON STYLE W Rhys Roberts (4th
Imp revised)
ARISTOTLE POLITICS H Rackham (3rd Imp revised)

ARISTOTLE PROBLEMS W S Hett 2 Vols (Vol I
 2nd Imp)
 ARISTOTLE RHETORICA AD ALEXANDRUM (with
 PROBLEMS, Vol II) H Rackham
 ARRIAN HISTORY OF ALEXANDER AND INDICA
 Rev E Iliffe Robson 2 Vols (2nd Imp)
 ATHENAIUS DEIPNOSOPHISTAE C B Gulick 7
 Vols (Vols I, V and VI 2nd Imp)
 ST BASIL LETTERS R J Deferrari 4 Vols (Vols I,
 II and IV 2nd Imp)
 CALLIMACHUS AND LYCOPHRON A W Mair, ARA
 TUS G R Mair (2nd Imp revised)
 CLEMENT OF ALEXANDRIA Rev G W Butterworth
 (2nd Imp)
 COLLUTHUS Cf OPPIAN
 DAPHNIS AND CHLOE Thornley's Translation revised by
 J M Edmonds, AND PARTHENIUS S Gaselee (3rd
 Imp)
 DEMOSTHENES II DE CORONA AND DE FALSA LEGA
 TIONE C A Vince and J H Vince (2nd Imp revised)
 DEMOSTHENES III MEIDIAS, ANDROTION, ARISTO
 CRATES, TIMOCRATES AND ARISTOGEITON, I AND
 II Translated by J H Vince
 DEMOSTHENES I OLYNTHIACS, PHILIPPICS AND
 MINOR ORATIONS I-XVII AND XX J H Vince
 DEMOSTHENES IV-VI PRIVATE ORATIONS AND IN
 NEAERAM A T Murray 3 Vols (Vol IV 2nd Imp)
 DIO CASSIUS ROMAN HISTORY E Cary 9 Vols
 (Vols I and II 2nd Imp)
 DIO CHRYSOSTOM J W Cohoon and H Lamar Crosby
 5 Vols Vols I-IV (Vols I and II 2nd Imp)
 DIODORUS SICULUS THE LIBRARY 12 Vols Vols
 I-IV translated by C H Oldfather Vol IX translated
 by C H Geer (Vol I 2nd Imp)
 DIOGENES LAERTIUS R D Hicks 2 Vols (Vol I
 3rd Imp, Vol II 2nd Imp)
 DIONYSIUS OF HALICARNASSUS ROMAN ANTI
 QUIRIES Spelman's translation revised by E Cary 7
 Vols Vols I-VI (Vol IV 2nd Imp)
 EPICTETUS W A Oldfather 2 Vols (Vol I 2nd Imp)
 EURIPIDES A S Way 4 Vols (Vols I, II and IV 6th
 Imp, Vol III 5th Imp) Verse trans
 EUSEBIUS ECCLESIASTICAL HISTORY Kirsopp Lake
 and J E L Oulton 2 Vols (Vol I 2nd Imp, Vol II
 3rd Imp)
 GALEN ON THE NATURAL FACULTIES A J Brock
 (3rd Imp)
 THE GREEK ANTHOLOGY W R Paton 5 Vols (Vols
 I and II 4th Imp, Vols III and IV 3rd Imp)
 GREEK ELEGY AND IAMBUS WITH THE ANACREONTEA
 J M Edmonds 2 Vols (Vol I 2nd Imp)

THE GREEK BUCOLIC POETS (THEOCRITUS, BION,
 MOSCHUS) J M Edmonds (6th Imp revised)
 GREEK MATHEMATICAL WORKS Ivor Thomas 2 Vols
 (2nd Imp)
 HERODOTUS Cf THEOPHRASTUS CHARACTERES
 HERODOTUS A D Godley 4 Vols (Vol I 4th Imp
 Vols II and IV 3rd Imp)
 HESIOD AND THE HOMERIC HYMNS H G Evelyn
 White (6th Imp, revised and enlarged)
 HIPPOCRATES AND THE FRAGMENTS OF HERACLEITUS
 W H S Jones and E T Withington 4 Vols (Vol I 3rd
 Imp, Vols II, III and IV 2nd Imp)
 HOMER ILLIAD A T Murray 2 Vols (6th Imp)
 HOMER ODYSSEY A T Murray 2 Vols (7th Imp)
 ISAEUS E W Forster (2nd Imp)
 ISOCRATES George Norlin 3 Vols
 ST JOHN DAMASCENE BARLAAM AND IOASAPH
 Rev G R Woodward and Harold Mattingly (2nd Imp
 revised)
 JOSEPHUS H St J Thackeray and Ralph Marcus 9 Vols
 Vols I-VII (Vols I, V and VI 2nd Imp)
 JULIAN Wilmer Cave Wright 3 Vols (Vol I 2nd Imp,
 Vol II 3rd Imp)
 LUCIAN A M Harmon 8 Vols Vols I-V (Vols I
 and II 3rd Imp, Vol III 2nd Imp)
 LYCOPHRON Cf CALLIMACHUS
 LYRAGRAECA J M Edmonds 3 Vols (Vols I and III
 3rd Imp, Vol II 2nd Ed revised and enlarged)
 LYSIAS W R M Lamb (2nd Imp)
 MANETHO W G Waddell PTOLEMY TETRABIBLOS
 F E Robbins (2nd Imp)
 MARCUS AURELIUS C R Haines (3rd Imp revised)
 MENANDER F G Allinson (2nd Imp revised)
 MINOR ATTIC ORATORS (ANAGIPHON, ANDOCIDES
 DEMADES, DEINARCHUS, HYPEREIDIS) K J Maid
 ment and J O Burtt 2 Vols Vol I K J Maidment
 NONNOS W H D Rouse 3 Vols (Vol III 2nd Imp)
 OPIAN, COLLUTHUS, TRYPHIODORUS A W Mair
 PAPYRI NON LITERARY SELECTIONS A S Hunt and
 C C Edgar 2 Vols (Vol I 2nd Imp) LITERARY
 SELECTIONS Vol I (Poetry) D L Page (2nd Imp)
 PARTHENIUS Cf DAPHNIS AND CHLOE
 PAUSANIAS DESCRIPTION OF GREECE W H S
 Jones 5 Vols and Companion Vol (Vols I and III 2nd
 Imp)
 PHILO 10 Vols Vols I-V, F H Colson and Rev G II
 Whitaker Vols VI-IX, F H Colson (Vols I, II, V,
 VI and VII, 2nd Imp Vol IV 3rd Imp)
 PHILOSTRATUS THE LIFE OF APOILONIUS OF
 TYANA F C Conybeare 2 Vols (3rd Imp)

PHILOSTRATUS IMAGINES, CALLISTRATUS DE
 DESCRIPTIONS A Fairbanks
 PHILOSTRATUS AND EUNAPIUS LIVES OF THE
 SOPHISTS Wilmer Cave Wright (*2nd Imp*)
 PINDAR Sir J E Sandys (*7th Imp revised*)
 PLATO CHARMIDES, ALCIBIADES, HIPPARCHUS,
 THE LOVERS, THEAGES, MINOS AND EPINOMIS
 W R M Lamb
 PLATO CRATYLUS, PARMENIDES, GREATER HIP
 PIAS, LESSER HIPPIAS H N Fowler (*3rd Imp*)
 PLATO EUTHYPHRO, APOLOGY, CRITO, PHAEDO,
 PHAEDRUS H N Fowler (*9th Imp*)
 PLATO LACHES, PROTAGORAS, MENO EUTHYDE
 MUS W R M Lamb (*2nd Imp revised*)
 PLATO LAWS Rev R G Bury 2 Vols (*2nd Imp*)
 PLATO LYSIS SYMPOSIUM, GORGIAS W R M Lamb
 (*4th Imp revised*)
 PLATO REPUBLIC Paul Shorey 2 Vols (Vol I *4th*
Imp, Vol II *3rd Imp*)
 PLATO STATESMAN, PHILEBUS H N Fowler, ION
 W R M Lamb (*3rd Imp*)
 PLATO THEAETETUS AND SOPHIST H N Fowler
 (*3rd Imp*)
 PLATO TIMAEUS, CRITIAS CLITOPHO, MENEXENUS,
 EPISTULAE Rev R G Bury (*2nd Imp*)
 PLUTARCH MORALIA 14 Vols Vols I-V F C
 Babbitt, Vol VI W C Helmbold, Vol X H N Fowler
 (Vols I, III and X *2nd Imp*)
 PLUTARCH THE PARALLEL LIVES B Perrin 11
 Vols (Vols I, II and VII, *3rd Imp*, Vols III, IV, VI,
 VIII IX, X and XI *2nd Imp*)
 POLYBIUS W R Paton 6 Vols
 PROCOPIUS HISTORY OF THE WARS H B Dewing
 7 Vols (Vol I *2nd Imp*)
 PTOLEMY TETRABIBLOS Cf MANETHO
 QUINTUS SMYRNAEUS A S Way Verse trans (*2nd Imp*)
 SEXTUS EMPIRICUS Rev R G Bury 4 Vols (Vol III
2nd Imp)
 SOPHOCLES F Storr 2 Vols (Vol I *8th Imp*, Vol II
5th Imp) Verse trans
 STRABO GEOGRAPHY Horace L Jones 8 Vols (Vols
 I and VIII *3rd Imp*, Vols II, V and VI, *2nd Imp*)
 THEOPHRASTUS CHARACTERS J M Edmonds,
 HERODES, etc A D Knox (*2nd Imp*)
 THEOPHRASTUS ENQUIRY INTO PLANTS Sir Arthur
 Hort, Bart 2 Vols (*2nd Imp*)
 THUCYDIDES C F Smith 4 Vols (Vol I *3rd Imp*,
 Vols II, III and IV *2nd Imp revised*)
 TRYPHIODORUS Cf OPIAN
 XENOPHON CYROPAEDIA Walter Miller 2 Vols
 (Vol I *2nd Imp*, Vol II *3rd Imp*)

XENOPHON HELLENICA, ANABASIS, APOLOGY, AND
 SYMPOSIUM C L Brownson and O J Todd 3 Vols
 (3rd Imp)
 XENOPHON MEMORABILIA AND OECONOMICUS E C
 Marchant (2nd Imp)
 XENOPHON SCRIPTAMINORA E C Marchant (2nd
 Imp)

IN PREPARATION

Greek Authors

ALCIPHRON A R Benner and F Fobes
 ARISTOTLE DE MUNDO
 ARISTOTLE HISTORY OF ANIMALS A L Peck
 ARISTOTLE METEOROLOGICA H P Lee
 DEMOSTHENES EPISTLES, etc N W and N J De Witt
 PLOTINUS

Latin Authors

ST AUGUSTINE CITY OF GOD W S Magunness
 [CICERO] AD HERENNIIUM H Caplan
 CICERO DE INVENTIONE etc H M Hubbell
 CICERO PRO SESTIO IN VATINIIUM PRO CAELIO,
 DE PROVINCIIS CONSULARIBUS, PRO BALBO J H
 Freese and R Gardner
 PHAEDRUS AND OTHER FABULISTS B E Perry
 PRUDENTIUS J H Thomson

DESCRIPTIVE PROSPECTUS ON APPLICATION

London
 Cambridge, Mass

- WILLIAM HEINEMANN LTD
 HARVARD UNIVERSITY PRESS